

魚介類等に含まれるメチル水銀に係る食品健康影響評価について

<資料一覧>

厚生労働省提出資料

資料 No.1 FAO/WHO 合同食品添加物専門家会議(JECFA)サマリーレポート

No.1 - 1 第 16 回

No.1 - 2 第 22 回

No.1 - 3 第 33 回

No.1 - 4 第 53 回

No.1 - 5 第 61 回

No.1 - 6 WHO-Technical Report Series-922 (抜粋)

資料 No.2 WHO環境保健クライテリア (EHC) 101

資料 No.3 国連環境計画 (UNEP) Global Mercury Assessment

資料 No.4 平成 15 年度 メチル水銀のリスク評価のための文献収集報告書

資料 No.5 - 1 薬事・食品衛生審議会食品衛生分科会乳肉水産食品・毒性合同部会配付資料(平成 15 年 6 月 3 日開催)

No.5 - 2 平成 16 年 8 月 17 日薬事・食品衛生審議会食品衛生分科会乳肉水産食品部会
資料

資料 No.6 Axtell CD, Myers GJ, Davidson PW, et al. - Semiparametric modeling of age at achieving developmental milestones after prenatal exposure to methylmercury in the Seychelles child development study. *Environ Health Perspect.* 1998;106(9):559-563.

資料 No.7 Axtell C, C C, GJ M, et al. - Association between methylmercury exposure from fish consumption and child development at five and a half years of age in the Seychelles Child Development Study: an evaluation of nonlinear relationships. *Environ Res.* 2000;84(2):71-80.

資料 No.8 Budtz-Jorgensen E, Grandjean P, Keiding N, White RF, Weihe P. - Benchmark dose calculations of methylmercury-associated neurobehavioural deficits. *Toxicol Lett.* 2000;113:193-199.

資料 No.9 Cernichiari E, Toribara TY, Liang L, et al. - The biological monitoring of mercury in the Seychelles study. *Neurotoxicology.* 1995;16(4):613-628.

資料 No.10 Clarkson T, Cox C, Davidson PW, Myers GJ. - Mercury in fish. *Science.* 1998;279(5350):461.

資料 No.11 Crump KS, Van Landingham C, Shamlaye C, et al. - Benchmark concentrations for methylmercury obtained from the Seychelles Child Development Study. *Environ Health Perspect.* 2000;108(3):257-263.

資料 No.12 Davidson PW, Myers GJ, Cox C, et al. - Longitudinal neurodevelopmental study of Seychellois children following in utero exposure to methylmercury from

maternal fish ingestion: outcomes at 19 and 29 months. *Neurotoxicology*. 1995;16(4):677-688.

資料 No.13 Davidson PW, Myers GJ, Cox C, et al. - Neurodevelopmental test selection, administration, and performance in the main Seychelles child development study. *Neurotoxicology*. 1995;16(4):665-676.

資料 No.14 Davidson PW, Myers GJ, Cox C, et al. - Effects of prenatal and postnatal methylmercury exposure from fish consumption on neurodevelopment: outcomes at 66 months of age in the Seychelles Child Development Study. *Jama*. 1998;280(8):701-707.

資料 No.15 Davidson PW, Myer GJ, Shamlaye C, et al. - Association between prenatal exposure to methylmercury and developmental outcomes in Seychellois children: effect modification by social and environmental factors. *Neurotoxicology*. 1999;20(5):833-841.

資料 No.16 Davidson PW, Palumbo D, Myers GJ, et al. - Neurodevelopmental outcomes of Seychellois children from the pilot cohort at 108 months following prenatal exposure to methylmercury from a maternal fish diet. *Environ Res*. 2000;84(1):1-11.

資料 No.17 Davidson PW, Kost J, Myers GJ, Cox C, Clarkson TW, Shamlaye CF. - Methylmercury and neurodevelopment: reanalysis of the Seychelles Child Development Study outcomes at 66 months of age. *JAMA*. 2001;285(10):1291-1293.

資料 No.18 Deborah C. Rice – The US EPA reference dose for methylmercury: sources of uncertainty. Environmental Research 95 (2004) 406- 413.

資料 No.19 Donald C.Cole, Jill Kearney, Luz Helena Sanin, Alain Leblanc, and Jean Phillippe Weber – Blood mercury levels among Ontario anglers and sport-fish eaters. Environmental Research 95 (2004) 305-314.

資料 No.20 Esben Budtz- Jorgensen, Philippe Grandjean, Poul J. Jorgensesn, Pal Weihe and Niels Keiding – Association between mercury concentrations in blood and hair in methylmercury- exposed subjects at different ages. Environmental Research 95 (2004) 385- 393.

資料 No.21 Grandjean P, Weihe P, Jorgensen PJ, Clarkson T, Cernichiari E, Videro T. - Impact of maternal seafood diet on fetal exposure to mercury, selenium, and lead. *Arch Environ Health*. 1992;47(3):185-195.

資料 No.22 Grandjean P, Nielsen GD, Jorgensen PJ, Horder M. - Reference intervals for trace elements in blood: significance of risk factors. *Scand J Clin Lab Invest*. 1992;52(4):321-337.

資料 No.23 Grandjean P, Weihe P. - Neurobehavioral effects of intrauterine mercury exposure: potential sources of bias. *Environ Res*. 1993;61(1):176-183.

資料 No.24 Grandjean P, Weihe P, Nielsen JB. - Methylmercury: significance of intrauterine and postnatal exposures. *Clin Chem*. 1994;40(7 Pt 2):1395-1400.

資料 No.25 Grandjean P, Weihe P, Needham LL, et al. - Relation of a seafood diet to mercury, selenium, arsenic, and polychlorinated biphenyl and other organochlorine concentrations in human milk. *Environ Res*. 1995;71(1):29-38.

資料 No.26 Grandjean P, White RF, Weihe P. - Neurobehavioral epidemiology: application in risk assessment. *Environ Health Perspect*. 1996;2:397-400.

資料 No.27 Grandjean P, Weihe P, White RF, et al. - Cognitive deficit in 7-year-old children with prenatal exposure to methylmercury. *Neurotoxicol Teratol*.

1997;19(6):417-428.

資料 No.28 Grandjean P, Weihe P, White RF, Debes F. - Cognitive performance of children prenatally exposed to "safe" levels of methylmercury. *Environ Res.* 1998;77(2):165-172.

資料 No.29 Grandjean P, Weihe P. EDITORIAL-A New Era of Mercury Hazards-. *Environmental Research, Section A.* 1998;77:67.

資料 No.30 Grandjean P, White RF. - Effects of methylmercury exposure on neurodevelopment. *Jama.* 1999;281(10):897.

資料 No.31 Grandjean P, Bjerve KS, Weihe P, Steuerwald U. - Birthweight in a fishing community: significance of essential fatty acids and marine food contaminants. *Int J Epidemiol.* 2001;30(6):1272-1278.

資料 No.32 Grandjean P, RF W, K S, et al. - Impact of contrast sensitivity performance on visually presented neurobehavioral tests in mercury-exposed children. *Neurotoxicol Teratol.* 2001;23(2):141-146.

資料 No.33 Grandjean P, Weihe P, Burse VW, et al. - Neurobehavioral deficits associated with PCB in 7-year-old children prenatally exposed to seafood neurotoxicants. *Neurotoxicol Teratol.* 2001;23(4):305-317.

資料 No.34 Grandjean P, Budtz-Jorgensen E, Steuerwald U, et al. - Attenuated growth of breast-fed children exposed to increased concentrations of methylmercury and polychlorinated biphenyls. *Faseb J.* 2003;17(6):699-701.

資料 No.35 Grandjean P, Murata K, Budtz-Jorgensen E, Weihe P. - Cardiac autonomic activity in methylmercury neurotoxicity: 14-year follow-up of a Faroese birth cohort. *J Pediatr.* 2004;144(2):169-176.

資料 No.36 H.A. Anderson, L.P. Hanrahan, A. Smith, L. Draheim, M. Kanarek, and J. Olsen - The role of sport-fish consumption advisories in mercury risk communication: a 1998-1999 12-state survey of women age 18-45, Environmental Research 95 (2004) 315-324

資料 No.37 Huang L-S, Cox C, Wilding GE, et al. - Using measurement error models to assess effects of prenatal and postnatal methylmercury exposure in the Seychelles Child Development Study. *Environ Res.* 2003;93(2):115-122.

資料 No.38 I. Michael Weis – Mercury concentrations in fish from Canadian Great Lakes areas of concern: an analysis of data from the Canadian Department of Environment database. Environmental Research 95 (2004) 341- 350.

資料 No.39 Joelle Morissette, Larissa Takser, Genevieve St-Amour, Audrey Smargiassi, Jukie Lafond, and Donna Mergler – Temporal variation of blood and hair mercury levels in pregnancy in relation to fish consumption history in a population living along the St. Lawrence River. Environmental Research 95 (2004) 363- 374.

資料 No.40 John A. Dellinger – Exposure assessment and initial intervention regarding fish consumption of tribal members of the Upper Great Lakes Region in the United States. Environmental Research 95 (2004) 325- 340.

資料 No.41 Julshamn K, Andersen A, Ringdal O, Morkore J. - Trace elements intake in the Faroe Islands. I. Element levels in edible parts of pilot whales (*Globicephalus meleanus*). *Sci Total Environ.* 1987;65:53-62.

- 資料 No.42 Kathryn R. Mahaffey – Fish and shellfish as dietary sources of methylmercury and the -3 fatty acids, eicosahexaenoic acid and docosahexaenoic acid: risks and benefits. *Environmental Research* 95 (2004)414- 428.
- 資料 No.43 Keiding N, Budtz-Jorgensen E, Grandjean P. - Prenatal methylmercury exposure in the Seychelles. *Lancet*. 2003;362(9384):664-665.
- 資料 No.44 Landrigan PJ, Goldman L. - Prenatal methylmercury exposure in the Seychelles. *Lancet*. 2003;362(9384):666-667
- 資料 No.45 Lapham LW, Cernichiari E, Cox C, et al. - An analysis of autopsy brain tissue from infants prenatally exposed to methymercury. *Neurotoxicology*. 1995;16(4):689-704.
- 資料 No.46 Lyketsos CG. - Should pregnant women avoid eating fish? Lessons from the Seychelles. *Lancet*. 2003;361(9370):1667-1668.
- 資料 No.47 Marsh DO, Clarkson TW, Myers GJ, et al. - The Seychelles study of fetal methylmercury exposure and child development: introduction. *Neurotoxicology*. 1995;16(4):583-596.
- 資料 No.48 Matthews AD. - Mercury content of commercially important fish of the Seychelles, and hair mercury levels of a selected part of the population. *Environ Res*. 1983;30(2):305-312.
- 資料 No.49 Michael Gilbertson – Male cerebral palsy hospitalization as a potential indicator of neurological effects of methylmercury exposure in Great Lakes communities. *Environmental Research* 95 (2004) 375- 384.
- 資料 No.50 Murata K, Weihe P, Araki S, Budtz-Jorgensen E, Grandjean P. - Evoked potentials in Faroese children prenatally exposed to methylmercury. *Neurotoxicol Teratol*. 1999;21(4):471-472.
- 資料 No.51 Murata K, Dakeishi M. - [Impact of prenatal methylmercury exposure on child neurodevelopment in the Faroe Islands]. *Nippon Eiseigaku Zasshi*. 2002;57(3):564-570.
- 資料 No.52 Murata K, Weihe P, Budtz-Jorgensen E, Jorgensen PJ, Grandjean P. - Delayed brainstem auditory evoked potential latencies in 14-year-old children exposed to methylmercury. *J Pediatr*. 2004;144(2):177-183.
- 資料 No.53 Myers GJ, Davidson PW, Cox C, et al. - Summary of the Seychelles child development study on the relationship of fetal methylmercury exposure to neurodevelopment. *Neurotoxicology*. 1995;16(4):711-716.
- 資料 No.54 Myers GJ, Marsh DO, Davidson PW, et al. - Main neurodevelopmental study of Seychellois children following in utero exposure to methylmercury from a maternal fish diet: outcome at six months. *Neurotoxicology*. 1995;16(4):653-664.
- 資料 No.55 Myers GJ, Davidson PW, Cox C, et al. - Neurodevelopmental outcomes of Seychellois children sixty-six months after in utero exposure to methylmercury from a maternal fish diet: pilot study. *Neurotoxicology*. 1995;16(4):639-652.
- 資料 No.56 Myers GJ, Marsh DO, Cox C, et al. - A pilot neurodevelopmental study of Seychellois children following in utero exposure to methylmercury from a maternal fish diet. *Neurotoxicology*. 1995;16(4):629-638.
- 資料 No.57 Myers GJ, Davidson PW, Shambaye CF, et al. - Effects of prenatal

methylmercury exposure from a high fish diet on developmental milestones in the Seychelles Child Development Study. *Neurotoxicology*. 1997;18(3):819-829.

資料 No.58 Myers GJ, Davidson PW, Palumbo D, et al. - Secondary analysis from the Seychelles Child Development Study: the child behavior checklist. *Environ Res*. 2000;84(1):12-19.

資料 No.59 Myers GJ, Davidson PW, Cox C, et al. - Prenatal methylmercury exposure from ocean fish consumption in the Seychelles child development study. *Lancet*. 2003;361(9370):1686-1692.

資料 No.60 Palumbo DR, Cox C, Davidson PW, et al. - Association between prenatal exposure to methylmercury and cognitive functioning in Seychellois children: a reanalysis of the McCarthy Scales of Children's Ability from the main cohort study. *Environ Res*. 2000;84(2):81-88.

資料 No.61 Rice DC. - Identification of functional domains affected by developmental exposure to methylmercury: Faroe islands and related studies. *Neurotoxicology*. 2000;21(6):1039-1044.

資料 No.62 Shamlaye CF, Marsh DO, Myers GJ, et al. - The Seychelles child development study on neurodevelopmental outcomes in children following in utero exposure to methylmercury from a maternal fish diet: background and demographics. *Neurotoxicology*. 1995;16(4):597-612.

資料 No.63 Sorensen N, Murata K, Budtz-Jorgensen E, Weihe P, Grandjean P. - Prenatal methylmercury exposure as a cardiovascular risk factor at seven years of age. *Epidemiology*. 1999;10(4):370-375.

資料 No.64 Steuerwald U, Weihe P, Jorgensen PJ, et al. - Maternal seafood diet, methylmercury exposure, and neonatal neurologic function. *J Pediatr*. 2000;136(5):599-605.

資料 No.65 Weihe P. - Prenatal methylmercury exposure in the Seychelles. *Lancet*. 2003;362(9384):666-667.

資料 No.66 ATSDR(US). TOXICOLOGICAL PROFILE FOR MERCURY. Available at: <http://www.atsdr.cdc.gov/toxprofiles/tp46.pdf>. Accessed Jan-7, 2004.

資料 No.67 NRC CotTEoM. *Toxicological Effects of Methylmercury*. Washington,DC: National Academy Press; 2000.

資料 No.68 S.Allen Counter and Leo H.Buchanan -Mercury exposure in children: a review. *Toxicology and Applied Pharmacology* 198(2004)209-230

資料 No.69 Bakir, F., S.F.Damluji, L.Amin-Zaki, M.Murtadha, A. Khalidi. Al-rawi, S.Tikriti, H.I.Dahahir, T.W.Clarkson,J.C.Smith and R.A.Doherty: Methylmercury poisoning iraq. *Science* 181 :230-241, 1973.

資料 No.70 Clarkson, T . W . (2002). The three modern faces of mercury. *Environ. Health Perspect*. 110(suppl.1):11-23

資料 No.71 Crump KS, Kjellstrom T, Shipp AM, Silvers A, Stewart A. - Influence of prenatal mercury exposure upon scholastic and psychological test performance: benchmark analysis of a New Zealand cohort. *Risk Anal*. 1998;18(6):701-713.

資料 No.72 Kjellstrom T, P. Kennedy, S.Wallis and C.Mantell : Physical and mental development of children with prenatal exposure to mercury from fish.

Stage1:Preliminary test at age 4. *National Swedish Environmental Protection Board, Report 308 Solna, Swedish* 1986.

資料 No.73 Kjellstrom T, P. Kennedy, S.Wallis and C.Mantell : Physical and mental development of children with prenatal exposure to mercury from fish.

Stage2:Interviews and psychological tests at age 6. *National Swedish Environmental Protection Board, Report 3642 Solna, Swedish* 1989.

資料 No.76 Friberg, L(Swedish Expert Group).1971. methylmercury in fish: A toxicological-epidemiologic evaluation of risk report from an expert group. *Nord.Hyg.Tidskr.4(Suppl.):19-364*

資料 No.77 Tsubaki, T., Hirota, K., Shirakawa, K., Kondo,K., & Sato, T.(1978) Clinical, epidemiological and toxicological studies on methylmercury poisoning. In: Plaa, G.L.& Duncan, W.A.M., ed. *Proceedings of the First International congress on Toxicology*, New York, London, San Francisco, Academic Press, pp.339-357.

資料 No.78 Marsh, D.O., T.W.Clarkson,.C.Cox, G.J.Myers, L.Amin-Zaki and S.Al-Tikriti: Fetal methylmercury poisoning. Relationship between concentration in single strands of maternal hair and children effects. *Archives of Neurology* 44:1017-1022, 1987

資料 No.79 Amin-Zaki, I., Majeed, M . A . , Greenwood, M.R . ,Elhassani, S.B.,Clarkson,T.W. and Doherty, R.A.(1981). Methylmercury poisoning in the Iraqi suckling infant: a longitudinal study over five years. *J. Appl Toxicol.1(4):210-214*

資料 No.80 Sakamoto M, et al: Declining risk of methylmercury expose to infants during lactation, *Environ Res*, 90, 185-189, 2002.

事務局收集資料

資料 No.74 EPA(U.S. Environmental Protection Agency).2000.Methylmercury(MeHg) CASRN22967-92-6.U.S. Environmental Protection Agency IRIS Substance file. [Online].Available :<http://www.epa.gov/iris/subst/0073.htm> : Last updated:9 July 2004

資料 No.75 喜田村正次 近藤雅臣 瀧澤行雄 藤井正美 藤木素士 共著 「水銀」 講談社サイエンティフィク (1976)(抜粋:P366 ~ P372)

資料 No.81 Kazuko Yoshizawa, Sc.D., Eric B. Rimm, Sc.D., J. Steven Morris, Ph.D., Vickie L. Spate, Chung-cheng Hsieh, Sc.D., Donna Spiegelman, Sc.D., Meir J. Stampfer, M.D., and Walter C. Willett, M.D.(Department of Nutrition, Harvard School of Public Health, Boston, USA. Mercury and the Risk of Coronary Heart Disease in Men.New England Journal of Medicine ,2002,Nov 28;347(22):1755-60

- 資料 No.82 Julie L.Daniels,Matthew P.Longnecker,Andrew S.Roland et al. Fish Intake During Pregnancy and Early Cognitive Development of Offspring, *Epidemiology*, 15, 394-402, 2004.
- 資料 No.83 Hugh H.Harris,Ingrid J.Pickering,Graham N.George. The Chemical Form of Mercury in Fish. *Science* ,2003,Aug 29;vol.301:1203
- 資料 No.84 岡知子・仲井邦彦・亀尾聰美・佐藤洋.セイシェル共和国における水銀と健康の問題. *環境科学会誌*.17(3):163-168(2004)
- 資料 No.85 村田勝敬・嶽石美和子・岩田豊人.フェロー諸島における出生コホート研究. *環境科学会誌*.17(3):169-180(2004)
- 資料 No.86 Amin Zaki L, Elhassani S, Majeed MA, Clarkson TW, Doherty RA, Greenwood M. Intra uterine methylmercury poisoning in Iraq. *Pediatrics*. 1974 Nov;54(5):587-95.
- 資料 No.87 Grandjean P, Jorgensen PJ, Weihe P. Human Milk as a Source of Methylmercury Exposure in Infants. *Environ Health Perspect*. 1994 Jan;102(1):74-7.
- 資料 No.88 Sakamoto M, Kakita A, Wakabayashi K, et al. Evaluation of changes in methylmercury accumulation in the developing rat brain and its effects: a study with consecutive and moderate dose exposure throughout gestation and lactation periods. *Brain Res* 2002; 949:51-9.
- 資料 No.89 Sakamoto M, Kubota M. Plasma fatty acid profiles in 38 pairs of maternal and umbilical cord blood samples. *Environ Health Prev Med* 2004; 9: 67-9.
- 資料 No.90 Sakamoto M, Kubota M, Liu XJ, Murata K, Nakaii K, Satoh H. Maternal and fetal mercury and n-3 polyunsaturated fatty acids as a risk and benefit of fish consumption to fetus. *Environ Sci Tech* 2004; 38: 3860-3.
- 資料 No.91 Pan H.S, Sakamoto M, Oliveira R.B. et al. Changes in methylmercury accumulation in the brain of rat offspring throughout gestation and during suckling. *Toxicol Environ Chem* 2004; 86: 163-70.
- 資料 No.92 Weihe P, Grandjean P: Sources and magnitude of mercury exposure in the Faroe Islands: overall design of the cohort study. In Proceedings of the International Symposium on "Assessment of Environmental Pollution and Health Effects from Methylmercury", National Institute for Minamata Disease (Minamata), 1994: 112-126
- 資料 No.93 Grandjean P, Budtz-Jørgensen E, White RF, Jørgensen PJ, Weihe P, Debes F, Keiding N (1999) Methylmercury exposure biomarkers as indicators of neurotoxicity in children aged 7 years. *Am J Epidemiol* 150: 301-305.
- 資料 No.94 Grandjean P, Jørgensen PJ, Weihe P (2002) Validity of mercury exposure biomarkers. In: Wilson SH, Suk WA (ed) *Biomarkers of Environmentally Associated Disease*. CRC Press/Lewis Publishers, 235-247.
- 資料 No.95 Budtz-Jørgensen, E., Keiding, N., Grandjean, P. and Weihe, P. (2002) Estimation of health effects of prenatal methylmercury exposure using structural equation models. *Environmental Health*, 1, 2.
- 資料 No.96 Grandjean P, White RF, Weihe P, Jorgensen PJ (2003) Neurotoxic risk caused by stable and variable exposure to methylmercury from seafood. *Ambul Pediatr* 3: 18-23
- 資料 No.97 Grandjean P, White RF, Weihe P (2001) Evidence of developmental methylmercury toxicity. In: *Abstract of 6th International Conference on Mercury as a*

Global Pollutant.National Institute for Minamata Disease, 233.

- 資料 No.98 Budtz-Jørgensen E, Keiding N, Grandjean P, Weihe, P. and White R.F. (2003) Consequences of exposure measurement error for confounder identification in environmental epidemiology. *Statistics in Medicine*, 22, 3089-3100.
- 資料 No.99 Grandjean P, White RF, Debes F , Weihe P and Letz R. (2002) NES2 continuous performance test results obtained by methylmercury-exposed children at ages 7 and 14 years. In:Abstract Book on 8th International symposium;Neurobehavioral Methods and Effects in Occupational and Environmental Health. Brescia,Italy June 23-26 2002. Institute of Occupational Health and Industrial Hygiene, University of Brescia, 136.
- 資料 No.100 NIEHS(National Institute of Environmental Health Sciences).1998. Scientific Issues Relevant to Assessment of Health Effects from Exposure to Methylmercury. Workshop organized by Committee on Environmental and Natural Resources (CENR),Office of Science and Technology Policy(OSTP), The White House. November 18-20, 1998,Raleigh,NC.(抜粋)
- 資料 No.101 Jan Robinson, Jude Shroff.(2004) Observations on the levels of total mercury (Hg) and selenium (Se) in species common to the artisanal fisheries of Seychelles. *Seychelles Medical and Dental Journal(SMDJ)*, Special Issue, Vol 7, No 1, November 2004.
- 資料 No.102 医学のあゆみ vol.212 No.4 2005.1.22. 241-263

厚生労働省追加資料

- 資料 No.103 WHO FOOD ADDITIVES SERIES:52 Safety evaluation of certain food additives and contaminants (抜粋)

事務局収集資料 2

- 資料 No.104 Salonen, J.T., Seppanen, K., Nyssonnen, H., Korppila, K., Kauhanen, J., Kantola, M., Tuomilehto, J., Esterbauer, H., Tatzber, F., Salonen, R. (1995) Intake of mercury from fish, lipid peroxidation, and the risk of myocardial infarction and coronary cardiovascular, and any death in eastern Finnish men. *Circulation*, 91, 645-655.
- 資料 No.105 Salonen, J.T., Seppanen, K., Lakka, T.A., Salonen, R., Kaplan, G. A. (2000) Mercury accumulation and accelerated progression of carotid atherosclerosis : a population-based prospective 4-year follow-up study in men in eastern Finland. *Atherosclerosis*, 148, 265-273 .
- 資料 No.106 Virtanen Jyrki K., Sari Voutilainen, Tiina H. Rissanen, Jaakko Mursu, Tomi-Pekka Tuomainen, et al. : Mercury, Fish Oils, and Risk of Acute Coronary Events and Cardiovascular Disease, Coronary Heart Disease, and All-Cause Mortality in Men in Eastern Finland. *Arterioscler Thromb Vasc Biol.*, January 2005, 228-233.
- 資料 No.107 Al-Sharistani, H; Shihab, KM. (1974) Variation of biological half-life of methylmercury in man. *Archives of Environmental Health*, 28, June, 342-344
- 資料 No.108 Ask, K., Åkesson, A., Berglund, M., Vahter. M., (2002) Inorganic Mercury and

Methylmercury in Placentas of Swedish Women. Environmental Health Perspectives, Vol 110, No 5, May 2002, 523-526.

資料 No.109 Newland, M.C., Reile, P.A. (1999) Blood and brain mercury levels after chronic gestational exposure to methylmercury in rats. Toxicological Sciences, 50, 106-116

資料 No.110 Rice, D., Schoney, R., Mahaffey, K. (2003) Methods and rationale for the derivation of a reference dose for methylmercury by the U.S. EPA. *Risk Analysis*, 23,107-115

資料 No.111 Budtz-Jorgensen, E., Keiding, N., Grandjean, P. (1999) Methylmercury neurotoxicity independent of PCB exposure. Environmental Health Perspectives, 107, A236-A237

資料 No.112 Stewart, P.W., Reihman, J., Lonky, E.I., Darvill, T.J., Pagano, J. (2003) Cognitive development in preschool children prenatally exposed to PCBs and MeHg. Neurotoxicology and Teratology, 25, 2003, 11-22

資料 No.113 Stern, Alan H. : A review of the studies of the cardiovascular health effects of methylmercury with consideration of their suitability for risk assessment. Environmental Research, 98, 2005, 133-142.

資料 No.114 Guallar, E., Sanz-Gallardo, M. I., Van t Veer, P., Bode, P., Aro, A., Gomez-Aracena, J., Kark, J.D., Riemersma, R.A., Martin-Moreno, J.M., Kok, F.J. Mercury, Fish Oils, and the Risk of Myocardial Infarction. The New England Journal of Medicine. Med., Vol. 347, No 28, 2002, 1747-1754

資料 No.115 Yasutake, A., Matsumoto, M., Yamaguchi, M., Hachiya, N. Current hair mercury levels in Japanese : survey in five districts. *Tohoku Journal of Experimental Medicine*, 199, 2003, 161-169.

資料 No.116 Miettinen, J. K., Rahola, T., Hattula, T., Rissanen, K., Tillander, M. Elimination of ²⁰³Hg-Methylmercury in Man. Annals of Clinical Research, 3, 1971 116-122