

文献リスト

検討番号 (-文献枝番)	出典文献
1	Supornsilchai V, Söder O, Svechnikov K. Stimulation of the pituitary-adrenal axis and of adrenocortical steroidogenesis ex vivo by administration of di-2-ethylhexyl phthalate to prepubertal male rats. <i>The Journal of Endocrinology</i> . 2007; 192(1): 33-39.
2	Morton SJ. The hepatic effects of dietary di-2-ethylhexyl phthalate. Ann Arbor, MI, Johns Hopkins University, 1979 (dissertation; abstract in <i>Dissertation abstracts international</i> , 1979, B 40(09):4236).
3	Takai R, Hayashi S, Kiyokawa J, Iwata Y, Matsuo S, Suzuki M et al. Collaborative work on evaluation of ovarian toxicity. 10) Two- or four-week repeated dose studies and fertility study of di-(2-ethylhexyl) phthalate (DEHP) in female rats. <i>The Journal of Toxicological Sciences</i> . 2009; 34 Suppl 1: SP111-119.
4	Poon R, Lecavalier P, Mueller R, Valli VE, Procter BG, Chu I. Subchronic oral toxicity of di-n-octyl phthalate and di (2-ethylhexyl) phthalate in the rat. <i>Food and chemical toxicology</i> . 1997; 35: 225-239.
5	Mitchell FE, Price SC, Hinton RH, Grasso P, Bridges JW. Time and dose-response study of the effects on rats of the plasticizer di (2-ethylhexyl) phthalate. <i>Toxicology and Applied Pharmacology</i> . 1985; 81: 371-392.
6	Pugh G Jr, Isenberg JS, Kamendulis LM, Ackley DC, Clare LJ, Brown R et al.. Effects of Di-isononyl phthalate, Di-2-ethylhexyl phthalate, and clofibrate in cynomolgus monkeys. <i>Toxicological Sciences</i> . 2000; 56: 181-188.
7	Kurata Y, Kidachi F, Yokoyama M, Toyota N, Tsuchitani M, Katoh M. Subchronic toxicity of di (2-ethylhexyl) phthalate in common marmosets: Lack of hepatic peroxisome proliferation, testicular atrophy, or pancreatic acinar cell hyperplasia. <i>Toxicological Sciences</i> . 1998; 42: 49-56.
8-1	Kluwe WM, Haseman JK, Douglas JF, Huff JE.. The carcinogenicity of dietary di (2-ethylhexyl) phthalate in Fischer 344 rats and B6C3F ₁ mice. <i>Journal of Toxicology and Environmental Health</i> . 1982; 10: 797-815.
8-2	National Toxicology Program(NTP). Carcinogenesis bioassay of di (2-ethylhexyl) phthalate (CAS No. 117-81-7) in F344 rats and B6C3F ₁ mice (feed study). NTP publication No. 217. 1982
9-1	David RM, Moore MR, Cifone MA, Finney DC, Guest D. Chronic peroxisome proliferation and hepatomegaly associated with the hepatocellular tumorigenesis of di (2-ethylhexyl) phthalate and the effects of recovery. <i>Toxicological Sciences</i> . 1999; 50: 195-205.
9-2	David RM, Moore MR, Finney DC, Guest D. Chronic toxicity of di (2-ethylhexyl) phthalate in mice. <i>Toxicological Sciences</i> . 2000b; 58: 377-385.
10	Carpenter CP, Weil CS, Smyth HF. Chronic oral toxicity of DEHP for rats, guinea pigs, and dogs. <i>AMA Archives of Industrial Hygiene and Occupational Medicine</i> . 1953; 8: 219-226.
11	Ganning AE, Olsson MJ, Brunk U, Dallner G. Effects of prolonged treatment with phthalate ester on rat liver. <i>Pharmacology and Toxicology</i> . 1991; 68: 392-401.

検討番号 (-文献枝番)	出典文献
12-1	Kluwe WM, Haseman JK, Douglas JF, Huff JE.. The carcinogenicity of dietary di (2-ethylhexyl) phthalate in Fischer 344 rats and B6C3F ₁ mice. Journal of Toxicology and Environmental Health. 1982; 10: 797-815.
12-2	National Toxicology Program(NTP). Carcinogenesis bioassay of di (2-ethylhexyl) phthalate (CAS No. 117-81-7) in F344 rats and B6C3F ₁ mice (feed study). NTP publication No. 217. 1982
13-1	David RM, Moore MR, Cifone MA, Finney DC, Guest D. Chronic peroxisome proliferation and hepatomegaly associated with the hepatocellular tumorigenesis of di (2-ethylhexyl) phthalate and the effects of recovery. Toxicological Sciences. 1999; 50: 195-205.
13-2	David RM, Moore MR, Finney DC, Guest D. Chronic toxicity of di (2-ethylhexyl) phthalate in rats. Toxicological Sciences. 2000a; 55: 433-443.
14	Voss C, Zerban H, Bannasch P, Berger MR. Lifelong exposure to di-(2-ethylhexyl)-phthalate induces tumors in liver and testes of Sprague-Dawley rats. Toxicology. 2005; 206: 359-371.
15	Carpenter CP, Weil CS, Smyth HF.Chronic oral toxicity of DEHP for rats, guinea pigs, and dogs. AMA Archives of Industrial Hygiene and Occupational Medicine. 1953; 8: 219-226.
16	Moser VC, Cheek BM, MacPhail RC. A multidisciplinary approach to toxicological screening: III. Neurobehavioral toxicity. Journal of Toxicology and Environmental Health. 1995; 45: 173-210.
17	Lamb JC 4th, Chapin RE, Teague J, Lawton AD, Reel JR. Reproductive effects of four phthalic acid esters in the mouse. Toxicology and Applied Pharmacology. 1987; 88: 255-269.
18	Tyl RW, Price CJ, Marr MC, Kimmel CA. Developmental toxicity evaluation of dietary di (2-ethylhexyl) phthalate in Fischer 344 rats and CD-1 mice. Fundamental and Applied Toxicology. 1988; 10: 395-412.
19	Shiota K, Chou MJ, Nishimura H. Embryotoxic effects of di (2-ethylhexyl) phthalate and di-n-butyl phthalate (DB) in mice. Environmental Research. 1980; 22: 245-253.
20	Liu X, He DW, Zhang DY, Lin T, Wei GH. Di(2-ethylhexyl) phthalate (DEHP) increases transforming growth factor-beta1 expression in fetal mouse genital tubercles. Journal of Toxicology and Environmental Health A. 2008; 71(19): 1289-1294.
21-1	Tanida T, Warita K, Ishihara K, Fukui S, Mitsuhashi T, Sugawara T et al. Fetal and neonatal exposure to three typical environmental chemicals with different mechanisms of action: mixed exposure to phenol, phthalate, and dioxin cancels the effects of sole exposure on mouse midbrain dopaminergic nuclei. Toxicology Letters. 2009; 189(1): 40-47.
21-2	Ghisari M, Bonefeld-Jorgensen EC. Effects of plasticizers and their mixtures on estrogen receptor and thyroid hormone functions. Toxicology Letters. 2009; 189(1): 67-77.
22-1	Song XF, Wei GH, Liu X, Zhang DY, Chen X, Deng YJ. Effects of diethylhexyl phthalate (DEHP) on INSL3 mRNA expression by Leydig cells derived from mouse embryos and in newborn mice. The Journal of International Medical Research. 2008; 36(3): 512-521.
22-2	Laguë E, Tremblay JJ. Antagonistic effects of testosterone and the endocrine disruptor mono-(2-ethylhexyl) phthalate on INSL3 transcription in Leydig cells. Endocrinology. 2008; 149(9): 4688-4694.

検討番号 (-文献枝番)	出典文献
23	Tanaka T. Reproductive and neurobehavioral toxicity study of bis (2-ethylhexyl) phthalate (DEHP) administered to mice in the diet. Food and Chemical Toxicology. 2002; 40: 1499-1506.
24	Tanaka T. Reproductive and neurobehavioral effects of bis (2-ethylhexyl) phthalate (DEHP) in a cross-mating toxicity study of mice. Food and Chemical Toxicology. 2005; 43: 581-589.
25	Price CJ, Tyl RW, Marr MC, Myers CB, Sadler BM. Reproduction and fertility of diethylhexyl phthalate (CAS No. 117-81-7) in CD-1-mice exposed during gestation. NTP, PB-88204300. 1988.
26	Li LH, Jester WF Jr, Laslett AL, Orth JM. A single dose of Di-(2-ethylhexyl) phthalate in neonatal rats alters gonocytes, reduces sertoli cell proliferation, and decreases cyclin D2 expression. Toxicology and Applied Pharmacology. 2000; 166: 222-229.
27	Dostal LA, Chapin RE, Stefanski SA, Harris MW, Schwetz BA. Testicular toxicity and reduced Sertoli cell numbers in neonatal rats by di (2-ethylhexyl) phthalate and the recovery of fertility as adults. Toxicology and Applied Pharmacology. 1988; 95: 104-121.
28	Svechnikova I, Svechnikov K, Söder O. The influence of di-(2-ethylhexyl) phthalate on steroidogenesis by the ovarian granulosa cells of immature female rats. The Journal of Endocrinology. 2007; 194(3): 603-609.
29	Lee BM, Koo HJ. Hershberger assay for antiandrogenic effects of phthalates. Journal of Toxicology and Environmental Health A. 2007; 70(15-16): 1365-1370.
30	Davis BJ, Maronpot RR, Heindel JJ. Di-(2-ethylhexyl) phthalate suppresses estradiol and ovulation in cycling rats. Toxicology and Applied Pharmacology. 1994; 128: 216-223.
31	Akingbemi BT, Youker RT, Sottas CM, Ge R, Katz E, Klinefelter GR et al. Modulation of rat Leydig cell steroidogenic function by di (2-ethylhexyl) phthalate. Biology of Reproduction. 2001; 65: 1252-1259.
32	Noriega N, Howdeshell KL, Furr J, Lambright CR, Wilson VS, Gray LE Jr. Pubertal administration of DEHP delays puberty, suppresses testosterone production and inhibits reproductive tract development in male Sprague-Dawley and Long-Evans Rats. Toxicological Sciences. 2009; 111(1): 163-178
33	Ge RS, Chen GR, Dong Q, Akingbemi B, Sottas CM, Santos M et al. Biphasic effects of postnatal exposure to diethylhexylphthalate on the timing of puberty in male rats. Journal of Andrology . 2007; 28(4): 513-520.
34	Hirosawa N, Yano K, Suzuki Y, Sakamoto Y. Endocrine disrupting effect of di-(2-ethylhexyl)phthalate on female rats and proteome analyses of their pituitaries. Proteomics. 2006; 6(3): 958-971.
35	Agarwal DK, Eustis S, Lamb JCIV, Reel JR, Kluwe WM. Effects of di (2-ethylhexyl) phthalate on the gonadal pathophysiology, sperm morphology, and reproductive performance of male rats. Environmental Health Perspectives. 1986; 65: 343-350.
36	Tyl RW, Price CJ, Marr MC, Kimmel CA. Developmental toxicity evaluation of dietary di (2-ethylhexyl) phthalate in Fischer 344 rats and CD-1 mice. Fundamental and Applied Toxicology. 1988; 10: 395-412.
37	Lin H, Ge RS, Chen GR, Hu GX, Dong L, Lian QQ et al. Involvement of testicular growth factors in fetal Leydig cell aggregation after exposure to phthalate in utero. Proceedings of the National Academy of Sciences of the United States of America. 2008; 105(20): 7218-7222.

検討番号 (-文献枝番)	出典文献
38	Hellwig J, Freudenberger H, Jäckh R. Differential prenatal toxicity of branched phthalate esters in rats. <i>Food and Chemical Toxicology</i> . 1997; 35: 501-512.
39	Borch J, Metzdorff SB, Vinggaard AM, Brokken L, Dalgaard M. Mechanisms underlying the anti-androgenic effects of diethylhexyl phthalate in fetal rat testis. <i>Toxicology</i> . 2006; 223(1-2): 144-155.
40	Vo TT, Jung EM, Dang VH, Jung K, Baek J, Choi KC et al. Differential Effects of Flutamide and Di-(2-ethylhexyl) phthalate on Male Reproductive Organs in a Rat Model. <i>The Journal of Reproduction and Development</i> . 2009; 55(4): 400-411
41	Saillenfait AM, Sabaté JP, Gallissot F. Effects of in utero exposure to di-n-hexyl phthalate on the reproductive development of the male rat. <i>Reproductive toxicology</i> . 2009; Jul 3: Epub ahead of print
42	Wilson VS, Howdeshell KL, Lambright CS, Furr J, Earl Gray L Jr. Differential expression of the phthalate syndrome in male Sprague-Dawley and Wistar rats after in utero DEHP exposure. <i>Toxicology Letters</i> . 2007; 170(3): 177-184.
43	Arcadi FA, Costa C, Imperatore C, Marchese A, Rapisarda A, Salemi M et al. Oral toxicity of bis (2-ethylhexyl) phthalate during pregnancy and suckling in the Long-Evans rat. <i>Food and Chemical Toxicology</i> . 1998; 36: 963-970.
44	Moore RW, Rudy TA, Lin TM, Ko K, Peterson RE.. Abnormalities of sexual development in male rats with in utero and lactational exposure to the antiandrogenic plasticizer. <i>Environmental Health Perspectives</i> . 2001; 109: 229-237.
45	Grande SW, Andrade AJ, Talsness CE, Grote K, Golombiewski A, Sterner-Kock A et al. A dose-response study following in utero and lactational exposure to di-(2-ethylhexyl) phthalate (DEHP): reproductive effects on adult female offspring rats. <i>Toxicology</i> . 2007; 229(1-2): 114-122.
46	Grande SW, Andrade AJ, Talsness CE, Grote K, Chahoud I. A dose-response study following in utero and lactational exposure to di(2-ethylhexyl)phthalate: effects on female rat reproductive development. <i>Toxicological Sciences</i> . 2006; 91(1): 247-254.
47	Andrade AJ, Grande SW, Talsness CE, Gericke C, Grote K, Golombiewski A, Sterner-Kock A, Chahoud I. A dose response study following in utero and lactational exposure to di-(2-ethylhexyl) phthalate (DEHP): reproductive effects on adult male offspring rats. <i>Toxicology</i> . 2006a; 228(1): 85-97.
48	Andrade AJ, Grande SW, Talsness CE, Grote K, Golombiewski A, Sterner-Kock A, Chahoud I. A dose-response study following in utero and lactational exposure to di-(2-ethylhexyl) phthalate (DEHP): effects on androgenic status, developmental landmarks and testicular histology in male offspring rats. <i>Toxicology</i> . 2006c; 225(1): 64-74.
49	Andrade AJ, Grande SW, Talsness CE, Grote K, Chahoud I. A dose-response study following in utero and lactational exposure to di-(2-ethylhexyl)-phthalate (DEHP): non-monotonic dose-response and low dose effects on rat brain aromatase activity. <i>Toxicology</i> . 2006b; 227(3): 185-192.
50	Parks LG, Ostby JS, Lambright CR, Abbott BD, Klinefelter GR, Barlow NJ et al. The plasticizer diethylhexyl phthalate induces malformations by decreasing fetal testosterone synthesis during sexual differentiation in the male rat. <i>Toxicological Sciences</i> . 2000; 58: 339-349.
51	Rosicarelli B, Stefanini S. DEHP effects on histology and cell proliferation in lung of newborn rats. <i>Histochemistry and Cell Biology</i> . 2009; 131(4): 491-500.

検討番号 (-文献枝番)	出典文献
52	Gray LE Jr, Barlow NJ, Howdeshell KL, Ostby JS, Furr JR, Gray CL. Transgenerational effects of Di (2-ethylhexyl) phthalate in the male CRL:CD(SD) rat: added value of assessing multiple offspring per litter. <i>Toxicological Sciences</i> . 2009; 110(2):411-425.
53	Dostal LA, Weaver RP, Schwetz BA. Transfer of di (2-ethylhexyl) phthalate through rat milk and effects on milk composition and the mammary glands. <i>Toxicology and Applied Pharmacology</i> . 1987; 91: 315-325.
54	Parmar D, Srivastava SP, Srivastava SP, Seth PK. Hepatic mixed function oxidases and cytochrome P-450 contents in rat pups exposed to di-(2-ethylhexyl) phthalate through mother' s milk. <i>Drug Metabolism and Disposition</i> . 1985; 13: 368-370.
55	Tandon R, Chowdhary SR, Seth PK, Srivastava SP. Altered development of testis of rat exposed to di(2-ethylhexyl) phthalate (DEHP) during lactation. <i>Journal of Environmental Biology</i> . 1990; 11: 345-354.
56	Schilling K, Gemhardt C and Hellwig J. Di-2-ethylhexyl phthalate - Two-generation reproduction toxicity study in Wistar rats. Continuous dietary administration. <i>Experimental Toxicology and Ecology</i> , BASF Aktiengesellschaft, D-67056 Ludwigshafen, FRG. Laboratory project identification 70R0491/97139. (referenced as BASF 70R0491/97139 in the IUCLID file). 2001
57	Price CJ, Tyl RW, Marr MC, Sadler BM. Reproduction and fertility evaluation of diethylhexyl phthalate (CAS No. 117-81-7) in Fischer 344 rats exposed during gestation. Final report. NTP-86-309. 1986.
58-1	Wolfe et al. Multigeneration reproduction toxicity study in rats (unaudited draft): Diethylhexylphthalate: Multigenerational reproductive assessment by continuous breeding when administered to Sprague-Dawley rats in the diet. TherImmune Research Corporation (TRC) Study No. 7244-200. (http://ntp.niehs.nih.gov/go/15182). 2003
58-2	Benson R. Hazard to the developing male reproductive system from cumulative exposure to phthalate esters--dibutyl phthalate, diisobutyl phthalate, butylbenzyl phthalate, diethylhexyl phthalate, dipentyl phthalate, and diisononyl phthalate. <i>Regulatory Toxicology and Pharmacology</i> . 2009; 53(2): 90-101.
59	Ljungvall K, Veeramachaneni DN, Hou M, Hultén F, Magnusson U. Morphology and morphometry of the reproductive organs in prepubertal and postpubertal male pigs exposed to di(2-ethylhexyl) phthalate before puberty: Precocious development of bulbourethral glands. <i>Theriogenology</i> . 2008; 70(6): 984-991.
60	Ljungvall K, Spjuth L, Hultén F, Einarsson S, Rodríguez-Martínez H, Andersson K et al. Early post-natal exposure to low dose oral di(2ethylhexyl) phthalate affects the peripheral LH-concentration in plasma, but does not affect mating behavior in the post-pubertal boar. <i>Reproductive Toxicology</i> . 2006; 21(2): 160-166.
61	Spjuth L, Saravia F, Johannisson A, Lundeheim N, Rodríguez-Martínez H. Effects of exposure of pre-pubertal boars to di(2-ethylhexyl) phthalate on their frozen-thawed sperm viability post-puberty. <i>Andrologia</i> . 2006a; 38(5): 186-194.
62	Spjuth L, Ljungvall K, Saravia F, Lundeheim N, Magnusson U, Hultén F, Rodríguez-Martínez H. Does exposure to di(2-ethylhexyl) phthalate in pre-pubertal boars affect semen quality post-puberty? <i>Int Journal of Andrology</i> . 2006b; 29(5): 534-542.

検討番号 (-文献枝番)	出典文献
63	Spjuth L, Johannisson A, Lundeheim N, Rodríguez-Martínez H. Early pre-pubertal exposure to low-dose oral di(2-ethylhexyl) phthalate does not affect sperm plasma membrane stability, acrosomal integrity or chromatin structure in the post-pubertal boar. <i>Theriogenology</i> . 2007; 68(2): 186-195.
64	Tomonari Y, Kurata Y, David RM, Gans G, Kawasuso T, Katoh M. Effect of di(2-ethylhexyl) phthalate (DEHP) on genital organs from juvenile common marmosets: I. Morphological and biochemical investigation in 65-week toxicity study. <i>Journal of Toxicology and Environmental Health A</i> . 2006; 69(17): 1651-1672.
65	Akingbemi BT, Ge R, Klinefelter GR, Zirkin BR, Hardy MP. Phthalate-induced Leydig cell hyperplasia is associated with multiple endocrine disturbances. <i>Proc Natl Acad Sci U S A</i> . 2004 Jan 20;101(3):775-80.
66	Christiansen S, Boberg J, Axelstad M, Dalgaard M, Vinggaard AM, Metzdorff SB, Hass U. Low-dose perinatal exposure to di(2-ethylhexyl) phthalate induces anti-androgenic effects in male rats. <i>Reprod Toxicol</i> . 2010 Sep;30(2):313-21.
67	Blystone CR, Kissling GE, Bishop JB, Chapin RE, Wolfe GW, Foster PM. Determination of the di-(2-ethylhexyl) phthalate NOAEL for reproductive development in the rat: importance of the retention of extra animals to adulthood. <i>Toxicol Sci</i> . 2010 Aug;116(2):640-6.