

## 二枚貝中の下痢性貝毒の食品健康影響評価に係る提出資料一覧

## ○各国及び国際機関における貝毒関連情報・リスク評価・規制等

Australia New Zealand Food Authority. 2001. SHELLFISH TOXINS IN FOOD A Toxicological Review and Risk Assessment Technical report series No. 14

MacKenzie L A. 2009. Risk Evaluation of Dredging and the Potential for Harmful Algal Bloom Initiation in Whangarei Harbour. Cawthron Report No.1584

NSW Food authority. 2009. Food Safety Risk Assessment of NSW Food Safety Schemes.

NSW Food authority. 2011. Marine Biotoxin Management Plan NSW Shellfish Program.

Todd E.C. D. 1997. Seafood-associated diseases and control in Canada. Rev. sci. tech. Off. int. Epiz. 16(2):661-672

Health Canada. Canadian Standards (Maximum Levels) for Various Chemical Contaminants in Foods

Canadian Food Inspection Agency. 2012. Marine Toxins in Bivalve Shellfish: Paralytic Shellfish Poisoning, Amnesic Shellfish Poisoning and Diarrhetic Shellfish Poisoning.

FDA. 2009. NSSP 2009 Sec II Chapter II Risk Assessment and Risk Management

National Shellfish Sanitation Program Guide for the Control of Molluscan Shellfish 2009 Section II. Model Ordinance Chapter II. Risk Assessment and Risk Management.

FDA. CHAPTER 6: Natural Toxins.

LONGLINE ENVIRONMENT (UK) . Models for the assessment of sustainability and risk in fish and shellfish aquaculture.

FSA (UK). End-Product Testing for Shellfish Toxins. Information for Shellfish Harvesters, Growers and Processors.

Defining Future Shellfish Safety Frontiers through Innovation in Science and Policy. 2009.

EFSA. 2008. Marine biotoxins in shellfish – Okadaic acid and analogues<sup>1</sup> Scientific Opinion of the Panel on Contaminants in the Food chain. The EFSA Journal. 589:1-62

EFSA. 2009. Marine biotoxins in shellfish – Pectenotoxin group<sup>1</sup> Scientific Opinion of the Panel on Contaminants in the Food chain The EFSA Journal. 1109:1-47

EFSA. 2008. Marine biotoxins in shellfish – Yessotoxin group<sup>1</sup> Scientific Opinion of the Panel on Contaminants in the Food chain. The EFSA Journal. 907:1-62

EFSA. 2010. SCIENTIFIC OPINION Statement on further elaboration of the consumption figure of 400 g shellfish meat on the basis of new consumption data EFSA Panel on Contaminants in the Food Chain (CONTAM). 8(8):1706.

EUROPEAN COMMISSION. 1999. FINAL REPORT DIRECTIVE 91/492/EEC(SHELLFISH) SPAIN Evaluation Mission(22-26.02.1999)

EU. 2005. COMMISSION REGULATION (EC) No 2074/2005 of 5 December 2005 laying down implementing measures for certain products under Regulation (EC) No 853/2004 of the European Parliament and of the Council and for the organisation of official controls under Regulation (EC) No 854/2004 of the European Parliament and of the Council and Regulation (EC) No 882/2004 of the European Parliament and of the Council, derogating from Regulation (EC) No 852/2004 of the European Parliament and of the Council and amending Regulations (EC) No 853/2004 and (EC) No 854/2004. Official Journal of the European Union.

EU. 2011. COMMISSION REGULATION (EU) No 15/2011 of 10 January 2011 amending Regulation (EC) No 2074/2005 as regards recognised testing methods for detecting marine biotoxins in live bivalve molluscs. Official Journal of the European Union.

EU. 2013. COMMISSION REGULATION (EU) No 786/2013 of 16 August 2013 amending Annex III to Regulation (EC) No 853/2004 of the European Parliament and of the Council as regards the permitted limits of yessotoxins in live bivalve molluscs. Official Journal of the European Union.

CODEX. 2008. STANDARD FOR LIVE AND RAW BIVALVE MOLLUSCS  
CODEX STAN 292-2008.

CODEX. 2012. JOINT FAO/WHO FOOD STANDARDS PROGRAMME  
CODEX COMMITTEE ON FISH AND FISHERY PRODUCTS Thirty-Second  
Session Bali, Indonesia 1 – 5 October 2012 Proposed Draft Performance  
Criteria for Reference and Confirmatory Methods for Marine Biotoxins in  
the Standard for Raw and Live Bivalve Molluscs COMMENTS AT STEP 3

FAO. 2004. Marine biotoxins.

FAO/IOC/WHO. 2004. Report of the Joint FAO/IOC/WHO ad hoc Expert  
Consultation on Biotoxins in Bivalve Molluscs.

Toyofuku H. 2006. Joint FAO/WHO/IOC activities to provide scientific advice  
on marine biotoxins (research report). Marine Pollution Bulletin  
52:1735-1745.

FAO. 2011. Assessment and management of biotoxin risks in bivalve  
molluscs.

#### ○急性参照用量の参考

Yoshida M, Suzuki D, Matsumoto K, Shirota M, Inoue K, Takahashi M,  
Morita T, Ono A. Simulation of acute reference dose (ARfD) settings for  
pesticides in Japan. The Journal of Toxicological Sciences. 38(2):205-214

吉田緑、鈴木大節、松本清司、代田真理子、井上薫、高橋美和、森田健、小野敦。2013年。日本における農薬等の急性参照用量設定の基本的考え方。食品衛生学会雑誌 第54巻、第4号

#### ○自然毒総論

Yasumoto T. 2005. Chemistry, etiology, and food chain dynamics of marine toxins. Proc. Japan Acad. 81, Ser. B 43-51

今井一郎、福代康夫、広石伸互。2007。わが国における貝毒発生の歴史的経過と水産業への影響。水産学シリーズ 153  
貝毒研究の最先端—現状と展望

登田美桜、畝山智香子、豊福肇、森川馨。2012。わが国における自然毒による食中毒事例の傾向（平成元年～22年）食衛誌 53(2)

安元健。2013。海産自然毒中毒の最近の傾向。Mycotoxins 63(1):73-84

#### ○藻類・培養技術等

Nishitani G, Nagai S, Sakiyama S, Kamiyama T. 2008. Successful cultivation of the toxic dinoflagellate *Dinophysis caudata* (Dinophyceae). Plankton and Benthos Research. 3(2):78-85

Hackett J.D, Tong M, Kulis D. M, Fux E, Hess P, Bire R, Anderson D. M. 2009. DSP toxin production de novo in cultures of *Dinophysis acuminata* (Dinophyceae) from North America. Harmful Algae. 8: 873-879

Kamiyama T, Suzuki T. 2009. Production of dinophysistoxin-1 and pectenotoxin-2 by a culture of *Dinophysis acuminata* (Dinophyceae). Harmful Algae. 8:312-317

Park M. G, Kim S, Kim H. S, Myung G, Kang Y. G, Yih W. 2006. First successful culture of the marine dinoflagellate *Dinophysis acuminata*. Aquatic Microbial Ecology. 45:101-106

Di'az P, Carlos Molinet C, Ca'ceres M. A, Valle-Levinson A. 2011. Seasonal and intratidal distribution of *Dinophysis* spp. in a Chilean fjord. *Harmful Algae*. 10:155-164

Nagai S, Mccauley L, Yasuda N, Erdner D. L, Kulis D. M, Matsuyama Y, Itakura S, Anderson D. M. 2006. Development of microsatellite markers in the toxic Dinoflagellate *Alexandrium minutum* (Dinophyceae). *Molecular Ecology Notes*. 6:756-758

Imai I, Yamaguchi M, Hori Y. 2006. Eutrophication and occurrences of harmful algal blooms in the Seto Inland Sea, Japan. *Plankton and Benthos Research*. 1(2):71-84

長井敏、西谷豪。2007。特集：水産研究開発の最前線  
下痢性貝毒原因種である *Dinophysis* 属数種の室内培養の成功と今後の研究展望。  
瀬戸内通信 No.7

畑直亜、鈴木敏之、辻将治、中西麻希。2011。伊勢湾における有毒渦鞭毛藻 *Dinophysis* 属の発生とムラサキイガイ *Mytilus galloprovincialis* の毒化との関係。日本水産学会誌。77(6):1065-1075

Mohamed A, Ibrahim M. 2007. REVIEW OF THE IMPACT OF HARMFUL ALGAE BLOOMS AND TOXINS ON THE WORLD ECONOMY AND HUMAN HEALTH. *Egyptian Journal of Aquatic Research*. 33(1):210-223

#### ○分析法の比較

Yasumoto T, Fukui M, Sasaki K, Sugiyama K. 1995. Determination of Marine Toxins in Foods. *Journal of AOAC International*. 78(2): 574-582

鈴木敏之、高坂祐樹、木村淳子、松嶋良次、渡邊龍一、村田雅一。2013年。貝毒監視体制の世界的な動向と日本の現状。食衛誌。54(3):265-274

Ikehara T, Imamura S, Yoshino A, Yasumoto T. 2010. PP2A Inhibition Assay Using Recombinant Enzyme for Rapid Detection of Okadaic Acid and Its Analogs in Shellfish. *Toxins* 2:195-204

松浦司郎、浜野米一、喜多寛、高垣裕 1994 有機溶媒耐性マウスモノクローナル抗オカダ酸抗体を用いた下痢性貝毒（オカダ酸群）の酵素免疫測定法。衛生化学 Jpn. J. Toxicol. Environ. Health。40(4):365-373

新垣雄光 2008。貝毒を迅速に分析する。ぶんせき 5:236-237

橋本諭、鈴木敏之、城田由里、本間基久、板橋豊、長南隆夫、神山孝史。2006。北海道産ホタテガイ *Patinopecten yessoensis* の下痢性貝毒組成の解明および LC/MS とマウス毒性試験により測定した毒力の比較。食衛誌 47(2):33-40

橋本諭、西村一彦、高橋健一、板橋豊。2011。遊離脂肪酸による下痢性貝毒マウス試験偽陽性の発生評価。食衛誌 52(3):194-198

Suzuzki T, Jin T, Shirota Y, Mitsuya T, Okumura Y, Kamiyama T 2005 Quantification of lipophilic toxins associated with diarrhetic shellfish poisoning in Japanese bivalves by liquid chromatography–mass spectrometry and comparison with mouse bioassay. Fisheries Science 71:1370-1378

Suzuki T, Quilliam M.A. 2011. LC-MS/MS Analysis of Diarrhetic Shellfish Poisoning (DSP)Toxins, Okadaic Acid and Dinophysistoxin Analogues, and Other Lipophilic Toxins. Analytical Sciences. 27:571-584

鈴木敏之 2007 貝毒の精密分析法の開発及び二枚貝の毒化機構に関する研究。日本水産学会誌 73(3):425-428

## ○暴露評価の参考

### 1. 有毒プランクトン(貝毒)

#### ①日本の発生海域・発生時期

Suzuzki T, Jin T, Shirota Y, Mitsuya T, Okumura Y, Kamiyama T 2005 Quantification of lipophilic toxins associated with diarrhetic shellfish poisoning in Japanese bivalves by liquid chromatography–mass spectrometry and comparison with mouse bioassay. Fisheries Science 71:1370-1378 (再掲)

鈴木敏之、高坂祐樹、木村淳子、松嶋良次、渡邊龍一、村田雅一。2013。貝毒

監視体制の世界的な動向と日本の現状。食衛誌。54(3):265-274 (再掲)

②世界の発生海域・発生時期

FAO2004. Marine Biotoxins. 3.7 Cases and outbreak of DSP. (再掲)

FAO/IOC/WHO. 2004. Report of the Joint FAO/IOC/WHO ad hoc Expert Consultation on Biotoxins in Bivalve Molluscs. (再掲)

FAO. 2011. Assessment and management of biotoxin risks in bivalve molluscs. (再掲)

Zhou M, Li J, Luckas B, Yu R, Yan T, Hummert C, Kastrup S. 1999. A recent shellfish toxin investigation in China. Marine Pollution Bulletin 39(2): 331-334

Hinder S.L, Hays G. C, Brooks C. J, Davies A. P, Edwards M, Walne A. W, Gravenor M. B. 2011. Toxic marine microalgae and shellfish poisoning in the British isles: history, review of epidemiology, and future implications. Environmental Health. 10:54

Setälä O, Sopanen S, Autio R, Kankaanpää H, Erler K. 2011. Dinoflagellate toxins in northern Baltic Sea phytoplankton and zooplankton assemblages. Boreal Environment Research 16:509-520

Kim JH, Lee KJ, Suzuki T, Kang YS, Kim PH, Song KC, Lee TS. 2010. Seasonal Variability of Lipophilic Shellfish Toxins in Bivalves and Waters, and Abundance of Dinophysis spp. in Jinhae Bay, Korea. Journal of Shellfish Research. 29 (4), 1061–1067. (入手予定)

Shellfish Regional Information Events 2013-placing safe shellfish on the market. Marine Institute (Ireland)

Biotoxin (PSP, ASP, DSP) and Sanitary Contamination Closures-Pacific Region. Fisheries and Oceans Canada.

## 2. 日本の汚染状況

### ①出荷自主規制モニタリングによる規制直前の二枚貝のサンプルにおける、オカダ酸群・ペクテノトキシン群・エツトキシン群の機器分析法による各汚染濃度

鈴木敏之、高坂祐樹、木村淳子、松嶋良次、渡邊龍一、村田雅一。2013。貝毒監視体制の世界的な動向と日本の現状。食衛誌。54(3):265-274 (再掲)

### ②各種二枚貝中のオカダ酸群・ペクテノトキシン群・エツトキシン群の機器分析法による汚染濃度

国内産主要二枚貝の下痢性貝毒成分組成の解明（先端技術を活用した農林水産研究高度化事業）平成 15~17 年度（入手予定）

有害化学物質リスク管理基礎調査事業（平成 24~25 年農林水産省）（入手予定）

### ③地方衛生研究所における二枚貝の検査実績（二枚貝の種類、検査結果、産地等）

二枚貝等貝毒安全対策事業報告書（水産庁委託 水産業振興事業委託費）

茨城県水産試験場 水産の窓 平成 21 年度 貝毒発生状況について

茨城県水産試験場 水産の窓 平成 24 年度 貝毒発生状況について

## 3. 世界の汚染状況

### 世界における各種二枚貝中のオカダ酸群・ペクテノトキシン群・エツトキシン群の機器分析法による汚染濃度

EFSA. 2008. Marine biotoxins in shellfish – Okadaic acid and analogues<sup>1</sup> Scientific Opinion of the Panel on Contaminants in the Food chain. The EFSA Journal. 589:1-62 (再掲)

EFSA. 2008. Marine biotoxins in shellfish – Yessotoxin group<sup>1</sup> Scientific Opinion of the Panel on Contaminants in the Food chain. The EFSA Journal. 907:1-62 (再掲)

EFSA. 2009. Marine biotoxins in shellfish – Pectenotoxin group<sup>1</sup> Scientific Opinion of the Panel on Contaminants in the Food chain The EFSA Journal. 1109:1-47 (再掲)



FAO. 2011. Assessment and management of biotoxin risks in bivalve molluscs. (再掲)

Ramstad H, Hovgaard P, Yasumoto T, Larsen S, Aune T. 2001. Monthly variations in diarrhetic toxins and yessotoxin in shellfish from coast to the inner part of the Sognefjord, Norway. *Toxicon* 39(7):1035-1043 (入手予定)

MacKenzie L, Holland P, McNabb P, Beuzenberg V, Selwood A, Suzuki T. 2002. Complex toxin profiles in phytoplankton and Greenshell mussels (*Perna canaliculus*), revealed by LC-MS/MS analysis. *Toxicon* 40(9):1321-1330 (入手予定)

FAO. 2011. Assessment and management of biotoxin risks in bivalve molluscs.

Introduction 3. BIVALVE MOLLUSCS, A GROWINGLY USED FRESH RESOURCE. (再掲)

#### 4. 食中毒

##### ①日本における食中毒の原因となった二枚貝の種類

登田美桜、畝山智香子、豊福肇、森川馨。2012。わが国における自然毒による食中毒事例の傾向（平成元年～22年）食衛誌 53(2) (再掲)

##### ②世界の食中毒事例

EFSA. 2008. Marine biotoxins in shellfish – Okadaic acid and analogues1 Scientific Opinion of the Panel on Contaminants in the Food chain. *The EFSA Journal*. 589:1-62 (再掲)

Yasumoto T, Oshima Y, Yamaguchi M. 1978. Occurrence of a New Type of Shellfish Poisoning in the Tohoku District. *Bulletin of the Japanese Society of Scientific Fisheries*. 44(11):1249-1255

今井一郎、福代康夫、広石伸互。2007。水産学シリーズ 153 貝毒研究の最先端—現状と展望。表 1.3 わが国における下痢性貝毒（DSP）の中毒事例（1976-1983）

佐藤七朗、石下真通、川瀬史郎、田沢悌二郎、中川哲雄。1983。麻痺性および下痢性貝毒による食中毒の北海道における初発事例。道衛研所報 第33集。

De Schrijver K, Maes I, De Man L, Michelet J. 2002. An outbreak of diarrhoeic shellfish poisoning in Antwerp, Belgium. *Eurosurveillance* 7(10)

Chen T, Xu X, Wei J, Chen J, Miu R, Huang L, Zhou X, Fu Y, Yan R, Wang Z, Liu B, He F. 2013. Food-Borne Disease Outbreak of Diarrhetic Shellfish Poisoning Due to Toxic Mussel Consumption: The First Recorded Outbreak in China. *PLOS ONE*. 8(5):1-5

Lloyd JK, Duchin JS, Borchert J, Quintana HF, Robertson A. 2013. Diarrhetic Shellfish Poisoning, Washington, USA, 2011. *Emerging Infectious Diseases*. 19(8):1314-1316

Trainer V. L, Moore L, Bill B. D, Adams N. G, Harrington N, Borchert J, da Silva D. A. M, Eberhart B-T L. 2013. Diarrhetic Shellfish Toxins and Other Lipophilic Toxins of Human Health Concern in Washington State. *Marine Drugs*. 11: 1815-1835

Taylor M, McIntyre L, Ritson M, Stone J, Bronson R, Bitzikos O, Rourke W, Galanis E, Outbreak Investigation Team. Outbreak of Diarrhetic Shellfish Poisoning Associated with Mussels, British Columbia, Canada. *Marine Drugs*. 11: 1669-1676

Todd E.C. D. 1997. Seafood-associated diseases and control in Canada. *Rev. sci. tech. Off. int. Epiz.* 16(2):661-672 (再掲)

Hinder SL, Hays GC, Brooks CJ, Davies AP, Edwards M, Walne AW, Gravenor MB. 2011. Toxic marine microalgae and shellfish poisoning in the British isles: history, review of epidemiology, and future implications. *Environmental Health* 10(54):1-12

Economou V, Papadopoulou C, Brett M, Kansouzidou A, Charalabopoulos K, Filioussis G, Seferiadis K. 2007. Diarrhetic shellfish poisoning due to toxic mussel consumption: The first recorded outbreak in Greece. *Food Additives*

and Contaminants. 24(3):297-305

Hossen V, da Silva NJ, Guillois-Bécel Y, Krysz S. 2011. Food poisoning outbreaks linked to mussels contaminated with okadaic acid and ester dinophysistoxin-3 in France, June 2009. Surveillance and outbreak reports (eurosurveillance)

FAO. 2011. Assessment and management of biotoxin risks in bivalve molluscs. (再掲)

Reguera B. DSP OUTBREAK CAUSED BY LOW CONCENTRATIONS OF DINOPHYSIS SPP.: WHAT CAN REMOTE SENSING DO TO HELP MONITORING OF THESE EVENTS

Yasumoto T, Oshima Y, Sugawara W, Fukuyo Y, Oguri H, Igarashi T, Fujita N. 1980. Identification of *Dinophysis fortii* as the Causative Organism of Diarrhetic Shellfish Poisoning. Bulletin of the Japanese Society of Scientific Fisheries. 46(11):1405-1411

宮園章、鈴木敏之、馬場勝寿、菅原理恵子。2008。北海道噴火湾における *Dinophysis* 属の消長および下痢性貝毒・脂溶性貝毒成分含有量の経時・経年変化(短報)。Bull. Plankton Soc. Japan 日本プランクトン学会報。55(1):25-28

#### 〇〇A ・ PTX ・ YTX 群関連情報

Asada S, Koga M, Nagao K, Tabata M, Takeda K. 2001. Okadaic Acid Remarkably Suppresses Testosterone Production in Murine Leydig Cells. Journal of Health Science. 47(1):60-64

García C, Truan D, Lagos M, Santelices J P, Díaz J C, Lagos N. 2005. Metabolic transformation of dinophysistoxin-3 into dinophysistoxin-1 causes human intoxication by consumption of *O*-acyl-derivatives dinophysistoxins contaminated shellfish. The Journal of Toxicological Sciences. 30(4):287-296

González-Romero R, Rivera-Casas C, Fernández-Tajes J, Ausió J, Méndez J, Eirín-López J. M. 2012. Chromatin specialization in bivalve molluscs: A leap forward for the evaluation of Okadaic Acid genotoxicity in

the marine environment. *Comparative Biochemistry and Physiology*.  
155:175-181

Hanana H, Talarmin H, Pennec J-P, Droguet M, Morel J, Dorang G. 2012.  
Effect of okadaic acid on cultured clam heart cells: involvement of  
MAPkinase pathways. *Biology Open*. 1:1192-1199

Hegarar L. L, Puech L, Fessard V, Poul J. M, Dragacci S. 2003. Aneugenic  
potential of okadaic acid revealed by the micronucleus assay combined with  
the FISH technique in CHO-K1 cells. *Mutagenesis*. 18(3):293-298

Ikehara T, Imamura S, Yoshino A, Yasumoto T. 2010. PP2A Inhibition Assay  
Using Recombinant Enzyme for Rapid Detection of Okadaic Acid and Its  
Analogues in Shellfish. *Toxins*. 2: 195-204

Karaki H, Mitsui M, Nagase H, Ozaki H, Shibata S, Uemura D. 1989.  
Inhibitory effect of a toxin okadaic acid, isolated from the black sponge on  
smooth muscle and platelets. *Br. J. Pharmacol*. 98:590-596

Konoki K, Onoda T, Watanabe R, Cho Y, Kaga S, Suzuki T, Yotsu-Yamashita  
M. 2013. In Vitro Acylation of Okadaic Acid in the Presence of Various  
Bivalves' Extracts. *Marine Drugs*. 11:300-315

Lopez-Rodas V, Maneiro E, Martinez J, Navarro M, Costas E. 2006. Harmful  
algal blooms, red tides and human health: Diarrhetic shellfish poisoning  
and colorectal cancer. *An. R. Acad. Nac. Farm*. 72:391-408

Manerio E, Rodas V. L, Costas E, Hernandez J. M. 2008. Shellfish  
consumption: A major risk factor for colorectal cancer. *Medical Hypotheses*.  
70:409-412

Munday R. 2013. Is Protein Phosphatase Inhibition Responsible for the Toxic  
Effects of Okadaic Acid in Animals? *Toxins*. 5: 267-285

Nakagama H, Kaneko S, Shima H, Inamori H, Fukuda H, Kominami R,  
Sugimura T, Nagao M. 1997. Induction of minisatellite mutation in NIH 3T3

cells by treatment with the tumor promoter okadaic acid. *Proc. Natl. Acad. Sci. USA.* 94:10813-10816

Smienk H, Domínguez E. 2013. Quantitative Determination of the Okadaic Acid Toxins Group by a Colorimetric Phosphatase Inhibition Assay: Interlaboratory Study. *Journal of AOAC International.* 96(1):77-85

Suárez-Ulloa V, Fernández-Tajes J, Aguiar-Pulido V, Rivera-Casas C, González-Romero R, Ausio J, Méndez J, Dorado J, Eirín-López JM. 2013. The CHROMEVALOA Database: A Resource for the Evaluation of Okadaic Acid Contamination in the Marine Environment Based on the Chromatin-Associated Transcriptome of the Mussel *Mytilus galloprovincialis*. *Marine Drugs.* 11:830-841

Suganuma M, Fujiki H, Suguri H, Yoshizawa S, Hirota M, Nakayasu M, Ojika M, Wakamatsu K, Yamada K, Sugimura T. 1988. Okadaic acid: An additional non-phorbol-12-tetradecanoate-13-acetate-type tumor promoter. *Proc. Natl. Acad. Sci. USA.* 85:1768-1771

Villar-González A, Rodríguez-Velasco M.L, Ben-Gigirey B, Yasumoto T, Botana L.M. 2008. Assessment of the hydrolysis process for the determination of okadaic acid-group toxin ester: Presence of okadaic acid 7-O-acyl-ester derivatives in Spanish shellfish. *Toxicon.* 51:765-773

荻野浩幸。1999。発がん促進作用を有する海産毒の検出および毒性評価法に関する研究。学位論文

高井章。1991。海綿毒素オカダ酸の蛋白質脱リン酸化酵素阻害作用 — 高親和性阻害剤としての反応速度論的特性 —。生物物理。31(1):13-17

千葉 美子 福原 郁子 柳田 則明。2007。PP2A 阻害法を用いるオカダ酸群測定キット及び ELISA 法によるイェソトキシン群測定キットの実証試験結果。宮城県保健環境センター年報。25:131-133

八並淳、藤木博太。1993。オカダ酸クラス発癌プロモーター研究の最近の進歩。蛋白質 核酸 酵素。38(1):26-35

Burgess VA. 2003. Toxicology Investigations with the pectenotoxin-2 seco acids. Ph. D. Thesis, National Research Center for Environmental Toxicology and the school of Public Health, Griffith University, Australia

Espin~a B, Louzao MC, Ares IR, Cagide E, Vieytes MR, Vega FV, Rubiolo JA, Miles CO, Suzuki T, Yasumoto T, Botana LM. 2008. Cytoskeletal toxicity of pectenotoxins in hepatic cells. *British Journal of Pharmacology*. 155:934-944

Hamano Y, Kinoshita Y, Yasumoto T. 1986. Enteropathogenicity of diarrhoeic shellfish toxins in intestinal models. *Journal of the Food Hygiene Society of Japan*. 27: 375-379

Ito E, Suzuki T, Oshima Y, Yasumoto T. 2008. Studies of diarrhetic activity on pectenotoxin-6 in the mouse and rat. *Toxicon*. 51:707-716

Miles CO, Wilkins AL, Dines MH, Hawkes AD, Briggs LR, Sandvik M, Jensen DJ, Cooney JM, Holland PT, Quilliam MA, MacKenzie AL, Beuzenberg V, Towers NR. 2004. Isolation of pectenotoxin-2 from *Dinophysis acuta* and its conversion to pectenotoxin-2 seco acid, and preliminary assessment of their acute toxicities. *Toxicon*. 43: 1-9

Ogino H, Kumagai M, Yasumoto T. 1997. Toxicologic evaluation of yessotoxin. *Natural Toxins*. 5:255-259

Suzuki T, Walter J.A. LeBlanc P, MacKinnon S, Miles CO, Wilkins AL, Munday R, Beuzenberg V, MacKenzie AL, Jensen DJ, Cooney JM, Quilliam MA. 2006. Identification of pectenotoxin-11 as 34S-hydroxypectenotoxin-2 a new pectenotoxin analogue in the toxic dinoflagellate *Dinophysis acuta* from New Zealand. *Chemical Research in Toxicology*, 19:310-318

Vale P. 2004. Differential dynamics of dinophysistoxins and pectenotoxins between blue mussel and common cockle: a phenomenon originating from the complex toxin profile of *Dinophysis acuta*. *Toxicon*. 44:123-134

石下真通、佐藤七朗、安元健。1988。下痢性貝毒成分（オカダ酸ならびにペクテノトキシン-2）投与マウスに関する病理学的研究。道衛研所報。第38集 15-18

堀正敏,松浦康浩,善本亮,尾崎博,安元健,唐木英明。1999。海洋由来天然生理活性物質,ペクテノトキシナー2のアクチン重合阻害作用。日薬理誌。114:225-229

Aune T, Sorby R, Yasumoto T, Ramstad H, Landsverk T. 2002. Comparison of oral and intraperitoneal toxicity of yessotoxin towards mice. *Toxicon*. 40(1): 77-82.

Espenes A, Aasen J, Hetland D, Satake M, Smith A, Eraker N, Aune T. Toxicity of yessotoxin in mice after repeated oral exposure. [Proceedings of the 5<sup>th</sup> International Conference on Molluscan Shellfish Safety, Galway, Ireland, June 14<sup>th</sup>-18<sup>th</sup> ], *Molluscan Shellfish Safety*. 419-423

Terao K, Ito E, Oarada M, Murata M, Yasumoto T. 1990. Histopathological studies on experimental marine toxin poisoning--5. The effects in mice of yessotoxin isolated from *Patinopecten yessoensis* and of a desulfated derivative. *Toxicon*. 28(9):1095-1104

Orsi C. F, Colombari B, Callegari F, Todaro A. M, Ardizzoni A, Rossini G. P, Blasi E, Peppoloni S. 2010. yessotoxin inhibits phagocytic activity of macrophages. *Toxicon*. 55:265-273

L Stobo, L Webster and S Gallacher. 2003. OCCURRENCE OF AZASPIRACIDS, SPIROLIDES, YESSOTOXINS, PECTONOTOXINS AND FREE FATTY ACIDS IN PLANKTON AND SHELLFISH. *Fisheries Research Services Contract Report No 08/03*

Tubaro A, Sosa S, Carbonatto M, Altinier G, Vita F, Melato M, Satake M, Yasumoto T. 2003. Oral and intraperitoneal acute toxicity studies of yessotoxin and homoyessotoxins in mice. *Toxicon*. 41(7):783-792

Tubaro A, Sosa S, Altinier G, Soranzo MR, Satake M, Della Loggia R, Yasumoto T. 2004. Short-term oral toxicity of homoyessotoxins, yessotoxin and okadaic acid in mice. *Toxicon*. 43(4):439-445

