

佐賀県及び佐賀県内事業者の提出資料

## 提案者提出資料 1

「養殖トラフグ肝臓の可食化に関する提案書」(非公開)

## 提案者提出資料 2

「提出資料一覧」

## 提出資料一覧

### 1. テトロドトキシンに関する全般的な情報、規制等

- 1) T. Noguchi, O. Arakawa: Tetrodotoxin – distribution and accumulation in aquatic organisms, and cases of human intoxication. *Marine Drugs*, 6, 220-242 (2008).
- 2) O. Arakawa, D. F. Hwang, S. Taniyama, T. Takatani: Toxins of pufferfish that cause human intoxications. In: *Coastal Environmental and Ecosystem Issues of the East China Sea*, A. Ishimatsu, H.-J. Lie, Eds., Nagasaki University/TERRAPUB, Tokyo, pp. 227-244 (2010).
- 3) T. Noguchi, K. Onuki, O. Arakawa: Tetrodotoxin poisoning due to pufferfish and gastropods, and their intoxication mechanism. *ISRN Toxicology*, 2011, Article ID 276939, 10 pages (2011).
- 4) Y. Nagashima, O. Arakawa: Pufferfish poisoning and tetrodotoxin. In: *Marine and Freshwater Toxins*, P. Gopalakrishnakone, Ed., Springer, Netherlands, pp. 1-21 (2014).
- 5) 長島裕二, 荒川 修, 佐藤 繁: 第2章 フグ毒, “毒魚の自然史”, 松浦啓一, 長島裕二 編, 北海道大学出版会, 札幌, pp. 33-103 (2015).

### 2. フグ体内におけるテトロドトキシンの動態等

- 6) Y. Nagashima, M. Toyoda, M. Hasobe, K. Shimakura, K. Shiomi: In vitro accumulation of tetrodotoxin in pufferfish liver tissue slices. *Toxicon* 41, 569-574 (2003).
- 7) T. Matsumoto, Y. Nagashima, K. Takayama, K. Shimakura, K. Shiomi: Difference between tetrodotoxin and saxitoxins in accumulation in puffer fish *Takifugu rubripes* liver tissue slices. *Fish Physiol. Biochem.* 31, 95-100 (2005).

- 8) 本田俊一, 荒川 修, 高谷智裕, 橘 勝康, 八木基明, 谷川昭夫, 野口玉雄: テトロドトキシン添加飼料投与による養殖トラフグ *Takifugu rubripes* の毒化. 日本水産学会誌, 71, 815-820 (2005).
- 9) T. Matsumoto, Y. Nagashima, H. Kusuhara, Y. Sugiyama, S. Ishizaki, K. Shimakura, K. Shiomi: Involvement of carrier-mediated transport system in uptake of tetrodotoxin into liver tissue slices of puffer fish *Takifugu rubripes*. *Toxicon* 50, 173-179 (2007).
- 10) T. Matsumoto, Y. Nagashima, H. Kusuhara, S. Ishizaki, K. Shimakura, K. Shiomi: Pharmacokinetics of tetrodotoxin in puffer fish *Takifugu rubripes* by a single administration technique. *Toxicon* 51, 1051-1059 (2008).
- 11) T. Matsumoto, Y. Nagashima, H. Kusuhara, S. Ishizaki, K. Shimakura, K. Shiomi: Evaluation of hepatic uptake clearance of tetrodotoxin in the puffer fish *Takifugu rubripes*. *Toxicon* 52, 369-374 (2008).
- 12) K. Ikeda, Y. Murakami, L. Ngy, S. Taniyama, M. Yagi, T. Takatani, O. Arakawa: Transfer profile of intramuscularly administered tetrodotoxin to non-toxic cultured specimens of the pufferfish *Takifugu rubripes*. *Toxicon*, 53, 99-103 (2009).
- 13) K. Ikeda, Y. Emoto, R. Tatsuno, J.-J. Wang, L. Ngy, S. Taniyama, T. Takatani, O. Arakawa: Maturation-associated change in toxicity of the pufferfish *Takifugu poecilonotus*. *Toxicon*, 55, 289-297 (2010).
- 14) J. Wang, T. Araki, R. Tatsuno, S. Nina, K. Ikeda, M. Hamasaki, Y. Sakakura, T. Takatani, O. Arakawa: Transfer profile of intramuscularly administered tetrodotoxin to artificial hybrid specimens of pufferfish, *Takifugu rubripes* and *Takifugu niphobles*. *Toxicon*, 58, 565-569 (2011).
- 15) J. Wang, T. Araki, R. Tatsuno, S. Nina, K. Ikeda, T. Takatani, O. Arakawa: Transfer profile of orally and intramuscularly administered tetrodotoxin to artificial hybrid specimens of pufferfish, *Takifugu rubripes* and *Takifugu porphyreus*. *Food Hyg. Saf. Sci.*, 53, 33-38 (2012).
- 16) R. Tatsuno, M. Shikina, Y. Shirai, J. Wang, K. Soyano, G.N. Nishihara, T.

Takatani, O. Arakawa: Change in the transfer profile of orally administered tetrodotoxin to non-toxic cultured pufferfish *Takifugu rubripes* depending of its development stage. *Toxicon*, 65, 76-80 (2013).

17) T. Matsumoto, A. Kiriake, S. Ishizaki, S. Watabe, Y. Nagashima: Biliary excretion of tetrodotoxin in the cultured pufferfish *Takifugu rubripes* juveniles after intramuscular administration. *Toxicon* 93, 98-102 (2015).

### 3. フグの毒化機構等（食品安全委員会での審議以降に判明した新たな知見）

18) M. Yotsu-Yamashita, A. Sugimoto, T. Terakawa, Y. Shoji, T. Miyazawa, T. Yasumoto: Purification, characterization, and cDNA cloning of a novel soluble saxitoxin and tetrodotoxin binding protein from plasma of the puffer fish, *Fugu pardalis*. *Euro J Biochem* 268, 5937-5946 (2001).

19) M. Yotsu-Yamashita, H. Yamaki, N. Okoshi, N. Araki: Distribution of homologous proteins to puffer fish saxitoxin and tetrodotoxin binding protein in the plasma of puffer fish and among the tissue of *Fugu pardalis* examined by Western blot analysis. *Toxicon* 55, 1119-1124 (2010).

20) T. Matsumoto, D. Tanuma, K. Tsutsumi, J.-K. Jeon, S. Ishizaki, Y. Nagashima: Plasma protein binding of tetrodotoxin in the marine puffer fish *Takifugu rubripes*. *Toxicon* 55, 415-420 (2010).

21) T. Matsumoto, S. Ishizaki, Y. Nagashima: Differential gene expression profile in the liver of the marine puffer fish *Takifugu rubripes* induced by intramuscular administration of tetrodotoxin. *Toxicon*, 57, 303-310 (2011).

22) R. Tatsuno, K. Yamaguchi, T. Takatani, O. Arakawa: RT-PCR- and MALDI-TOF mass spectrometry-based identification and discrimination of isoforms homologous to pufferfish saxitoxin- and tetrodotoxin-binding protein in the plasma of non-toxic cultured pufferfish (*Takifugu rubripes*). *Biosci. Biotechnol. Biochem*, 77, 208-212 (2013).

23) T. Matsumoto, H. Feroudj, R. Kikuchi, Y. Kawana, H. Kondo, I. Hirono, T. Mochizuku, Y. Nagashima, G. Kaneko, H. Ushio, M. Kodama, S. Watabe:

DNA microarray analysis on the genes differentially expressed in the liver of the pufferfish, *Takifugu rubripes*, following an intramuscular administration of tetrodotoxin. *Microarrays* 2014, 226-244 (2014).

- 24) H. Feroudj, T. Matsumoto, Y. Kurosu, G. Kaneko, H. Ushio, K. Suzuki, H. Kondo, I. Hirono, Y. Nagashima, S. Akimoto, K. Usui, S. Kinoshita, S. Asakawa, M. Kodama, S. Watabe: DNA microarray analysis on gene candidates possibly related to tetrodotoxin accumulation in pufferfish. *Toxicon*, 77, 68-72 (2014).
- 25) A. Kiriake, A. Ohta, E. Suga, T. Matsumoto, S. Ishizaki, Y. Nagashima: Comparison of tetrodotoxin uptake and gene expression in the liver between juvenile and adult tiger pufferfish, *Takifugu rubripes*. *Toxicon*, 111, 6-12 (2016).
- 26) T. Yasumoto, H. Nagai, D. Yasumura, T. Michishita, A. Endo, M. Yotsu, Y. Kotaki: Interspecies Distribution and Possible Origin of Tetrodotoxin. *Annals of the New York Academy of Sciences*, 479, p. 44-51 (1986)
- 27) Y. Mahmud, K. Okada, T. Takatani, K. Kawatsu, Y. Hamano, O. Arakawa, T. Noguchi: Intra-tissue distribution of tetrodotoxin in two marine puffers *Takifugu vermicularis* and *Chelonodon patoca*. *Toxicon*, 41(1), p. 13-18 (2003)
- 28) 荒川 修: フグ類が保有する毒の分布, 蓄積機構, および生理機能. *日本水産学会誌*, 79, 311-314 (2013).
- 29) 長島裕二, 松本拓也: フグ毒化機構解明に向けた最近の研究. *FFI JOURNAL*, 218, No.3 (2013).

#### 4. マウス検定法と HPLC 蛍光法の相関

- 30) T. Yasumoto, T. Michishita: Fluorometric determination of tetrodotoxin by high performance liquid chromatography. *Agr. Biol. Chem.* 49, 3077-3080 (1985).

31) 渕 祐一, 森崎澄江, 長田 忠, 嶋崎晃次, 野口玉雄, 大友信也, 橋本周久: 高速液体クロマトグラフィーによる魚介類中のテトロドトキシンの定量. 食品衛生学雑誌, 29, 306-312 (1988).

5. 自然界におけるテトロドトキシンの産生、生物濃縮等

32) Rocky Chau, John A. Kalaitzis, Brett A. Neilan: On the origins and biosynthesis of tetrodotoxin. *Aquatic Toxicology*, 104, 61–72 (2011)

33) Rocky Chau, John A. Kalaitzis, Susanna A. Wood, Brett A. Neilan: Diversity and Biosynthetic Potential of Culturable Microbes Associated with Toxic Marine Animals. *Mar. Drugs*, 11, 2695-2712 (2013)

34) Lauren Salvitti a, Susanna A. Wood a, b, David I. Taylor b, Paul McNabb b, S. Craig Cary: First identification of tetrodotoxin (TTX) in the flatworm *Stylochoplanasp.*: a source of TTX for the sea slug *Pleurobranchaea maculate*. *Toxicon*, 95, 23-29 (2015)

35) A D Turner, A Powell, A Schofield, D N Lees, C Baker-Austin: Detection of the pufferfish toxin tetrodotoxin in European bivalves, England, 2013 to 2014. *Euro Surveill*, 20(2) (2015)

36) S. Itoi, A. Kozaki, K. Komori, T. Tsunashima, S. Noguchi, M. Kawane, H. Sugita: Toxic *Takifugu pardalis* eggs found in *Takifugu niphobles* gut: Implications for TTX accumulation in the pufferfish. *Toxicon*, 108, 141-146 (2015).

[参考]

37) 株式会社萬坊: 高速液体クロマトグラフィー蛍光分析法によるトラフグ肝臓中のテトロドトキシンの分析下限値 (2011)