

評価書引用文献の作成に関与した専門委員リスト

番号	文献名	関与された専門委員 及び専門参考人
1	Tatsuta N, Nakai K, Sakamoto M, Murata K, Satoh H. Methylmercury Exposure and Developmental Outcomes in Tohoku Study of Child Development at 18 Months of Age. <i>Toxics.</i> 2018 Aug 21;6(3):49.	龍田専門委員
2	Kishi R, Sasaki S, Yoshioka E, Yuasa M, Sata F, Saijo Y, Kurahashi N, Tamaki J, Endo T, Sengoku K, Nonomura K, Minakami H; Hokkaido Study on Environment and Children's Health. Cohort profile: the Hokkaido study on environment and children's health in Japan. <i>Int J Epidemiol.</i> 2011 Jun;40(3):611-8.	岸専門参考人
3	Kishi R, Kobayashi S, Ikeno T, Araki A, Miyashita C, Itoh S, Sasaki S, Okada E, Kobayashi S, Kashino I, Itoh K, Nakajima S; Members of the Hokkaido Study on Environment and Children's Health. Ten years of progress in the Hokkaido birth cohort study on environment and children's health: cohort profile--updated 2013. <i>Environ Health Prev Med.</i> 2013 Nov;18(6):429-50.	岸専門参考人 池田専門参考人
4	Kishi R, Araki A, Minatoya M, Hanaoka T, Miyashita C, Itoh S, Kobayashi S, Ait Bamai Y, Yamazaki K, Miura R, Tamura N, Ito K, Goudarzi H; members of The Hokkaido Study on Environment and Children's Health. The Hokkaido Birth Cohort Study on Environment and Children's Health: cohort profile-updated 2017. <i>Environ Health Prev Med.</i> 2017 May 18;22(1):46.	岸専門参考人 池田専門参考人
5	Kishi R, Ikeda-Araki A, Miyashita C, Itoh S, Kobayashi S, Ait Bamai Y, Yamazaki K, Tamura N, Minatoya M, Ketema RM, Poudel K, Miura R, Masuda H, Itoh M, Yamaguchi T, Fukunaga H, Ito K, Goudarzi H; members of The Hokkaido Study on Environment and Children's Health. Hokkaido birth cohort study on environment and children's health: cohort profile 2021. <i>Environ Health Prev Med.</i> 2021 May 22;26(1):59.	岸専門参考人 池田専門参考人
6	Inoue K, Okada F, Ito R, Kato S, Sasaki S, Nakajima S, Uno A, Saijo Y, Sata F, Yoshimura Y, Kishi R, Nakazawa H. Perfluorooctane sulfonate (PFOS) and related perfluorinated compounds in human maternal and cord blood samples: assessment of PFOS exposure in a susceptible population during pregnancy. <i>Environ Health Perspect.</i> 2004 Aug;112(11):1204-7.	岸専門参考人
7	Washino N, Saijo Y, Sasaki S, Kato S, Ban S, Konishi K, Ito R, Nakata A, Iwasaki Y, Saito K, Nakazawa H, Kishi R. Correlations between prenatal exposure to perfluorinated chemicals and reduced fetal growth. <i>Environ Health Perspect.</i> 2009 Apr;117(4):660-7.	岸専門参考人
8	Okada E, Sasaki S, Saijo Y, Washino N, Miyashita C, Kobayashi S, Konishi K, Ito YM, Ito R, Nakata A, Iwasaki Y, Saito K, Nakazawa H, Kishi R. Prenatal exposure to perfluorinated chemicals and relationship with allergies and infectious diseases in infants. <i>Environ Res.</i> 2012 Jan;112:118-25.	岸専門参考人
9	Okada E, Kashino I, Matsuura H, Sasaki S, Miyashita C, Yamamoto J, Ikeno T, Ito YM, Matsumura T, Tamakoshi A, Kishi R. Temporal trends of perfluoroalkyl acids in plasma samples of pregnant women in Hokkaido, Japan, 2003-2011. <i>Environ Int.</i> 2013 Oct;60:89-96.	岸専門参考人

番号	文献名	関与された専門委員 及び専門参考人
10	Okada E, Sasaki S, Kashino I, Matsuura H, Miyashita C, Kobayashi S, Itoh K, Ikeno T, Tamakoshi A, Kishi R. Prenatal exposure to perfluoroalkyl acids and allergic diseases in early childhood. Environ Int. 2014 Apr;65:127-34.	岸専門参考人
11	Kishi R, Nakajima T, Goudarzi H, Kobayashi S, Sasaki S, Okada E, Miyashita C, Itoh S, Araki A, Ikeno T, Iwasaki Y, Nakazawa H. The Association of Prenatal Exposure to Perfluorinated Chemicals with Maternal Essential and Long-Chain Polyunsaturated Fatty Acids during Pregnancy and the Birth Weight of Their Offspring: The Hokkaido Study. Environ Health Perspect. 2015 Oct;123(10):1038-45.	岸専門参考人 池田専門参考人
12	Goudarzi H, Miyashita C, Okada E, Kashino I, Kobayashi S, Chen CJ, Ito S, Araki A, Matsuura H, Ito YM, Kishi R. Effects of prenatal exposure to perfluoroalkyl acids on prevalence of allergic diseases among 4-year-old children. Environ Int. 2016 Sep;94:124-132.	岸専門参考人 池田専門参考人
13	Goudarzi H, Nakajima S, Ikeno T, Sasaki S, Kobayashi S, Miyashita C, Ito S, Araki A, Nakazawa H, Kishi R. Prenatal exposure to perfluorinated chemicals and neurodevelopment in early infancy: The Hokkaido Study. Sci Total Environ. 2016 Jan 15;541:1002-1010.	岸専門参考人 池田専門参考人
14	Itoh S, Araki A, Mitsui T, Miyashita C, Goudarzi H, Sasaki S, Cho K, Nakazawa H, Iwasaki Y, Shinohara N, Nonomura K, Kishi R. Association of perfluoroalkyl substances exposure in utero with reproductive hormone levels in cord blood in the Hokkaido Study on Environment and Children's Health. Environ Int. 2016 Sep;94:51-59.	岸専門参考人 池田専門参考人
15	Kato S, Itoh S, Yuasa M, Baba T, Miyashita C, Sasaki S, Nakajima S, Uno A, Nakazawa H, Iwasaki Y, Okada E, Kishi R. Association of perfluorinated chemical exposure in utero with maternal and infant thyroid hormone levels in the Sapporo cohort of Hokkaido Study on the Environment and Children's Health. Environ Health Prev Med. 2016 Sep;21(5):334-344.	岸専門参考人
16	Goudarzi H, Araki A, Itoh S, Sasaki S, Miyashita C, Mitsui T, Nakazawa H, Nonomura K, Kishi R. The Association of Prenatal Exposure to Perfluorinated Chemicals with Glucocorticoid and Androgenic Hormones in Cord Blood Samples: The Hokkaido Study. Environ Health Perspect. 2017 Jan;125(1):111-118.	岸専門参考人 池田専門参考人
17	Goudarzi H, Miyashita C, Okada E, Kashino I, Chen CJ, Ito S, Araki A, Kobayashi S, Matsuura H, Kishi R. Prenatal exposure to perfluoroalkyl acids and prevalence of infectious diseases up to 4 years of age. Environ Int. 2017 Jul;104:132-138.	岸専門参考人 池田専門参考人
18	Kobayashi S, Azumi K, Goudarzi H, Araki A, Miyashita C, Kobayashi S, Itoh S, Sasaki S, Ishizuka M, Nakazawa H, Ikeno T, Kishi R. Effects of prenatal perfluoroalkyl acid exposure on cord blood IGF2/H19 methylation and ponderal index: The Hokkaido Study. J Expo Sci Environ Epidemiol. 2017 May;27(3):251-259.	岸専門参考人 池田専門参考人
19	Minatoya M, Itoh S, Miyashita C, Araki A, Sasaki S, Miura R, Goudarzi H, Iwasaki Y, Kishi R. Association of prenatal exposure to perfluoroalkyl substances with cord blood adipokines and birth size: The Hokkaido Study on environment and children's health. Environ Res. 2017 Jul;156:175-182.	岸専門参考人 池田専門参考人
20	Miura R, Araki A, Miyashita C, Kobayashi S, Kobayashi S, Wang SL, Chen CH, Miyake K, Ishizuka M, Iwasaki Y, Ito YM, Kubota T, Kishi R. An epigenome-wide study of cord blood DNA methylations in relation to prenatal perfluoroalkyl substance exposure: The Hokkaido study. Environ Int. 2018 Jun;115:21-28.	岸専門参考人 池田専門参考人

番号	文献名	関与された専門委員 及び専門参考人
21	Tsai MS, Miyashita C, Araki A, Itoh S, Bamai YA, Goudarzi H, Okada E, Kashino I, Matsuura H, Kishi R. Determinants and Temporal Trends of Perfluoroalkyl Substances in Pregnant Women: The Hokkaido Study on Environment and Children's Health. <i>Int J Environ Res Public Health.</i> 2018 May;15(5):989.	岸専門参考人 池田専門参考人
22	Itoh S, Araki A, Miyashita C, Yamazaki K, Goudarzi H, Minatoya M, Ait Bamai Y, Kobayashi S, Okada E, Kashino I, Yuasa M, Baba T, Kishi R. Association between perfluoroalkyl substance exposure and thyroid hormone/thyroid antibody levels in maternal and cord blood: The Hokkaido Study. <i>Environ Int.</i> 2019 Dec;133(Pt A):105139.	岸専門参考人 池田専門参考人
23	Ait Bamai Y, Goudarzi H, Araki A, Okada E, Kashino I, Miyashita C, Kishi R. Effect of prenatal exposure to per- and polyfluoroalkyl substances on childhood allergies and common infectious diseases in children up to age 7 years: The Hokkaido study on environment and children's health. <i>Environ Int.</i> 2020 Oct;143:105979.	岸専門参考人 池田専門参考人
24	Kashino I, Sasaki S, Okada E, Matsuura H, Goudarzi H, Miyashita C, Okada E, Ito YM, Araki A, Kishi R. Prenatal exposure to 11 perfluoroalkyl substances and fetal growth: A large-scale, prospective birth cohort study. <i>Environ Int.</i> 2020 Mar;136:105355.	岸専門参考人 池田専門参考人
25	Kobayashi S, Sata F, Ikeda-Araki A, Miyashita C, Itoh S, Goudarzi H, Iwasaki Y, Mitsui T, Moriya K, Shinohara N, Cho K, Kishi R. Associations among maternal perfluoroalkyl substance levels, fetal sex-hormone enzymatic gene polymorphisms, and fetal sex hormone levels in the Hokkaido study. <i>Reprod Toxicol.</i> 2021 Oct;105:221-231.	岸専門参考人 池田専門参考人
26	Kobayashi S, Sata F, Goudarzi H, Araki A, Miyashita C, Sasaki S, Okada E, Iwasaki Y, Nakajima T, Kishi R. Associations among perfluorooctanesulfonic/perfluorooctanoic acid levels, nuclear receptor gene polymorphisms, and lipid levels in pregnant women in the Hokkaido study. <i>Sci Rep.</i> 2021 May 11;11(1):9994.	岸専門参考人 池田専門参考人
27	Itoh S, Yamazaki K, Suyama S, Ikeda-Araki A, Miyashita C, Ait Bamai Y, Kobayashi S, Masuda H, Yamaguchi T, Goudarzi H, Okada E, Kashino I, Saito T, Kishi R. The association between prenatal perfluoroalkyl substance exposure and symptoms of attention-deficit/hyperactivity disorder in 8-year-old children and the mediating role of thyroid hormones in the Hokkaido study. <i>Environ Int.</i> 2022 Jan 15;159:107026.	岸専門参考人 池田専門参考人
28	Kobayashi S, Sata F, Ikeda-Araki A, Miyashita C, Goudarzi H, Iwasaki Y, Nakajima T, Kishi R. Relationships between maternal perfluoroalkyl substance levels, polymorphisms of receptor genes, and adverse birth outcomes in the Hokkaido birth cohort study, Japan. <i>Reprod Toxicol.</i> 2022 Jan;107:112-122.	岸専門参考人 池田専門参考人
29	Nishimura Y, Moriya K, Kobayashi S, Ikeda-Araki A, Sata F, Mitsui T, Itoh S, Miyashita C, Cho K, Kon M, Nakamura M, Kitta T, Murai S, Kishi R, Shinohara N. Association of exposure to prenatal perfluoroalkyl substances and estrogen receptor 1 polymorphisms with the second to fourth digit ratio in school-aged children: The Hokkaido study. <i>Reprod Toxicol.</i> 2022 Apr;109:10-18.	岸専門参考人 池田専門参考人