## 014\_002\_001 引用文献一覧

引用文献内容	備考	論文IC
Brown, J. R. (1964-65) Toxicologic studies on the effects of kelthane in the diet of albino rats on reproduction (first interim, second interim and final reports). Departments of Physiological Hygiene, University of Toronto. Unpublished reports		
Brown, J. R. (1967a) Toxicological studies on 2,2-bis-chlorophenyl-2,2,2-trichloroethanol, kelthane. Brown Biological Laboratories Ltd. Unpublished report	原文·抄録纬	無 014_w_00
Brown, J. R. (1967b) Three-generation reproduction study on rats receiving technical kelthane in their diet. Department of Physiological Hygiene, University of Toronto. Unpublished report	原文•抄録網	₩ 014_w_00
Duggan, R. E. and Dawson, K. (1967a) Pesticides: A report on residues in food. FDA Papers, 1: 2-5		014_w_000
Duggan, R. E. and Weatherwax, J. R. (1967b) Dietary intake of pesticide chemicals. Science, 157: 1006–1010		014_w_000
Gordon, C. F., Haines, L. D. and Martin, J. J. (1963) Acaricide residues: An improved method for kelthane residue analysis with applications for determination of residues in milk. J. Agr. Food Chem., 11: 84–86		014_w_000
Gunther, F. A. and Blinn, R. C. (1957) Ultraviolet spectrophotometric microdetection of the acaricide 4,4'-dichloro-alpha-(trichlormethyl) benzhydrol (SW 293). J.Agr. Food Chem., 5: 517-519		014_w_000
Larson, P. S. (1957) Two-year study on the effect of adding kelthane to the diet of rats. Medical College of Virginia. Unpublished report	原文•抄録無	014_w_000
Larson, P. S. (1965) Toxicologic study on the effect of adding dichlorobenzophenone to the diet of rats for a period of three months. Department of Pharmacology. Medical College of Virginia. Unpublished report	原文·抄録無	014_w_000
Morgan, N. L. (1967) The identification and relative retention times of p,p'-kelthane and its breakdown product p,p'-dichlorobenzophenone using GLC. Bull. environ. Contam. Toxicol., 2: 306-312	,	014_w_0010
Peoples, S. A. (1967) Residues in the body fat of steers fed kelthane in their ration. Dept. of Physiol. Sci. School of Veterinary Medicine, University of California, Davis. Unpublished report	原文•抄録無	014_w_0011
Rohm and Haas. (1958) Research Reports 13–27 and 11.141. Robin and Haas Co.	原文•抄録無	014_w_0012
Rohm and Haas. (1967) RAR Memorandum 521. Rohm and Hass Co.	原文•抄録無	014_w_0013
Rohm and Haas Co. (1968) Kelthane. Unpublished report	原文·抄録無	014_w_0014
Rosenthal, J., Frisone, G. J. and Gunther, F. A. (1957) Colorimetric microdetermination of the acaricide 4,4'-dichloro-alpha-(trichloromethyl) benzhydrol (FW-293).J. Agr. Food Chem., 5: 514-517		014_w_0015
Smith, R. B. Jr, Larson, P. S., Finnegan, J. K., Haag, H. B., Hennigar, G. R, and Cobey, F. 1959) Toxicologic studies on 2,2 bis-(chlorophenyl)-2,2,2-trichloroethanol (kelthane). Toxicol. ppl. Pharmacol., 1: 119-134		014_w_0016
Swackhamer, A. B. (1965) Report on pesticide residues in restaurant meals in Canada. Food and Drug Directorate, Department of National Health and Welfare, Ottawa, Canada. Pesticide Progress, 3: 108–114		014_w_0017
ISDA. (1968a) Agricultural Economic Report 131	原文•抄録無	014_w_0018
SDA. (1968b) United States Department of Health, Education and Welfare. The regulation of esticides in the United States	原文·抄録無	014_w_0019
erschuuren, H. G., Kroes, R. and den Tonkelaar, E. M. (1968) Toxiciteitsonderzoek met elthaan bij ratten gedurende 90 dagen (Toxicity experiment with kelthane in rats of 90 day uration). National Institute of Public Health, Utrecht. Unpublished report	原文•抄録無 (	014_w_0020
pyright(C) 2003, Janon Science and Today		

引用文献内容	備考	論文 ID
Zweig, G., Pye, E. L. and Peoples, S. A. (1963) Residues in butter fat and body fat of dairy cows fed at two levels of kelthane (1.0 and 2.0 ppm). J. Agr. Food Chem., 11: 72-79		014_w_0021

## 014\_002\_003 引用文献一覧

引用文献内容	備考	論文ID
FAO/WHO. (1969) 1968 Evaluations of some pesticide residues in food. FAO/PL/1968/M/9/1; WHO/Food Add./69.35.		014_w_0022
FAO/WHO. (1971) 1970 Evaluations of some pesticide residues in food. FAO/AGP/1970/M/12/1; WHO/Food Add./71.42.		014_w_0023
Anonymous. (1974) Specific information to Joint Meeting from the Netherlands. (Unpublished).	原文•抄録無	014_w_0024

## 014\_002\_004 引用文献一覧

引用文献内容	備考	論文ID
Baldwin, R.C. & Hurt, S.S. (1989) Dicofol technical purified skin and eye irritation data summarized according to EEC criteria. Unpublished report No. 85R-004A from Rohm and Haas Company, Spring House, PA, USA. Submitted to WHO by Rohm and Haas Company, S	原文•抄録無	
Bonin, R. & Hazelton, G.A. (1987) Dicofol (Kelthane technical miticide): Delayed contact hypersensitivity study in guinea pigs. Unpublished report No. 87R–027 from Rohm and Haas Company, Spring House, PA, USA. Submitted to WHO by Rohm and Haas Company, Sp	原文·抄録無	014_w_0026
Bonin, R., Hazelton, G.A., & Kulwich, B.A. (1986) Dicofol (Kelthane MF miticide): 4-Week dermal toxicity study in rabbits. Unpublished report No. 86R-047 from Rohm and Haas Company, Spring House, PA, USA. Submitted to WHO by Rohm and Haas Company, Spring	原文•抄録無	014_w_0027
Brown, J.R. (1965) Toxicologic studies on the effects of kelthane in the diet of albino rats on reproduction. Department of Physiological Hygiene, University of Toronto. Unpublished report submitted to WHO.	原文•抄録無	014_w_0001
Brown, J.R. (1967a) Toxicologic studies on 2,2-bis-chlorophenyl- 2,2,2-trichloroethanol, kelthane. Brown Biological Laboratories Ltd. Unpublished report submitted to WHO.	原文•抄録無	014_w_0002
Brown, J.R. (1967b) Three-generation reproduction study on rats receiving technical kelthane in their diet. Department of Physiological Hygiene, University of Toronto. Unpublished report submitted to WHO.	原文·抄録無	014_w_0003
Brown, J.R. (1971) Effect of dietary Kelthane on mouse and rat reproduction. In: Tahori, A.S. (Ed.), Fate of pesticides in environment. Proceedings of the Second International IUPAC Congress of Pesticide Chemistry. Vol. VI, pp. 531–548. Gordon and Breach		014_w_0028
Brown, J.R., Hughes, H., & Viriyanondha, S. (1969) Storage, distribution, and metabolism of 1,1-bis(4-chlorophenyl)-2,2,2- trichloroethanol. Toxicol. Appl. Pharmacol., 15: 30-37.		014_w_0029
Brown, M.A. & Casida, J.E. (1987) Metabolism of a dicofol impurity alpha-chloro-DDT, but not dicofol or dechlorodicofol, to DDE in mice and a liver microsomal system. Xenobiotica, 17: 1169-1174.		014_w_0030
de Groot, A.P. (1974) Determination of the acute intraperitoneal toxicity of Kelthane technical in rats. Unpublished report No. 74RC- 1096 Central Institute for Nutrition and Food Research. Submitted to WHO by Rohm and Haas Company, Spring House, PA, USA.	原文·抄録無	014_w_0031

引用文献内容	備考	論文 ID
Den Tonkelaar, E.M. & Van Esch, G.J. (1974) No-effect levels of organochlorine pesticides based on induction of microsomal liver enzymes in short-term toxicity experiments. Toxicology, 2: 371- 380.		014_w_003
DiDonato, L.J., Steigerwalt, R.B., & Longacre, S.L. (1987) o,p'- Dicofol and p,p'-dicofol: Kinetic study in female rats. Unpublished report No. 86R-173 from Rohm and Haas Company, Spring House, PA, USA. Submitted to WHO by Rohm and Haas Company, Spring Ho	原文•抄録無	014_w_003
Fisher, J.R. & Hagan, J.V. (1987) Dicofol (Kelthane technical miticide) acute inhalation toxicity study in rats. Unpublished report No. 87R-001 from Rohm and Haas Company, Spring House, PA, USA. Submitted to WHO by Rohm and Haas Company, Spring House, PA,	原文•抄録無	014_w_0034
Flodstrom, S., Hemming, H., Warngard, L., & Ahlborg, U.G. (1990) Promotion of altered hepatic foci development in rat liver, cytochrome P450 enzyme induction and inhibition of cell-cell communication by DDT and some structurally related organohalogen pest		014_w_0035
Foxall, S. (1986) Kelthane technical CHO/HGPRT gene mutation assay. Unpublished report No. 86R-002 from Rohm and Haas Company, Spring House, PA, USA. Submitted to WHO by Rohm and Haas Company, Spring House, PA, USA.	原文·抄録無	014_w_0036
Foxall, S. & Byers, M.J. (1986) Dicofol (Kelthane technical miticide): In vitro unscheduled DNA synthesis assay. Unpublished report No. 85R-202 from Rohm and Haas Company, Spring House, PA, USA. Submitted to WHO by Rohm and Haas Company, Spring House, PA	原文•抄録無	014_w_0037
Galloway, S.M., Armstrong, M.J., Reuben, C., Colman, S., Brown, B., & Cannon, C. (1987) Chromosome aberrations and sister chromatid exchanges in Chinese hamster ovary cells: Evaluations of 108 chemicals. Environmental and Molecular Mutagenesis, 10: 1–175		014_w_0038
Goldman, P.R., Bernacki, H.J., & Quinn, D.L. (1986) Kelthane: Three- month dietary toxicity study in rats. Unpublished report No. 85R-093 from Rohm and Haas Company, Spring House, PA, USA. Submitted to WHO by Rohm and Haas Company, Spring House, PA, USA.	原文•抄録無	014_w_0039
Goldman, P.R. & Harris, J.C. (1986) Dicofol (Kelthane technical miticide): Three month dietary toxicity study in mice. Unpublished report No. 85R-104 from Rohm and Haas Company, Spring House, PA, USA. Submitted to WHO by Rohm and Haas Company, Spring Hous	原文•抄録無	014_w_0040
Hazelton, G.A. & Harris, J.C. (1989) Dicofol (Kelthane technical miticide): 24-Month dietary chronic/oncogenic study in rats. Unpublished report No. 89R-190 from Rohm and Haas Company, Spring House, PA, USA. Submitted to WHO by Rohm and Haas Company, Spri	原文•抄錄無	014_w_0041
Higginbotham, C.A. & Byers, M.J. (1985) Dicofol (Kelthane technical miticide): Microbial mutagen assay. Unpublished report No. 85R-0042 from Rohm and Haas Company, Spring House, PA, USA. Submitted to WHO by Rohm and Haas Company, Spring House, PA, USA.	原文•抄録無	014_w_0042
Hoberman, A.M. & Christian, M.S. (1986a) A developmental toxicity study of dicofol administered via stomach tube to New Zeeland white rabbits. Unpublished report No. 018-009 (Rohm and Haas report No. 86RC-15) from Argus Research Laboratories, Inc., Horsha	原文·抄録無	014_w_0043
Hoberman, A.M. & Christian, M.S. (1986b) A developmental toxicity study of dicofol (Kelthane technical miticide) administered via gavage to Crl:COBS CD (SD)BR presumed pregnant rats. Unpublished report No. 018-010 (Rohm and Haas report No. 85RC-69) from A	原文·抄録無	014_w_0044
Ivett, J.L. & Myhr, B.C. (1986) Dicofol (Kelthane technical miticide): In vitro cytogenetic assay in Chinese hamster ovary (CHO) cells. Unpublished report No. 20990 (Rohm and Haas report No. 85RC-0068) from Litton Bionetics, Inc., Kensington, Maryland, U	原文·抄録無	014_w_0045
Joy, R.M. (1976) Convulsive properties of chlorinated hydrocarbon insecticides in the cat central nervous system. Toxicol. Appl. Pharmacol., 35: 95-106.		014_w_0046
Kaneshima, H., Okui, T., Hiroshi, O., & Yamaguchi, T. (1980) Studies on the biological fate of Kelthane. I. Distribution and excretion of 3H-Kelthane in mice. Eisei Kagaku, 26: 193-195.		014_w_0047
Krzywicki, K. & Bonin, R. (1985a) Acute definitive oral LD50 in rats in Kelthane technical. Unpublished report No. 85R-034A/B from Rohm and Haas Company, Spring House, PA, USA. Submitted to WHO by Rohm and Haas Company, Spring House, PA, USA.	原文•抄録無	014_w_0048

引用文献内容	備考	論文 ID
Krzywicki, K. & Bonin, R. (1985b) Acute definitive dermal LD50 in rats/rabbits in Kelthane technical. Unpublished report No. 85R- 033A/B/C/D from Rohm and Haas Company, Spring House, PA, USA. Submitted to WHO by Rohm and Haas Company, Spring House, PA, US	原文•抄録無	014_w_0049
Lampe, K.R. & Baldwin, R.C. (1990) Dicofol (Kelthane MF-B miticide) four week dermal toxicity study in rats. Unpublished report No. 89R- 085 from Rohm and Haas Company, Spring House, PA, USA. Submitted to WHO by Rohm and Haas Company, Spring House, PA, US	原文·抄録無	014_w_0050
Larson, P.S. (1957) Two-year study on the effect of adding kelthane to the diet of rats.  Medical College of Virginia. Unpublished report submitted to WHO.	原文·抄録無	014_w_0008
Lessenger, J.E. & Riley, N. (1991) Neurotoxicities and behavioral changes in a 12-year-old male exposed to dicofol, an organochlorine pesticide.		014_w_0051
Maronpot, R.R. (1985) Personal Communication for the Head of Experimental Pathology, National Toxicology Program, Research Triangle Park, North Carolina, to J.A. Moore, EPA, Washington DC. Submitted to WHO by Rohm and Haas Co., Philadelphia, Pennsylvania,	原文•抄録無	014_w_0052
Narloch, B.A., Lawton, M.P., Moody, D.E., Hammock, B.D., & Shull, L.R. (1987) The effects of dicofol on induction of hepatic microsomal metabolism in rats. Pest. Biochem. Physiol., 28: 362–370.		014_w_0053
NCI (1978) Bioassay of dicofol for possible carcinogenicity. National Cancer Institute carcinogenesis technical report series No. 90.		014_w_0054
Nigg, H.N., Stamper, J.H., Deshmukh, S.N., & Queen, R.M. (1991) 4,4'-Dichlorobenzilic acid urinary excretion by dicofol pesticide applicators. Chemosphere, 22: 365-373.		014_w_0055
Onishi, M. (1989) Acute oral toxicity of DICOFOL (Kelthane) TECH.B in mice. Unpublished report No. 89RC-1025 from Shin Nippon Biomedical Laboratories, Ltd., Kagoshima 891-13, Japan. Submitted to WHO by Rohm and Haas Company, Spring House, PA, USA.	原文•抄録無	014_w_0056
Rothman, A.M. (1981) Personal Communication for the Head of Experimental Pathology, National Toxicology Program, Research Triangle Park, North Carolina to J.A. Moore, EPA, Washington DC. Submitted to WHO by Rohm and Haas Co., Philadelphia, Pennsylvania, U	原文•抄録無	014_w_0057
Sames, J.L. & Doolittle, D.J. (1986) Dicofol (Kelthane technical miticide): Kelthane in vivo cytogenetic study in rats. Unpublished report No. 85R-215 from Rohm and Haas Company, Spring House, PA, USA. Submitted to WHO by Rohm and Haas Company, Spring Ho	原文•抄録無	014_w_0058
Sato, H., Toyoda, K., Furukawa, F., Hasegawa, R., Takahashi, M., & Hayashi, Y. (1987) Subchronic oral toxicity test of dicofol (1,1- bis(p-chlorophenyl)-2,2,2-trichloroethanol) as the basis for the design of a long-term carcinogenicity study in B6C3F1 mi		014_w_0059
Shellenberger, T.E. (1986) Dicofol (Kelthane miticide): Three-month dietary toxicity study in dogs. Unpublished report No. 85014 (Rohm and Haas report No. 86RC-23) from Tegeris Laboratories Inc., Laurel, Maryland, USA. Submitted to WHO by Rohm and Haas Co	原文•抄録無	014_w_0060
Shirasu, Y., Moriya, M., & Ohta, T. (1980) Microbial mutagenicity test of Kelthane. Unpublished report (Rohm and Haas No. 80RC-1024) from Institute of Environmental Toxicology, Japan. Submitted to WHO by Rohm and Haas Company, Spring House, PA, USA.	原文•抄録無	014_w_0061
Smith, R.B., Jr., Larson, P.S., Finnegan, J.K., Haag, H.B., Hennigar, G.R., & Cobey, F. (1959) Toxicologic studies on 2,2- bis- (chlorophenyl)-2,2,2-trichloroethanol. Toxicol. Appl. Pharmacol., 1: 119-134.		014_w_0016
Solomon, H.M. & Kulwich, B.A. (1991) Dicofol: Two-generation study in rats. Unpublished report No. 89R-028 from Rohm and Haas Company, Spring House, PA, USA. Submitted to WHO by Rohm and Haas Company, Spring House, PA, USA.	原文•抄録無	014_w_0062
Steigerwalt, R.B., Deckert, F.W., & Longacre, S.L. (1984a) Comparative disposition of a single po dose of 14C-Kelthane and 14C-DDT in rats. Unpublished report No. 79R-130 from Rohm and Haas Company, Spring House, PA, USA. Submitted to WHO by Rohm and Haas	原文•抄録無	014_w_0063
Steigerwalt, R.B., Deckert, F.W., & Longacre, S.L. (1984b) Comparative disposition of multiple doses of 14C-Kelthane and 14C-DDT in female rats. Unpublished report No. 80R-174 from Rohm and Haas Company, Spring House, PA, USA. Submitted to WHO by Rohm and	原文•抄録無	014_w_0064

"我们也是我们的,我们就会会会会会会会会会会会会会会会会会会会会会会会会会会会会会会会会会会会会	備考	論文 ID
Steigerwalt, R.B., Deckert, F.W., & Longacre, S.L. (1984c) Mouse liver mixed function oxidase assay for Kelthane technical – three day po induction study. Unpublished report No. 80R-018 from Rohm and Haas Company, Spring House, PA, USA. Submitted to WHO b	原文·抄録無	014_w_0065
Steigerwalt, R.B., Udinsky, J.R., Deckert, F.W., & Longacre, S.L. (1984d) Liver mixed function oxidase assays for Kelthane technical, its active ingredients, and principal technical impurities in male B6C3F1 mice after two week dietary exposure. Unpublish report No. 79R-167 from Rohm and Haas Company, Spring House, PA, USA. Submitted to WHO by Rohm and Haas Company, Spring House, PA, USA.	原文•抄録無	014_w_0066
Tegeris, A.S. & Shellenberger, T.E. (1988) Dicofol (Kelthane technical miticide): One year dietary toxicity study in beagle dogs. Unpublished report No. 86014 (Rohm and Haas report No. 87RC-027) from Tegeris Laboratories Inc., Laurel, Maryland, USA. Submi	原文•抄録無	014_w_0068
Tillman, A.M. & Mazza, L.S. (1986) Part I: Absorption and excretion of 14C-dicofol in male and female rats. Part II: A metabolism study of 14C-dicofol in male and female rats. Unpublished report No. 31L-86-02 from Rohm and Haas Company, Spring House, PA,	原文・抄録無	014_w_0069
USEPA (1979) (US Environmental Protection Agency) pesticide incident monitoring system. Summary of reported pesticide incidents involving Kelthane, Report No. 173. Office of Pesticide Programs.	原文·抄録無	014_w_0070
Verschuuren, H.G., Kroes, R., & Den Tonkelaar, E.M. (1973) Toxicity studies on tetrasul III.  Short-term comparative studies in rats with tetrasul and structurally related acaricides.  Toxicology, 1: 113- 123.		014_w_0071
WHO (1992). The WHO recommended classification of pesticides by hazard and guidelines to classification 1992–1993 (WHO/PCS/92.14). Available from the International Programme on Chemical Safety, World Health Organization, Geneva, Switzerland.	原文•抄録無	014_w_0072
Woodruff, R.C., Mason, J.M., Valencia, R., & Zimmering, S. (1985) Chemical mutagenesis testing in Drosophila. V. Results of 53 coded compounds tested for the National Toxicology Program. Environmental Mutagenesis, 7: 677–702.		014_w_0073