

## 033\_001\_002 引用文献一覧

| 引用文献内容   | 備考     | 論文 ID      |
|--|--------|------------|
| Galloway, S.M. & Lankas, G.R. (1994) Thiabendazole; assay for chromosomal aberrations in mouse bone marrow. Unpublished report No. TT94-8603 from Merck Research Laboratories, West Point, PA, USA. Submitted to WHO by Merck & Co., Three Bridges, NJ, USA.   | 原文・抄録無 | 033_w_0001 |
| Lankas, G.R. & Wise, L.D. (1992) Thiabendazole: Two-generation dietary reproduction study in rats. Unpublished report No. TT90-733-0 from Merck Research Laboratories, West Point, PA, USA. Submitted to WHO by Merck & Co., Three Bridges, NJ, USA.   | 原文・抄録無 | 033_w_0002 |
| Lankas, G.R., Morrissey, R.E. & Stabinski, L.G. (1993) Thiabendazole: Fifty-three-week oral toxicity study in dogs. Unpublished report No. TT91-068-0 from Merck, Sharp & Dohme Research Laboratories, USA. Submitted to WHO by Merck & Co., Three Bridges, NJ, USA.                                     | 原文・抄録無 | 033_w_0003 |
| Lankas, G.R., Hubert, M.F. & Majka, J.A. (1995) Thiabendazole: Fourteen-week dietary thyroxine clearance study in rats with a 14-week recovery period. Unpublished report No. TT94-024-0 from Merck Research Laboratories, West Point, PA, USA. Submitted to WHO by Merck & Co., Three Bridges, NJ, USA. | 原文・抄録無 | 033_w_0004 |
| Nakatsuka, T., Ban, Y. & Fujimaki, Y. (1995) Thiabendazole: Oral developmental toxicity study in mice. Unpublished report No. TT94-9818 from Development Research Laboratories, Banyu Pharmaceutical Co., Ltd, Japan. Submitted to WHO by Merck & Co., Three Bridges, NJ, USA.                           | 原文・抄録無 | 033_w_0005 |
| Natarajan, A.T., Duivenvoorden, W.C.M., Meijers, M. & Zwanenburg, T.S.B. (1993) Induction of mitotic aneuploidy using Chinese hamster primary embryonic cells. Test results of 10 chemicals. <i>Mutat. Res.</i> , 287, 47-56.  |        | 033_w_0006 |
| Parry, J.M. (1993) An evaluation of the use of <i>in vitro</i> tubulin polymerization, fungal and wheat assays to detect the activity of potential chemical aneugens. <i>Mutat. Res.</i> , 287, 23-28.   |        | 033_w_0007 |
| Sina, J.F. & Lankas, G.R. (1992) Thiabendazole: Microbial mutagenesis assay. Unpublished reports Nos TT92-8074 and TT92-8079 from Merck Research Laboratories, West Point, PA, USA. Submitted to WHO by Merck & Co., Three Bridges, NJ, USA.   | 原文・抄録無 | 033_w_0008 |
| Squibb, R.E., Wolfe, G.W. & Lankas, G.R. (1993) Thiabendazole: 106-week dietary toxicity/carcinogenicity study in rats. Unpublished report No. TT90-9009 from Hazleton Washington, USA, and Merck Research Laboratories, West Point, PA, USA. Submitted to WHO by Merck & Co., Three Bridges, NJ, USA.   | 原文・抄録無 | 033_w_0009 |
| Warr, T.J., Parry, E.M. & Parry, J.M. (1993) A comparison of two <i>in vitro</i> mammalian cell cytogenetic assays for the detection of mitotic aneuploidy using 10 known or suspected aneugens. <i>Mutat. Res.</i> , 287, 29-46.  |        | 033_w_0010 |
| Evaluation of certain veterinary drug residues in food (Fortieth report of the Joint FAO/WHO Expert Committee on Food Additives). WHO Technical Report Series, No. 832, 1993.  |        | 033_w_0011 |

## 033\_001\_003 引用文献一覧

| 引用文献内容  | 備考     | 論文 ID      |
|---|--------|------------|
| Batham, P. & Lankas, G.R. (1990) Thiabendazole—Fourteen-week oral toxicity study in the beagle dog. Unpublished report No. TT #89-9010/84021 from Merck Sharp & Dohme Research Laboratories, West Point, Pennsylvania, USA, and Bio-Research Laboratories, Ltd, Senneville, Québec, Canada. Submitted to WHO by Syngenta, Basel, Switzerland. | 原文・抄録無 | 033_w_0012 |
| Blaszczak, D.L. & Auletta, C.S. (1987) Acute dermal toxicity study in rabbits. Unpublished report No. 4004-86 from Bio/dynamics, Inc., East Millstone, New Jersey, USA. Submitted to WHO by Syngenta, Basel, Switzerland.   | 原文・抄録無 | 033_w_0013 |
| Campbell, W.C. & Cuckler, A.C. (1969) Thiabendazole in the treatment and control of parasitic infections in man. <i>Texas Rep. Biol. Med.</i> , 27 (Suppl. 2), 665-692.   |        | 033_w_0014 |
| Colmore, J.P. (1965) Chronic toxicity study of thiabendazole in volunteers. Unpublished report No. NDA 16-096 from University of Oklahoma, Medical Centre Oklahoma City, Oklahoma, USA. Submitted to WHO by Syngenta, Basel, Switzerland.   | 原文・抄録無 | 033_w_0015 |

| 引用文献内容   | 備考     | 論文 ID      |
|--|--------|------------|
| Commission of the European Union (2001) Guidance for the Setting of an Acute Reference Dose (ARFD). Draft guidance document 7199/VI/99 rev. 5 of 05/07/2001, Brussels.   | 原文・抄録無 | 033_w_0016 |
| Cuckler, A.C. & Mezey, K.C. (1966) The therapeutic efficacy of thiabendazole for helminthic infections in man. <i>Arzneimittelforschung</i> , 16, 411–428.   |        | 033_w_0017 |
| FAO/WHO (1971) 1970 Evaluations of some pesticide residues in food. AGP: 1970/M/12/1. WHO/Food Add/71.42, Rome.  |        | 033_w_0117 |
| FAO/WHO (1978) Pesticide residues in food—1977. Report of the Joint Meeting of the FAO Panel of Experts on Pesticide Residues and the Environment and the WHO Expert Group on Pesticide Residues. FAO Plant Production and Protection Paper 10 Rev., Rome.   | 原文・抄録無 | 033_w_0018 |
| FAO/WHO (2001) Pesticide residues in food—2000. Report of the Joint Meeting of the FAO Panel of Experts on Pesticide Residues in Food and the Environment and the WHO Core Assessment Group on Pesticide Residues. FAO Plant Production and Protection Paper 163, Rome.  |        | 033_w_0019 |
| Fujitani, T., Tada, Y. & Yoneyama, M. (1999) Effects of thiabendazole (TBZ) on mitochondrial function in renal cortex of ICR mice. <i>Food Chem. Toxicol.</i> , 37, 145–152.   |        | 033_w_0020 |
| Gurman, J.L., Hardy, R.J., Voelker, R.W. & Davidson, J.L. (1981) Acute inhalation toxicity study in rats. Unpublished report No. 284–129 from Hazleton Laboratories America, Inc., Vienna, Virginia, USA. Submitted to WHO by Syngenta, Basel, Switzerland.  | 原文・抄録無 | 033_w_0021 |
| Hennekeuser, H.H., Pabst, K., Poeplau, W. & Gerok, W. (1969) Thiabendazole for the treatment of trichinosis in humans. <i>Texas Rep. Biol. Med.</i> , 27 (Suppl. 2), 581–596.  |        | 033_w_0022 |
| Hoberman, A.M. (1989) Thiabendazole—Oral developmental toxicity study in rabbits. Unpublished report No. 013–029 (TT #89–9005) from Argus Research Laboratories, Inc., Horsham, Pennsylvania, USA. Submitted to WHO by Syngenta, Basel, Switzerland.   | 原文・抄録無 | 033_w_0047 |
| Lankas, G.R. (1981) Thiabendazole veterinary (lot ERM–211)—Acute oral toxicity study in rats. Unpublished report No. TT #81–2691 from Merck Sharp & Dohme Research Laboratories, West Point, Pennsylvania, USA. Submitted to WHO by Syngenta, Basel, Switzerland.  | 原文・抄録無 | 033_w_0023 |
| Lankas, G.R. (1993) Thiabendazole—Fifty-three-week oral toxicity study in dogs. Unpublished report No. TT #91–068–0 from Merck Research Laboratories, West Point, Pennsylvania, USA. Submitted to WHO by Syngenta, Basel, Switzerland.   | 原文・抄録無 | 033_w_0003 |
| Lankas, G.L. & Wise, L.D. (1991/1993) Thiabendazole—Oral developmental toxicity study—Rabbits. Unpublished report No. TT #90–734–0 from Merck Sharp & Dohme Research Laboratories, West Point, Pennsylvania, USA. Submitted to WHO by Syngenta, Basel, Switzerland.  | 原文・抄録無 | 033_w_0024 |
| Myers, B.A. & Lankas, G.R. (1990) Thiabendazole—A 14-week dietary toxicity study in rats. Unpublished report No. TT #90–9002/284–169 from Merck Sharp & Dohme Research Laboratories, West Point, Pennsylvania, USA, and Hazleton Laboratories America, Inc., Rockville, Maryland, USA. Submitted to WHO by Syngenta, Basel, Switzerland. | 原文・抄録無 | 033_w_0025 |
| Nakatsuka, T., Matsumoto, H. & Ikemoto, F. (1995) Thiabendazole—Oral developmental toxicity study in mice. Unpublished report No. TT #94–9818 from Banyu Pharmaceutical Co., Ltd, Saitama-ken, Japan. Submitted to WHO by Syngenta, Basel, Switzerland.  | 原文・抄録無 | 033_w_0026 |
| Ogata, A., Ando, H., Kubo, Y. & Hiraga, K. (1984) Teratogenicity of thiabendazole in ICR mice. <i>Food Chem. Toxicol.</i> , 22, 509–520.   |        | 033_w_0027 |
| Parfitt, K., ed. (1999) Martindale. The Complete Drug Reference, 32nd Ed., London: Pharmaceutical Press.   | 原文・抄録無 | 033_w_0028 |
| van Raaij, M.T.M. (2001) Guidance document for setting an acute reference dose in Dutch national pesticide evaluations. RIVM report 620555 002. National Institute of Public Health and the Environment (RIVM), Bilthoven.   | 原文・抄録無 | 033_w_0029 |
| Robinson, H.J. (1964) Thiabendazole (preclinical evaluation). Unpublished report from Merck Sharp & Dohme Research Laboratories, Rahway, New Jersey, USA. Submitted to WHO by Syngenta, Basel, Switzerland. [only the part related to acute oral toxicity was provided]  | 原文・抄録無 | 033_w_0030 |
| Tada, Y., Yoneyama, M., Kabashima, J., Fujitani, T. & Nakano, M. (1989) Effects of thiabendazole on the kidneys of ICR mice. <i>Food Chem. Toxicol.</i> , 27, 307–315.   |        | 033_w_0031 |

| 引用文献内容  | 備考     | 論文 ID      |
|---|--------|------------|
| Tada, Y., Fujitani, T. & Yoneyama, M. (1992) Acute renal toxicity of thiabendazole (TBZ) in ICR mice. Food Chem. Toxicol., 30, 1021-1030.   |        | 033_w_0032 |
| Tada, Y., Fujitani, T. & Yoneyama, M. (1994) Thiabendazole (TBZ) nephrotoxicity and recovery in ICR adult mice. Toxicology, 94, 41-55.  |        | 033_w_0033 |
| Tada, Y., Fujitani, T. & Yoneyama, M. (1996) Subchronic toxicity of thiabendazole (TBZ) in ICR mice. Food Chem. Toxicol., 34, 709-716.  |        | 033_w_0034 |
| Tada, Y., Fujitani, T., Yano, N., Yuzawa, K., Nagasawa, A. & Yoneyama, M. (2001) Thiabendazole induces urinary tract toxicity in male ICR mice. Toxicology, 162, 1-10.  |        | 033_w_0035 |
| Tocco, D.J., Rosenblum, C., Martin, C.M. & Robinson, H.J. (1966) Absorption, metabolism, and excretion of thiabendazole in man and laboratory animals. Toxicol. Appl. Pharmacol., 9, 31-39.   |        | 033_w_0036 |
| Wise, L.D. (1990) Thiabendazole—Oral developmental toxicity study in rats. Unpublished report No. TT #90-713-0 from Merck Sharp & Dohme Research Laboratories, West Point, Pennsylvania, USA. Submitted to WHO by Syngenta, Basel, Switzerland. | 原文・抄録無 | 033_w_0037 |
| Wise, L.D. & Lankas, G.R. (1992) Thiabendazole - Two-generation dietary study in rats. Unpublished report No. TT #90-733-0 from Merck Research Laboratories, West Point, Pennsylvania, USA. Submitted to WHO by Syngenta, Basel, Switzerland    | 原文・抄録無 | 033_w_0002 |
| Evaluation of certain veterinary drug residues in food (Fortieth report of the Joint FAO/WHO Expert Committee on Food Additives). WHO Technical Report Series, No. 832, 1993.   |        | 033_w_0011 |
| Evaluation of certain veterinary drug residues in food (Forty-eighth report of the Joint FAO/WHO Expert Committee on Food Additives). WHO Technical Report Series, No. 879, 1998.   |        | 033_w_0038 |

033\_001\_004 引用文献一覧

| 引用文献内容  | 備考     | 論文 ID      |
|---|--------|------------|
| BAGDON, W.J., BOKELMAN, D.L. & ZWICKEY, R.E. (1980). Lifetime carcinogenic study in mice. Unpublished Report No. TT77-014-0 from Merck, Sharp & Dohme Research Laboratories. Submitted to WHO by MSD Research Laboratory, Lauterbach, Germany.            | 原文・抄録無 | 033_w_0039 |
| BATHAM, P., REID, S. & OSBORNE, B.E. (1989). A 14-week oral toxicity study in the beagle dog. Unpublished Report No. 84021 (TT 89-9010) from Bio-Research Laboratories, Canada. Submitted to WHO by MSD Research Laboratory, Lauterbach, Germany.         | 原文・抄録無 | 033_w_0040 |
| BLASZCAK, D.L. & AULETTA, C.S. (1987). Acute dermal toxicity study in rabbits. Unpublished Report No. 4004-86 from Bio/dynamics Inc., USA. Submitted to WHO by MSD Research Laboratory, Lauterbach, Germany.  | 原文・抄録無 | 033_w_0013 |
| BOKELMAN, D.L. & ZWICKEY, R.E. (1977). Thiabendazole, six-week pilot study in mice. Unpublished Report No. TT77-004-0 from Merck, Sharp & Dohme Research Laboratories, USA. Submitted to WHO by MSD Research Laboratory, Lauterbach, Germany.             | 原文・抄録無 | 033_w_0041 |
| CAVAGNORO, J. & YAMAMOTO, K.S. (1989). 23 day dermal toxicity study in rabbits. Unpublished Report No. HLA 284-161 (TT89-9011) from Hazleton Laboratories, USA. Submitted to WHO by MSD Research Laboratory, Lauterbach, Germany.                         | 原文・抄録無 | 033_w_0042 |
| CHRISTIAN, M.S., LANKAS, G.R. & HOBERMAN, A.M. (1989). Oral range-finding study in pregnant rabbits. Unpublished Report No. 013-029P (TT89-9006) from Argus Research Laboratories, USA. Submitted to WHO by MSD Research Laboratory, Lauterbach, Germany. | 原文・抄録無 | 033_w_0043 |
| COLMORE, J.P. (1965). Chronic toxicity study of thiabendazole in volunteers. Unpublished report from University of Oklahoma Medical Centre, USA. Submitted to WHO by MSD Research Laboratory, Lauterbach, Germany.  | 原文・抄録無 | 033_w_0015 |
| DELATOUR, P., LORQUE, G., LAPRAS, M. & DESCHANEL, J.P. (1974). Embryotoxic properties in the rat, and residues in cattle and sheep, of three anthelmintics, derivatives of benzimidazole. Bull. Soc. Sci. Vet. et Med., 76: 147-154.                      | 原文・抄録無 | 033_w_0044 |
| FAO/WHO (1971). 1970 evaluations of some pesticide residues in food. AGP: 1970/M/12/1; WHO/Food Add/71.42, Rome.  |        | 033_w_0117 |

| 引用文献内容  | 備考     | 論文 ID      |
|---|--------|------------|
| FAO/WHO (1978). Pesticide residues in food: 1977 evaluations. FAO Plant Production and Protection Paper, 10 Sup. Rome.  | 原文・抄録無 | 033_w_0018 |
| FUJII, T., MIKURIYA, H. & SASAKI, M. (1991). Chronic oral toxicity and carcinogenicity study of tiabendazole in rats. <i>Fd. Chem. Toxicol.</i> , 29: 771-775.  |        | 033_w_0045 |
| FUJITANI, T., YONEYAMA, M., OGATA, A., UETA, T., MORI, K. & ICHIKAWA, H. (1991). New metabolites of tiabendazole and the metabolism of tiabendazole by mouse embryo in vivo and in vitro. <i>Fd. Chem. Toxicol.</i> , 29: 265-274.  |        | 033_w_0046 |
| GURMAN, J.L., HARDY, R.J., VOELKER, R.W. & DAVIDSON, J.L. (1981). Acute inhalation toxicity study in rats. Unpublished Report No. HLA 284-129 from Hazleton Laboratories, USA. Submitted to WHO by MSD Research Laboratory, Lauterbach, Germany.                                    | 原文・抄録無 | 033_w_0021 |
| HENNEKEUSER, H.H., PABST, K., POEPLAU, W. & GEROK, W. (1969). Tiabendazole for the treatment of trichinosis in humans. <i>Texas Rep. Biol. Med.</i> , 27 (Suppl. 2): 581-596.   |        | 033_w_0022 |
| HOBERMAN, A.M. & LANKAS, G.R. (1989). Oral developmental toxicity study in rabbits. Unpublished Report No. 013-029 (TT89-9005) from Argus Research Laboratories, USA. Submitted to WHO by MSD Research Laboratory, Lauterbach, Germany.   | 原文・抄録無 | 033_w_0047 |
| KANGAS, L., FARRELL, D. & OSBORNE, B.E. (1989). A 14-week oral toxicity study in the albino rat: Unpublished Report No. 84114 (TT89-9014) from Bio-Research Laboratories, Canada. Submitted to WHO by MSD Research Laboratory, Lauterbach, Germany.                                 | 原文・抄録無 | 033_w_0048 |
| KHERA, K.S., WHALEN, C., TRIVETT, G. & ANGERS, G. (1979). Teratologic assessment of maleic hydrazide and daminozide, and formulations of ethoxyquin, tiabendazole and naled in rats. <i>J. Environ. Sci. Health</i> , B14: 563-577.   |        | 033_w_0049 |
| LANKAS, G.R. (1989). In vitro alkaline elution/rat hepatocyte assay. Unpublished report nos. TT88-8850 and TT89-8312 from Merck, Sharp & Dohme Research Laboratories, USA. Submitted to WHO by MSD Research Laboratory, Lauterbach, Germany.  | 原文・抄録無 | 033_w_0050 |
| LANKAS, G.R. & WISE, L.D. (1990a). Oral range-finding study in pregnant rats. Unpublished Report No. TT90-713-1 from Merck, Sharp & Dohme Research Laboratories, USA. Submitted to WHO by MSD Research Laboratory, Lauterbach, Germany.   | 原文・抄録無 | 033_w_0051 |
| LANKAS, G.R. & WISE, L.D. (1990b). Oral development toxicity study in rats. Unpublished Report No. TT90-713-0 from Merck, Sharp & Dohme Research Laboratories, USA. Submitted to WHO by MSD Research Laboratory, Lauterbach, Germany.   | 原文・抄録無 | 033_w_0052 |
| LANKAS, G.R. & WISE, L.D. (1991). Oral developmental toxicity study in rabbits. Unpublished Report No. TT90-734-0 from Merck, Sharp & Dohme Research Laboratories, USA. Submitted to WHO by MSD Research Laboratory, Lauterbach, Germany.   | 原文・抄録無 | 033_w_0053 |
| MacGREGOR, J. (1976). Mutagenicity tests of tiabendazole in the Ames Salmonella typhimurium reverse mutation test. Unpublished report from Western Regional Research Centre, California, USA. Submitted to WHO by MSD Research Laboratory, Lauterbach, Germany.                     | 原文・抄録無 | 033_w_0054 |
| MERCK, SHARP & DOHME (undated). Primary eye irritation in rabbits. Unpublished Report No. TT81-2693 from Merck, Sharp & Dohme Research Laboratories, USA. Submitted to WHO by MSD Research Laboratory, Lauterbach, Germany.   | 原文・抄録無 | 033_w_0055 |
| MUDRY DE PARGAMENT, M.D., LABAL DE VINUESA, M. & LARRIPA, I. (1987). Mutagenic bioassay of certain pharmacological drugs. I Tiabendazole (TBZ). <i>Mutation Res.</i> , 188: 1-6.  |        | 033_w_0056 |
| MYERS, B.A. & LANKAS, G.R. (1990). A 14-week dietary toxicity study in rats. Unpublished Report No. HLA 284-169 (TT 90-9002) from Hazleton Laboratories, USA and Merck, Sharp & Dohme Research Laboratories, USA. Submitted to WHO by MSD Research Laboratory, Lauterbach, Germany. | 原文・抄録無 | 033_w_0025 |
| OGATA, A., ANDO, H., KUBO, Y. & HIRAGA, K. (1984). Teratogenicity of tiabendazole in ICR mice. <i>Fd. Chem. Toxicol.</i> , 22: 509-520.   |        | 033_w_0027 |
| OGATA, A., YONEYAMA, M., SASAKI, M., SUZUKI, K. & IMAMICHI, T. (1987). Effects of pretreatment with SKF-525A or sodium phenobarbital on tiabendazole-induced teratogenicity in ICR mice. <i>Fd. Chem. Toxicol.</i> , 25: 119-124.   |        | 033_w_0057 |

| 引用文献内容  | 備考     | 論文 ID      |
|---|--------|------------|
| OGATA, A., FUJITANI, T., YONEYAMA, M., SASAKI, M. & SUZUKI, K. (1989). Glutathione and cysteine enhance and diethylmaleate reduces tiabendazole teratogenicity in mice. <i>Fd. Chem. Toxicol.</i> , 27: 117-123.  |        | 033_w_0058 |
| PECK, H.M. (1966a). Reproduction study in the rabbit. Unpublished report from Merck, Sharp & Dohme. Submitted to WHO by MSD Research Laboratory, Lauterbach, Germany.   | 原文・抄録無 | 033_w_0059 |
| PECK, H.M. (1966b). Cutaneous sensitisation in the guinea pig. Unpublished report from Merck, Sharp & Dohme. Submitted to WHO by MSD Research Laboratory, Lauterbach, Germany.  | 原文・抄録無 | 033_w_0060 |
| PECK, H.M. (1977). Mutagenic evaluation. Unpublished report from Merck, Sharp & Dohme. Submitted to WHO by MSD Research Laboratory, Lauterbach, Germany.  | 原文・抄録無 | 033_w_0061 |
| ROBINSON, H.J. (1964). Tiabendazole preclinical evaluation. Unpublished report from Merck, Sharp & Dohme. Submitted to WHO by MSD Research Laboratory, Lauterbach, Germany.   | 原文・抄録無 | 033_w_0062 |
| ROBINSON, H.J. (1965). Tiabendazole safety evaluation. Unpublished report from Merck, Sharp & Dohme. Submitted to WHO by MSD Research Laboratory, Lauterbach, Germany.  | 原文・抄録無 | 033_w_0063 |
| SHIRASU, Y., MORIYA, M. & KATO, K. (1976a). Mutagenicity testing on tiabendazole (TBZ) in microbial systems. Unpublished report from the Institute of Environmental Toxicology, Japan. Submitted to WHO by MSD Research Laboratory, Lauterbach, Germany.                    | 原文・抄録無 | 033_w_0064 |
| SHIRASU, Y., TERAMOTO, S. & KANEDA, M. (1976b). Dominant lethal studies with tiabendazole in mice. Unpublished report from the Institute of Environmental Toxicology, Japan. Submitted to WHO by MSD Research Laboratory, Lauterbach, Germany.                              | 原文・抄録無 | 033_w_0065 |
| SHIRASU, Y., TEZUKA, H., HEMMI, R. & MURAKAMI, N. (1976c). Cytogenetic studies with tiabendazole in cultured human fibroblasts. Unpublished report from the Institute of Environmental Toxicology, Japan. Submitted to WHO by MSD Research Laboratory, Lauterbach, Germany. | 原文・抄録無 | 033_w_0066 |
| SHIRASU, Y., TEZUKA, H., HEMMI, R. & MURAKAMI, N. (1976d). Cytogenetic studies with tiabendazole in rat bone marrow cells. Unpublished report from the Institute of Environmental Toxicology, Japan. Submitted to WHO by MSD Research Laboratory, Lauterbach, Germany.      | 原文・抄録無 | 033_w_0067 |
| TADA, Y., YONEYAMA, M., KABASHIMA, J., FUJITANI, T. & NAKANO, M. (1989). Effects of tiabendazole on the kidneys of ICR mice. <i>Fd. Chem. Toxicol.</i> , 27: 307-315.   |        | 033_w_0031 |
| TSUCHIYA, T., TANAKA, A., FUKUOKA, M., SATO, M. & YAMAHARA, T. (1987). Metabolism of tiabendazole and teratogenic potential of its metabolites in pregnant mice. <i>Chem. Pharm. Bull.</i> , 35: 2985-2993.   |        | 033_w_0068 |
| USUI, T. & SAKAGUCHI, T. (1989). 5 week oral toxicity study in rats. Unpublished report nos. TT86-9819 and TT87-9809 from Banyu Pharmaceutical Development Research Laboratories, Japan. Submitted to WHO by MSD Research Laboratory, Lauterbach, Germany.                  | 原文・抄録無 | 033_w_0069 |
| VOGIN, E.E. (1968). Multigeneration reproduction and lactation studies with tiabendazole. Unpublished report from Food and Drug Research Laboratories, USA. Submitted to WHO by MSD Research Laboratory, Lauterbach, Germany.   | 原文・抄録無 | 033_w_0070 |
| WOODARD, G. (1964). Safety evaluation by oral administration to dogs and rats for 104 weeks. Unpublished report from Woodard Research Corporation, USA. Submitted to WHO by MSD Research Laboratory, Lauterbach, Germany.   | 原文・抄録無 | 033_w_0071 |
| YONEYAMA, M., OGATA, A., FUJII, T. & HIRAGA, K. (1984). The maternal-foetal distribution of tiabendazole administered in two different vehicles to pregnant mice. <i>Fd. Chem. Toxicol.</i> , 22: 731-735.  |        | 033_w_0072 |

## 033\_002\_005 引用文献一覧

| 引用文献内容  | 備考 | 論文 ID      |
|---|----|------------|
| Anon. (1967) Control of squinter disease of bananas by thiabendazole. <i>Agricultural Gazette of New South Wales</i> , 78:604 |    | 033_w_0073 |

| 引用文献内容  | 備考     | 論文 ID      |
|---|--------|------------|
| Anon. (1969) New treatments reduce fruit wastage - Rural Research in CSIRO, 67:7-12   |        | 033_w_0074 |
| AOAC. (1966) Analysis of thiabendazole in feeds. J.A.O.A.C. 49:238-239 and 312  |        | 033_w_0075 |
| Bondoux, P. (1967) Acac. Agric. France, Compt. Rend. Hebd. Seances, 53: 1314-1323   | 原文・抄録無 | 033_w_0076 |
| Brown, G.E., McCormack, A.A. and Smoot, J.J. (1967) Thiabendazole as a post-harvest fungicide for Florida citrus fruit. Plant Disease Reporter, 52:95-97  |        | 033_w_0077 |
| Brown, H.D., et al. (1961) Journal of American Chemical Society, 83:1764  |        | 033_w_0078 |
| Burden, O.J. (1967) Studies on grown rot on bananas. Queensland Agricultural Journal, March, p. 186   |        | 033_w_0079 |
| Crivelli, G. (1966) Part V Tests with the fungistat thiabendazole against Penicillium of oranges (in Italian). Il. Freddo, 20:25-29   |        | 033_w_0080 |
| Cuille, J. and Bur-Ravault, L. (1968) Fruits, (Paris), 23:351-356   |        | 033_w_0081 |
| Eckert, J.W., Kolbenz, M.J. and Kraght, A.J. (1968) Proc. International Citrus Symposium, Vol 3, Riverside, Cal., 13 March 1968   |        | 033_w_0082 |
| Fripp, Ivonne J. and Dettman, E. Belinda. (1969) Thiabendazole as a post-harvest treatment against Sclerotinia fructicola in dessert peaches. Australian Journal of Experimental Agriculture and Animal Husbandry, 9:9-11 |        | 033_w_0083 |
| Gilbert, W.S. and Wright, Julia. (1969) Method for determining thiabendazole residues on oranges  | 原文・抄録無 | 033_w_0084 |
| Gordon, H. McL. Studies of anthelmintics for sheep - thiabendazole. Australian Veterinary Journal, 40(1):9-18   |        | 033_w_0085 |
| Harding, P.R. Jr. (1968) Plant Disease Reporter, 52: 623-625  |        | 033_w_0086 |
| Johnson, C.D. (1964) Evaluation of teratogenic potential in the rat. Unpublished Report (April 1964) from Woodard Research Corporation through Merck Institute for Therapeutic Research to FDA                            | 原文・抄録無 | 033_w_0087 |
| McCormack, A.A. and Brown, G.E. (1968) Thiabendazole, an experimental fungicide for fresh citrus fruit. Proc. Florida State Horticultural Soc., 80:232-237  |        | 033_w_0088 |
| Merck and Company, Inc. (1969) Rahway, New Jersey, U.S.A. thiabendazole residues in bananas and citrus. Submission to U.S. Food and Drug Administration   | 原文・抄録無 | 033_w_0089 |
| Merck and Company, Inc. (1970) Rahway, New Jersey, U.S.A. Thiabendazole residues in citrus following application in citrus wax. Submission to U.S. Food and Drug Administration   | 原文・抄録無 | 033_w_0090 |
| Robinson, H.J., Stoerk, H.C. and Graessle, A.E. (1965b) Studies on the toxicological and pharmacological properties of thiabendazole. Toxicol. appl. Pharmacol., 7:53-63  |        | 033_w_0091 |
| Rosenblum, C. and Meriwether, H.T. (1970) Determination by the radioactive indicator Method of the retention and stability of thiabendazole in treated Valencia orange. Journal of Radioanalytical Chemistry, (in press)  |        | 033_w_0092 |
| Scott, K.J., and Roberts, E.A. (1967) Control in bananas of black end rot caused by Gloeosporium musarium. Australian Journal of Experimental Agriculture and Animal Husbandry, 7:283-286                                 |        | 033_w_0093 |
| Seberry, J.A., and Baldwin, R.A. (1968) Thiabendazole and 2-amino-butane as post-harvest fungicides for citrus. Australian Journal of Experimental Agriculture and Animal Husbandry, 8:440-443                            |        | 033_w_0094 |
| Seberry, J.A. (1968) Proc. Int. Citrus Symposium, Riverside, Calif., 13 March 1968  |        | 033_w_0095 |
| Shillingsford, C.A. (1970) Banana fruit rot control in Jamaica. P.A.N.S.,16(1)  |        | 033_w_0096 |
| Szalkowski and Kanora. (1965) Spectrophotometric determination of TBZ in feed. JAOAC,48(2):288-295  |        | 033_w_0097 |

| 引用文献内容  | 備考     | 論文 ID      |
|---|--------|------------|
| Tocco D.J., Buhs, R.P., Brown, H.D., Matzuk, A.R., Mertel, H.E., Harman, R.E. and Trenner, N.R. (1964) The metabolic fate of thiabendazole in sheep. J. med. Chem., 7:399-405   |        | 033_w_0098 |
| Tocco, D.J., Egerton, J.R., Bowers, W., Christensen, V.W. and Rosenblum, C.J. (1965) Absorption, metabolism and elimination of thiabendazole in farm animals and a method for its estimation in biological materials. J. Pharmacol. exp. Therap., 149:263-271 |        | 033_w_0134 |
| Tocco, D.J., Rosenblum C., Martin, C.M. and Robinson, H.G. (1966) Absorption, metabolism and excretion of thiabendazole in man and laboratory animals. Toxicol. appl. Pharmacol., 9:31-39   |        | 033_w_0036 |
| U.S. Food and Drug Administration. (1969) Thiabendazole residues in citrus fruits. Pesticide analytical manual, Vol II, Section 120.242   | 原文・抄録無 | 033_w_0099 |
| U.S. Food and Drug Administration. (1969b) Thiabendazole residues in banana peel and pulp. Method A. Pesticide analytical manual, Vol II, Section 120.242.  | 原文・抄録無 | 033_w_0100 |
| Vogin, E.E. (1968) Multigeneration reproduction and lactation studies with thiabendazole. Unpublished reports (Dec. 1967 and March 1968). Food and Drug Research Laboratories, through Merck Institute for Therapeutic Research to FDA                        | 原文・抄録無 | 033_w_0070 |
| de Vos, R.H. and M.P. Bosma. (1970) Residues of thiabendazole in citrus fruit Report 3199. TNO Central Instituut voor Voldingsonderzoek, Ziest, Netherlands   | 原文・抄録無 | 033_w_0101 |
| Weinke, K.E., Lauber, J.J., Greenwald, B.W. and Preiser, F.A. (1969) Thiabendazole, a new systemic fungicide. Proc. 5th Brit. Insectic. Fungic. Conference  |        | 033_w_0102 |
| Woodard, M.W., Cockrell, K.O. and Woodard, G. (1964) Safety evaluation by oral administration to dogs and rats for 104 weeks. Unpublished Report (April 1964). Woodard Research Corporation through Merck Institute for Therapeutic Research to FDA           | 原文・抄録無 | 033_w_0103 |

## 033\_002\_006 引用文献一覧

| 引用文献内容  | 備考     | 論文 ID      |
|---|--------|------------|
| Beattie, B. B. and Outbred, N. L. (1970) Benzimidazole derivatives as post-harvest fungicides to control rotting of pears, cherries and apricots. Aust. J. exp. Agr. Anim. Husb., 10 October 1970 |        | 033_w_0104 |
| Blanpied, G. D. and Apathai Purnasiri. (1968) Thiabendazole control of Penicillium rot of McIntosh apples. Plant Dis. Rep., 52: 867-871   |        | 033_w_0105 |
| Cargo, C. A. and Dewey, D. H. (1969) Thiabendazole and benomyl for the control of post-harvest decay of apples. Michigan Agr. Exp. Str. J., Article No. 4941.                                     | 原文・抄録無 | 033_w_0106 |
| Hamer, P. S., Gayner, F. C. M. and Constanduros, R. (1970) Fungicide trial of thiabendazole dips for control of gloeosporium rots on apples. Merck, Sharp and Dohme U. K. Report B 1970           | 原文・抄録無 | 033_w_0107 |
| Mass, J. L. and MacSwan, I. C. (1970) Post-harvest fungicide treatments for reduction of Penicillium decay of Anjou pears. Plant Dis. Rep., 54 (10): 887-890                                      |        | 033_w_0108 |
| Merck, Sharp and Dohme. (1971) TECTO 90 for control of specific post-harvest fruit rots. Submission to National Health and Medical Research Council - Australia                                   | 原文・抄録無 | 033_w_0109 |
| Merck, Sharp and Dohme. (1971) Petition to Environmental Protection Agency - Washington   | 原文・抄録無 | 033_w_0110 |
| Pierson, C. F. (1966) Fungicides for the control of blue mould rot of apples. Plant Dis. Rep., 50, 913-915  |        | 033_w_0111 |
| Scott, K. J. and Roberts, E. A. (1970) Thiabendazole to reduce rotting in Packham's Triumph pears during storage and marketing. Aust. J. Exp. Agr. Anim. Husb.                                    |        | 033_w_0112 |
| Spalding, D. H., Vaught, H. C., Day, D. H. and Brown, G. A. (1969) Control of blue mould rot development in apples treated with heated and unheated fungicides. Plant Dis. Rep., 53 (9), 738-742  |        | 033_w_0113 |

## 033\_002\_007 引用文献一覧

| 引用文献内容  | 備考     | 論文 ID      |
|---|--------|------------|
| Anon. (1972) Joint submission by citrus industries of California – Arizona, Israel and South Africa and by Merck, Sharp and Dohme International to FAO. (unpublished)   | 原文・抄録無 | 033_w_0114 |
| Eckert, J.W., and Kolbezen, K.J. (1971a) Chemical treatments for the control of post harvest diseases of citrus fruit. Proc. 6th British Insectic. Fungic. Conf., p.683 – 693.  |        | 033_w_0115 |
| Eckert, J.W. and Kolbezen, M.J. (1971b) Effect of levels of thiabendazole residues on sporulation of <i>Penicillium digitatum</i> on citrus fruit. Report dated 11 June 1971, University of California, Riverside. (unpublished)  | 原文・抄録無 | 033_w_0116 |
| FAO/WHO (1971) 1970 evaluations of some pesticide residues in food.<br>FAO/AGP/1970/M/12/1; WHO/Food Add./71.42.  |        | 033_w_0117 |
| FAO/WHO (1972) 1971 evaluations of some pesticide residues in food. (in press)  |        | 033_w_0135 |
| Kruysse, A. (1971) The determination of an acceptable quality level of thiabendazole in citrus fruit and the selection of a standard sampling inspection plan. Paper submitted to the Ad Hoc Working Group, Codex Committee on Pesticide Residues, Copenhagen. CX/PR/WG 71/10 Add. 2. | 原文・抄録無 | 033_w_0118 |
| Merck, Sharp and Dohme Co. (1972) Petition to the U.S. Environmental Protection Agency for the establishment of tolerances for thiabendazole on citrus fruits (30/10/72).   | 原文・抄録無 | 033_w_0119 |

## 033\_002\_008 引用文献一覧

| 引用文献内容  | 備考     | 論文 ID      |
|---|--------|------------|
| Holm, F. (1975) Rapport over restkoncentrationer af thiabendazole i Kartofler. rep, Biotechnisk Institut, Kolding Danmark for Merck Sharpe & Dohme.   | 原文・抄録無 | 033_w_0120 |
| Logan, C. (1974) Potato tuber disinfection by Thiabendazole Mist Application. Agriculture in Northern Ireland, 48:439-440.  | 原文・抄録無 | 033_w_0121 |
| Merck, Sharp and Dohme. (1974a) Residue data in the petition for registration in the USA of the pesticide chemical thiabendazole on raw agricultural chemicals; White potato, 28 June 1974.   | 原文・抄録無 | 033_w_0122 |
| Merck, Sharp and Dohme. (1974b) Residue analysis by Merck, Sharp & Dohme Ltd, Hodderson, England on samples of treated potatoes from 1974 trials by Dr Logan. Dept. of Agr. Belfast, N. Ireland. Unpublished report, Merck, Sharp & Dohme.  | 原文・抄録無 | 033_w_0123 |
| Merck, Sharp and Dohme. (1974c) Residue data on potatoes after treatment with thiabendazole; data generated from 1973-1974 trials in Holland with analysis made by Merck, Sharp & Dohme. Unpublished report of Merck, Sharp & Dohme.  | 原文・抄録無 | 033_w_0124 |
| Merck, Sharp and Dohme. (1974d) Commercial processing of thiabendazole treated Russett Burbank potatoes into French fries; 1974 Idaho experiment. Data in the Petition for registration in the USA of the pesticide chemical thiabendazole on raw agricultural commodities. White potato, 28 June 1974.                   | 原文・抄録無 | 033_w_0125 |
| Merck, Sharp and Dohme. (1975) Residue limits (from the Netherlands) on potatoes treated with various methods of application of thiabendazole and washed before analysis. Unpublished report Merck, Sharp & Dohme.  | 原文・抄録無 | 033_w_0126 |
| Tisdale, M. J. and Lord, K. A. (1973) Uptake and distribution of thiabendazole by seed potatoes. Pesticide Science, 4:121-130.  |        | 033_w_0127 |
| USA Fed. Reg. (1975) Fed. Register Vol. 40 No. 117, Tuesday 17 June 1975. Tolerances for thiabendazole in or on raw agricultural commodities.   | 原文・抄録無 | 033_w_0128 |
| Warf Inst. Inc. (1974) Thiabendazole studies on residues in milk of dairy cattle fed thiabendazole continuously in feed. Report Warf Inst. Inc. for Merck, Sharp & Dohme in the Petition for registration in the USA of the pesticide chemical thiabendazole on raw agricultural commodities; white potato, 28 June 1974. | 原文・抄録無 | 033_w_0129 |



033\_002\_009 引用文献一覧

| 引用文献内容  | 備考     | 論文 ID      |
|---|--------|------------|
| Colmore, J.P. (1965) Chronic toxicity study of thiabendazole in volunteers. Merok, Sharp and Dohme, unpublished report.   | 原文・抄録無 | 033_w_0015 |
| Estey. (1977) Results of Canadian potato trials 1974/75. Analysis performed by Merok, Sharp and Dohme, Rahway, N.J., U.S.A.   | 原文・抄録無 | 033_w_0130 |
| Logan, C. Potato tuber disinfestation by thiabendazole mist application. Agriculture in Northern Ireland, 48, 438-440.  |        | 033_w_0131 |
| Logan, C. Tuber disinfestation by mist application. Potato Research, 17: 347.   |        | 033_w_0132 |
| Merok, Sharp and Dohme. (1975) Thiabendazole tissue residue studies in animals. (Unpublished report).   | 原文・抄録無 | 033_w_0133 |
| Tisdale, M.J. and Lord, K.A. (1973) Uptake and distribution of thiabendazole by seed potatoes. Pestic. Sci., 4: 121-130.  |        | 033_w_0127 |
| Tocco, D.J., Egerton, J.R., Bowers, W., Christensen, V.W. and Rosenblum, C. (1965) Absorption, metabolism and elimination of thiabendazole in farm animals and a method for its estimation in biological materials. J. Pharmacol and Exp. Therapeutics 149 (2) 263-271. |        | 033_w_0134 |
| FAO/WHO (1971) 1970 evaluations of some pesticide residues in food. FAO/AGP/1970/M/12/1; WHO/Food Add/71.42.  |        | 033_w_0117 |
| FAO/WHO (1972) 1971 evaluations of some pesticide residues in food. FAO/AOP/1971/M/9/1, WHO Pesticide Residue Series No. 1.   |        | 033_w_0135 |
| FAO/WHO (1973) 1972 evaluations of some pesticide residues in food. FAO/AGP/1972/M/9/1; WHO Pesticide Residues Series No. 2.  |        | 033_w_0136 |
| FAO/WHO (1976) 1975 evaluations of some pesticide residues in food. FAO/AGP/1975M/9/1; WHO Pesticide Residues Series No. 6.   | 原文・抄録無 | 033_w_0137 |

033\_002\_010 引用文献一覧

| 引用文献内容   | 備考     | 論文 ID      |
|--|--------|------------|
| Voldum-Clausen, K. - Experiments on Pesticide Residues. No. S. 415, 416, 419 and 420. (1979) Unpublished, Restricted, Ministry of the Environment, National Food Institute, Division of Pesticides and Contaminants, Mørkhøj Bygade 19. DY-2860 Søborg, Denmark. | 原文・抄録無 | 033_w_0138 |

033\_002\_011 引用文献一覧

| 引用文献内容   | 備考     | 論文 ID      |
|--|--------|------------|
| Netherlands. Submission from The Netherlands delegation to the Codex 1981 Committee on Pesticide Residues.   | 原文・抄録無 | 033_w_0139 |
| Pesticide residues in food. Report of the 1979 Joint Meeting of the FAO Panel of Experts on Pesticide Residues in Food and the Environment and the WHO Expert Group on Pesticide Residues. FAO Plant Production and Protection Paper 20. | 原文・抄録無 | 033_w_0140 |