

## <参照>

(#は、第2章1. 及び2. で示した文献(表2-1-1、表2-2-1~2-2-5)のうち、本報告書の文中に引用されていない文献を示す。)

- AFSSA: Seuil de préoccupation toxicologique pour l'analyse de risque sanitaire des substances chimiques dans les aliments. Mai 2005. Agence Francaise de Sécurité Sanitaire des Aliments.
- Anderson D, Bishop JB, Garner RC, Ostrosky-Wegman P, Selby PB, 1995. Cyclophosphamide: a review of its mutagenicity for an assessment of potential germ cell risks. *Mutation Research* 2005; 330: 1156-181.
- AU: Australian Guidelines for Water Recycling: Augmentation of Drinking Water Supplies. Environment Protection and Heritage Council, National Health and Medical Research Council, Natural Resource Management Ministerial Council. 2008
- Ankley GT, Bennett RS, Erickson RJ, Hoff DJ, Hornung MW, Johnson RD et al.: Adverse outcome pathways: a conceptual framework to support ecotoxicology research and risk assessment. *Environ Toxicol Chem* 2010; 29(3): 730-41.
- Bailey AB, Chanderbhan R, Collazo-Braier N, Cheeseman MA, Twaroski ML: The use of structure-activity relationship analysis in the food contact notification program. *Regulatory Toxicology and Pharmacology* 2005; 42: 225-35.
- Barthélémy E, Spyropoulos D, Milana MR, Pfaff K, Gontard N, Lampi E, et al.: Safety evaluation of mechanical recycling processes used to produce polyethylene terephthalate (PET) intended for food contact applications. *Food Addit Contam Part A Chem Anal Control Expo Risk Assess.* 2014; 31(3): 490-7.
- Benigni R, Bossa C, Tcheremenskaia O, Giuliani A: Alternatives to the carcinogenicity bioassay: *in silico* methods, and the *in vitro* and *in vivo* mutagenicity assays. *Expert Opin. Drug Metab Toxicol* 2010; 6(7): 809-19.
- Bernauer U, Heinemeyer G, Heinrich-Hirsch B, Ulbrich B, Gundert-Remy U: Exposure-triggered reproductive toxicity testing under the REACH legislation: a proposal to define significant/relevant exposure. *Toxicology Letters* 2008; 176: 68-76.
- Bickers DR, Calow P, Greim HA, Hanifin JM, Rogers AE, Saurat J-H et al.: The safety assessment of fragrance materials. *Regulatory Toxicology and Pharmacology* 2003; 37: 218-73.
- Bitsch A, Jacobi S, Melber C, Wahnschaffe U, Simetska N, Mangelsdorf I: REPDOSE: a database on repeated dose toxicity studies of commercial chemicals – a multifunctional tool. *Regulatory Toxicology and Pharmacology* 2006; 46: 202-10.
- Blackburn K, Stickney JA, Carlson-Lynch HL, McGinnis PM, Chappell L, Felter SP: Application of the threshold of toxicological concern approach to ingredients in personal and household care products. *Regulatory Toxicology and Pharmacology* 2005; 43: 249-59.
- Bos PMJ, Baars B, Marcel TM, van Raaij TM: Risk assessment of peak exposure to genotoxic carcinogens. *Toxicology Letters* 2004; 151, 43-50.
- Brüschweiler BJ: The TTC concept. Method of assessment of contaminants of unknown toxicity in drinking water. *Gas-Wasser-Abwasser* 2010a; 4: 295-303.

- Brüschweiler BJ: TTC-based risk assessment of tetrachlorobutadienes and pentachlorobutadienes – the *in vitro* genotoxic contaminants in ground and drinking water. *Regulatory Toxicology and Pharmacology* 2010b; 58: 341-4.
- Canady R, Lane R, Paoli G, Wilson M, Bialk H, Hermansky S, et al.: Determining the applicability of threshold of toxicological concern approaches to substances found in foods. *Crit Rev Food Sci Nutr.* 2013; 53(12): 1239-49.
- Carthew P, Clapp C, Gutsell S: Exposure based waiving: the application of the toxicological threshold of concern (TTC) to inhalation exposure for aerosol ingredients in consumer products. *Food and Chemical Toxicology* 2009; 47:1287-95.
- Cheeseman MA, Machuga EJ, Bailey AB: A tiered approach to threshold of regulation. *Food and Chemical Toxicology* 1999; 37:387-412.
- Cramer GM, Ford RA, Hall RL: Estimation of Toxic Hazard - A Decision Tree Approach. *Food and Cosmetics Toxicology Volume* 1978; 16(3): 255-76.
- COSMOS (Integrated *In Silico* Models for the Prediction of Human Repeated Dose Toxicity of COSMetics to Optimise Safety): Thresholds of Toxicological Concern for Cosmetics. 2014; <http://www.cosmostox.eu/what/tcc/>
- CRD: Proposal for a revision of the guidance document on dermal absorption. Project report from contract CT/EFSA/PPR/2009/02. Chemicals Regulation Directorate, UK 2010; Available from: <http://www.efsa.europa.eu/en/scdocs/doc/52e.pdf>
- Danish EPA, Elsa Nielsen, John Christian Larsen: The Threshold of Toxicological Concern (TTC) concept. Development and regulatory applications. Danish Ministry of the Environment Environment Protection 2011; Agency Environmental Project No. 1359
- Dekant W, Melching-Kollmuß S, Kalberlah F; Toxicity assessment strategies, data requirements, and risk assessment approaches to derive health based guidance values for nonrelevant metabolites of plant protection products. *Regulatory Toxicology and Pharmacology* 2010; 56: 135–42.
- Dewhurst I, Renwick AG: Evaluation of the Threshold of Toxicological Concern (TTC) – Challenges and approaches. *Regulatory Toxicology and Pharmacology* 2013; 65: 168-77.
- De Wolf W, Siebel-Sauer A, Lecloux A, Koch V, Holt M, Feijtel T et al.: Mode of action and aquatic exposure thresholds of no concern. *Environmental Toxicology and Chemistry* 2005; 24: 479-85.
- Dieter HH: Health related guide values for drinking-water since 1993 as guidance to assess presence of new analytes in drinking-water. *Int J Hyg Environ Health.* 2014; 217(2-3): 117-32.
- Dobo KL, Greene N, Cyr MO, Caron S, Ku WW: The application of structure-based assessment to support safety and chemistry diligence to limit genotoxic impurities in active pharmaceutical ingredients during drug development. *Regulatory Toxicology and Pharmacology* 2006; 44: 282-93.
- Drew R, Frangos J: The concentration of no toxicological concern (CoNTC): A risk assessment screening tool for air toxics. *Journal of Toxicology and Environmental Health, Part A* 2007; 70: 1584-93.
- DOH-WA, Drew Roger: Development and Application of the Threshold of Toxicological Concern to

- Screening Evaluation of Air Toxics: Government of Western Australia. Department of Health 2010,  
[http://www.public.health.wa.gov.au/cproot/3280/2/11812%20AIR%20TOXINS%20\(Main%20Report\).pdf](http://www.public.health.wa.gov.au/cproot/3280/2/11812%20AIR%20TOXINS%20(Main%20Report).pdf)
- EC: SCCP/SCHER/SCENIHR: request for a scientific opinion on the Use of the Threshold of Toxicological Concern (TTC) approach for the health risk assessment of chemicals. 2008,  
[http://ec.europa.eu/health/archive/ph\\_risk/documents/ttc\\_mandate.pdf](http://ec.europa.eu/health/archive/ph_risk/documents/ttc_mandate.pdf)
- EC: Commission Regulation (EU) No 10/2011 of 14 January 2011 on plastic materials and articles intended to come into contact with food, 2011a
- EC: Regulation EU 2015/174 - plastic materials and articles intended for contact with food amending Regulation (EU) No 10/2011, 2011b
- EC: Regulation EU 202/2014 - plastic materials and articles intended for contact with food amending Regulation (EU) No 10/2011, 2011c
- EC: Regulation EU 1183/2012 - plastic materials and articles intended for contact with food amending Regulation (EU) No 10/2011, 2011d
- EC: Corrigendum to Regulation EU 1183/2012 - plastic materials and articles intended for contact with food amending Regulation (EU) No 10/2011, 2011e
- EC: Regulation EU 1282/2011 - plastic materials and articles intended for contact with food amending Regulation (EU) No 10/2011, 2011f
- EC: COMMISSION REGULATION (EU) No 202/2014 of 3 March 2014 amending Regulation (EU) No 10/2011 on plastic materials and articles intended to come into contact with food
- EC ETOC#: Assessment factors in human health risk assessment. In: Technical reports European Chemical Industry Ecology and Toxicology Centre. 1995
- EC ETOC#: Overview of TTC Values (February 2010). prepared by C. Hennes / ECETOC with input from the TTC Task Force (members mentioned below) 2010
- ECHA: Guidance on information requirements and chemical safety assessment. Chapter R.5: Adaptation of information requirements. May 2008. European Chemicals Agency.  
[http://guidance.echa.europa.eu/docs/guidance\\_document/information\\_requirements\\_r5\\_en.pdf?vers=20\\_08\\_08](http://guidance.echa.europa.eu/docs/guidance_document/information_requirements_r5_en.pdf?vers=20_08_08).
- EFSA: Food contact materials, note for guidance ("note for guidance for petitioners presenting an application for the safety assessment of a substance to be used in food contact materials prior to its authorisation"), 2008
- EFSA#: GUIDANCE of EFSA Use of the EFSA Comprehensive European Food Consumption Database in Exposure Assessment. EFSA Journal 2011a; 9(3): 2097.
- EFSA: Scientific Opinion on the criteria to be used for safety evaluation of a mechanical recycling process to produce recycled PET intended to be used for manufacture of materials and articles in contact with food. EFSA Journal 2011b; 9(7): 2184.
- EFSA: Scientific opinion on the risks for animal and public health related to the presence of Alternaria toxins in feed and food. European Food Safety Authority. The EFSA Journal 2011c,

- 9(10): 2407.  
<http://www.efsa.europa.eu/en/efsajournal/doc/2407.pdf>.
- EFSA: Scientific Opinion on Exploring options for providing advice about possible human health risks based on the concept of Threshold of Toxicological Concern (TTC): EFSA Journal 2012a; 10 (7): 2750.
- EFSA: FAQ on the Threshold of Toxicological Concern: EFSA Homepage. 2012b: <http://www.efsa.europa.eu/en/faqs/faqttc.htm>:
- EFSA: Outcome of the public consultation on the draft EFSA opinion on Exploring options for providing preliminary advice about possible human health risks based on the concept of Threshold of Toxicological Concern (TTC). 2012c, [www.efsa.europa.eu/en/consultations/call/110712a.pdf](http://www.efsa.europa.eu/en/consultations/call/110712a.pdf)
- EFSA#: SPECIAL ISSUE Food contact materials, flavouring substances and smoke flavourings. EFSA Journal 2012; 10(10): 1007
- EFSA: Scientific Opinion on the safety assessment of the process “Phoenix - ESPS”, used to recycle post-consumer PET into food contact materials. EFSA Journal 2014a; 12(5): 3647
- EFSA: SCIENTIFIC REPORT OF EFSA Modern methodologies and tools for human hazard assessment of chemicals. EFSA Journal 2014b; 12(4): 3638.
- EFSA: EFSA/WHO Expert meeting to review the science underlying the Threshold of Toxicological Concern (TTC) Concept. EFSA 2014c
- EFSA: Experts debate way forward for TTC. EFSA 2014d; <http://www.efsa.europa.eu/en/events/event/141202.htm#documents>
- EFSA: Threshold of Toxicological Concern Approach: Conclusions and Recommendations of the EFSA/WHO Expert Workshop DRAFT for public consultation. EFSA 2015; [www.efsa.europa.eu/en/consultations/call/150212.pdf](http://www.efsa.europa.eu/en/consultations/call/150212.pdf)
- Elskens M, Baeyens W, Goeyens L, Vloeberghs D, van Elsen L: Multiple testing of food contact materials: A predictive algorithm for assessing the global migration from silicone moulds. Talanta 2012; 99: 161-66.
- EMA (European Medicines Agency): Evaluation of Medicines for Human Use: Guideline on the Limits of Genotoxic Impurities. CPMP/SWP/5199/02 EMA/CHMP/QWP/251344/2006
- EMA: Draft Guideline on the Assessment of Genotoxic Constituents in Herbal Substances/Preparations. Committee on herbal Medicinal Products (HMPC), European Medicines Agency. London, 31 October 2007, EMA/HMPC/107079/2007.
- EMA: GUIDELINE ON THE ASSESSMENT OF GENOTOXICITY OF HERBAL SUBSTANCES/PREPARATIONS. EMA HMPC 2008; [http://www.ema.europa.eu/ema/pages/includes/document/open\\_document.jsp?webContentId=W500003569](http://www.ema.europa.eu/ema/pages/includes/document/open_document.jsp?webContentId=W500003569)
- Environmental and Health: Thresholds of Toxicological Concern: A Proposal for Reducing Animal Testing in Risk Assessment. Environmental and Health Jan 2012
- Escher SE, Tluczkiwicz I, Batke M, Bitsch A, Melber C, Kroese ED, et al.: Evaluation of inhalation

TTC values with the database RepDose. Regulatory Toxicology and Pharmacology 2010; 58: 259-74.

Fawell J: Health risks of micropollutants – The need for a new approach. Water Science and Technology 2008; 57: 183-7.

FDA: Food additives: Threshold of Regulation for Substances Used in Food-Contact Articles. Federal Register 1993; 58: 52719-29.

FDA: Federal Register 1995. Food Additives; threshold of regulation for substances used in food-contact articles. Final rule. Final Rule, Monday July 17, 1995.: Federal Register 1995; 60 (136): 36582-96,

FDA#: Guidance for Industry: Submitting Requests under 21 CFR 170.39 Threshold of Regulation for Substances Used in Food-Contact Articles. 2005;  
<http://www.fda.gov/Food/GuidanceRegulation/GuidanceDocumentsRegulatoryInformation/IngredientsAdditivesGRASPackaging/ucm081833.htm>

FDA#: Regulatory Report: FDA's Food Contact Substance Notification Program 2005,  
<http://www.fda.gov/Food/IngredientsPackagingLabeling/PackagingFCS/default.htm>

FDA#: Guidance for Industry: Use of Recycled Plastics in Food Packaging: Chemistry Considerations. 2006;  
<http://www.fda.gov/Food/GuidanceRegulation/GuidanceDocumentsRegulatoryInformation/ucm120762.htm>

FDA: Guidance for Industry: Preparation of Premarket Submissions for Food Contact Substances: Chemistry Recommendations. 2007;  
<http://www.fda.gov/Food/GuidanceRegulation/GuidanceDocumentsRegulatoryInformation/ucm081818.htm>

FDA: Guidance for Industry Genotoxic and Carcinogenic Impurities in Drug Substances and Products: Recommended Approaches: U.S. Department of Health and Human Services, Food and Drug Administration, Center for Drug Evaluation and Research (CDER), December 2008.

FDA: Regulatory Report: Assessing the Safety of Food Contact Substances 2014a.  
<http://www.fda.gov/Food/IngredientsPackagingLabeling/PackagingFCS/ucm064166.htm>

FDA: CFR - Code of Federal Regulations Title 21 Food and Drugs Chapter I--Food And Drug Administration, Department Of Health And Human Services, Subchapter B--Food For Human Consumption (Continued), PART 170 -- FOOD ADDITIVES, Subpart B--Food Additive Safety Sec.170.39 Threshold of regulation for substances used in food-contact articles. 2014b

FDA#: Threshold of Regulation (TOR) Exemptions, 2014  
<http://www.accessdata.fda.gov/scripts/fdcc/?set=TOR>

FDA#: Downloaded from FDA Threshold of Regulation (TOR) Exemptions, 2014  
<http://www.accessdata.fda.gov/scripts/fdcc/cfc/XMLService.cfc?method=downloadxls&set=TOR&c=22052015>

FDA#: Food Ingredients, Packaging & Labeling  
<http://www.fda.gov/Food/IngredientsPackagingLabeling/default.htm>

Felter S, Lane RW, Latulippe ME, Llewellyn GC, Olin SS, Scimeca JA, Trautman TD: Refining the threshold of toxicological concern (TTC) for risk prioritization of trace chemicals in food. *Food and Chemical Toxicology* 2009; 47: 2236-45.

Food Packaging Forum, Charlotte W: Toxic Threshold Concern. Food Packaging Forum 2013

Food Packaging Forum: Non-intentionally added substances (NIAS). Food Packaging Forum 2014a

Food Packaging Forum: FACET exposure tool. 2014b

Frawley JP: Scientific evidence and common sense as a basis for food packaging regulations. *Food and Cosmetics Toxicology* 1967; 5: 293-308.

Galloway SM, Vijayaraj RM, McGettigan K, Gealy R, Bercu J: Potentially mutagenic impurities: analysis of structural classes and carcinogenic potencies of chemical intermediates in pharmaceutical syntheses supports alternative methods to the default TTC for calculating safe levels of impurities. *Regul Toxicol Pharmacol* 2013; 66(3) :326-35.

Gaylor DW, Gold LS: Quick estimate of the regulatory virtually safe dose based on the maximum tolerated dose for rodent bioassays. *Regulatory Toxicology and Pharmacology* 1995; 22, 57-63.

Gold LS, Sawyer CB, Magaw R, Backman GM, de Veciana M, Levinson R, et al.: A carcinogenesis potency database of the standardized results of animal bioassays. *Environmental Health Perspectives* 1984; 58: 9-319.

Gold LS, de Veciana M, Backman GM, Magaw R, Lopipero P et al.: Chronological supplement to the carcinogenic potency database: standardized results of animal bioassays published through December 1982. *Environ Health Perspect* 1986; 67: 161-200.

Gold LS, Slone TH, Backman G, Magaw R, DaCosta M, Lopipero P et al.: Second Chronological Supplement to the Carcinogenic Potency Database: Standardized Results of Animal Bioassays Published through December 1984 and by the National Toxicology Program through Mai 1986. *Environ Health Perspect* 1987; 74: 237-329.

Gold LS, Slone TH, Bernstein L: Summary of carcinogenic potency and positivity for 492 rodent carcinogens in the carcinogenic potency database. : *Environmental Health Perspectives* 1989; 79: 259-72.

Gold LS, Slone TH, Backman GM, Eisenberg S, DaCosta M, Wong M et al.: Third chronological Supplement to the Carcinogenic Potency Database: Standardized Results of Animal Bioassays Published through December 1986 and by the National Toxicology Program through June 1987. *Environ Health Perspect* 1990; 84: 215-85.

Gold LS, Slone TH, Manley NB, Garfinkel GB, Hudes ES, Rohrbach L et al.: The Carcinogenic Potency Database: Analyses of 4000 chronic animal cancer experiments published in the general literature and by the US National Cancer Institute/National Toxicology Program. *Environ Health Perspect* 1991; 96: 11-5.

Gold SL, Manley NB, Slone TH, Garfinkel GB, Rohrbach L, Ames BN: The fifth plot of the Carcinogenic Potency Database: results of animal bioassays published in the general literature through 1988 and by the National Toxicology Program through 1989. *Environ Health Perspect* 1993; 100: 65-135.

- Gold LS, Manley NB, Slone TH, Garfinkel GB, Ames BN, Rohrbach L et al.: Sixth plot of the Carcinogenic Potency Database: results of animal bioassays published in the general literature 1989 to 1990 and by the National Toxicology Program 1990 to 1993. *Environ Health Perspect* 1995; 103: 3-123.
- Gold LS, Manley NB, Slone TH, Rohrbach L: Supplement to the Carcinogenic Potency Database (CPDB): results of animal bioassays published in the general literature in 1993 to 1994 and by the National Toxicology Program in 1995 to 1996. *Environ Health Perspect* 1999; 107: 3-123.
- Gold LS, Manley NB, Slone TH, Rohrbach L, Garfinkel GB: Supplement to the Carcinogenic Potency Database (CPDB): results of animal bioassays published in the general literature through 1997 and by the National Toxicology Program in 1997–1998. *Toxicol Sci* 2005; 85 (2): 747-808.
- Grant RL, Kadlubar BJ, Erraguntla NK, Honeycutt M: Evaluation of acute inhalation toxicity for chemicals with limited toxicity information: *Regulatory Toxicology and Pharmacology* 2007; 47: 261-73.
- Hauge-Nilsen K, Keller D: Feasibility study: refinement of the TTC concept by additional rules based on *in silico* and experimental data. *Arch Toxicol* 2014; 89(1): 25-32.
- Health and Environment: Thresholds of Toxicological Concern: A Proposal for Reducing Animal Testing in Risk Assessment (Part 1); *Health and Environmental* Jan 2012a, Print version of H&E Feature Article. On-line version with hyperlinks available here:  
<http://bit.ly/xCQRYX>
- Health and Environment: Are TTCs the best way to reduce animal testing? (Part 2: Reasons for doubting that TTCs are adequately protective of health); *Health and Environmental* Jan 2012b, <http://healthandenvironmentonline.com/2012/02/23/are-ttcs-the-best-way-to-reduce-animal-testing-part-2/>
- Health and Environment: Are moves toward threshold-based chemicals risk assessment premature? (TTCs part 3); *Health and Environmental* Jan 2012c, [http://healthandenvironmentonline.com/2012/03/17/are-moves-toward-threshold-based-chemicals-risk-assessment-premature/?relatedposts\\_hit=1&relatedposts\\_origin=1113&relatedposts\\_position=1](http://healthandenvironmentonline.com/2012/03/17/are-moves-toward-threshold-based-chemicals-risk-assessment-premature/?relatedposts_hit=1&relatedposts_origin=1113&relatedposts_position=1)
- Hennes EC: An overview of values for the threshold of toxicological concern. *Toxicology Letters* 2012; 211: 296-303.
- Humfrey CDN: Recent developments in the risk assessment of potentially genotoxic impurities in pharmaceutical drug substances. *Toxicological Sciences* 2007; 100: 24-28.
- ICH: Guideline in guideline drug substances Q3A(R2) Current Step 4 version. ICH Harmonised Tripartite Guideline 2006a.
- ICH: Impurities in new drug products Q3B(R2) Current Step 4 version. ICH Harmonised Tripartite Guideline 2006b.
- ICH: Impurities: guideline for residual solvents Q3C(R5) Current Step 4 version. ICH Harmonised Tripartite Guideline 2011.

- ICH (International Conference on Harmonisation of Technical Requirements for Registration of Pharmaceuticals for Human Use): Draft Consensus Guideline Assessment and control of dna reactive (mutagenic) impurities in pharmaceuticals to limit potential carcinogenic risk M7 Current Step 2 version. 2013.
- IGHRC: Guidelines on route-to-route extrapolation of toxicity data when assessing health risks of chemicals. Published by the Institute of Environment and Health, Cranfield University, Silsoe, Bedfordshire, UK 2006.
- ILSI (Barlow S): THRESHOLD OF TOXICOLOGICAL CONCERN (TTC) Threshold of toxicological concern: a tool for assessing substances of unknown toxicity present at low levels in the diet. 2005; ILSI Concise Monograph Series, ISBN 1-57881-188-0, ILSI Press, Washington DC and Brussels.
- ILSI: Guidance for Exposure Assessment of Substances Migrating from Food Packaging Materials : Report of an ILSI Europe Expert Group Reviewed at a Workshop held in March 2007, Commissioned by the ILSI Europe Packaging Materials Task Force.
- IPCS (International Programme on chemical safety): Principles and Methods for the Risk Assessment of Chemicals in Food, Chapter 9 PRINCIPLES RELATED TO SPECIFIC GROUPS OF SUBSTANCES. Environmental Health Criteria 240, A joint publication of the Food and Agriculture Organization of the United Nations and the World Health Organization 2009.
- IPCS#: Principles and Methods for the Risk Assessment of Chemicals in Food SUMMARY (English), 2009
- JECFA: Evaluation of certain food additives and contaminants. Forty-fourth report of the Joint FAO/WHO Expert Committee on Food Additives. Geneva, World Health Organization WHO Technical Report Series 1995, No. 859
- JECFA: Evaluation of certain food additives and contaminants. Forty-sixth report of the Joint FAO/WHO Expert Committee on Food Additives. Geneva, World Health Organization WHO Technical Report Series 1997, No. 868, [http://whqlibdoc.who.int/trs/WHO\\_TRS\\_868.pdf](http://whqlibdoc.who.int/trs/WHO_TRS_868.pdf)
- JECFA: Evaluation of certain food additives and contaminants. Forty-ninth report of the Joint FAO/WHO Expert Committee on Food Additives. Geneva, World Health Organization 1999; WHO Technical Report Series, No. 884; [http://whqlibdoc.who.int/trs/WHO\\_TRS\\_884.pdf](http://whqlibdoc.who.int/trs/WHO_TRS_884.pdf)
- JECFA: Evaluation of certain food additives and contaminants. Fifty-fifth report of the Joint FAO/WHO Expert Committee on Food Additives. Geneva, World Health Organization WHO Technical Report Series 2001; No. 901, [http://whqlibdoc.who.int/trs/WHO\\_TRS\\_901.pdf](http://whqlibdoc.who.int/trs/WHO_TRS_901.pdf)
- JECFA: Evaluation of certain food additives. Sixty-third report of the Joint FAO/WHO Expert Committee on Food Additives. Geneva, World Health Organization WHO Technical Report Series 2005; No. 928, [http://whqlibdoc.who.int/trs/WHO\\_TRS\\_928.pdf](http://whqlibdoc.who.int/trs/WHO_TRS_928.pdf)
- JECFA: Evaluation of certain food additives and contaminants. Sixty-fifth report of the Joint FAO/WHO Expert Committee on Food Additives. Geneva, World Health Organization WHO Technical Report Series 2006; No. 934,



- [http://whqlibdoc.who.int/trs/WHO\\_TRS\\_934\\_eng.pdf](http://whqlibdoc.who.int/trs/WHO_TRS_934_eng.pdf)).
- JECFA#: Evaluation of Certain Food Additives: WHO Technical Report Series 934 Sixty fifth report of the Joint FAO/WHO Expert Committee on Food Additives 2006.
- JECFA: Evaluation of certain food additives and contaminants. Sixty-seventh report of the Joint FAO/WHO Expert Committee on Food Additives. Geneva, World Health Organization (WHO Technical Report Series 2007a; No. 940, [http://whqlibdoc.who.int/trs/WHO\\_TRS\\_940\\_eng.pdf](http://whqlibdoc.who.int/trs/WHO_TRS_940_eng.pdf)).
- JECFA: Evaluation of certain food additives and contaminants. Sixty-eighth report of the Joint FAO/WHO Expert Committee on Food Additives. Geneva, World Health Organization WHO Technical Report Series 2007b; No. 947, [http://whqlibdoc.who.int/publications/2007/9789241209472\\_eng.pdf](http://whqlibdoc.who.int/publications/2007/9789241209472_eng.pdf)
- JECFA: Evaluation of certain food additives and contaminants. Sixty-ninth report of the Joint FAO/WHO Expert Committee on Food Additives. Geneva, World Health Organization WHO Technical Report Series 2009, No. 952, [http://whqlibdoc.who.int/trs/WHO\\_TRS\\_952\\_eng.pdf](http://whqlibdoc.who.int/trs/WHO_TRS_952_eng.pdf)
- JECFA: Evaluation of certain food additives and contaminants. Seventy-third report of the Joint FAO/WHO Expert Committee on Food Additives. WHO Technical Report Series 2010; No. 960, [http://whqlibdoc.who.int/trs/WHO\\_TRS\\_960\\_eng.pdf](http://whqlibdoc.who.int/trs/WHO_TRS_960_eng.pdf)
- JRC: Benigni R, Bossa C, Jeliaskova N, Netzeva T & Worth A: The Benigni / Bossa rulebase for mutagenicity and carcinogenicity – a module of Toxtree. JRC Technical Report 2008; EUR 23241 EN. [http://ihcp.jrc.ec.europa.eu/our\\_labs/computational\\_toxicology/publications](http://ihcp.jrc.ec.europa.eu/our_labs/computational_toxicology/publications)
- JRC: Lapenna S and Worth A: Analysis of the Cramer classification scheme for oral systemic toxicity - implications for its implementation in Toxtree. : JRC Scientific and Technical Report EUR 24898 EN. Publications Office of the European Union, Luxembourg. 2011; <http://publications.jrc.ec.europa.eu/repository/>
- JRC#: The Use of Computational Methods in the Toxicological Assessment of Chemicals in Food: Current Status and Future Prospects, 2011
- JRC#: Applicability of generally recognised diffusion models for the estimation of specific migration in support of EU Directive 2002/72/EC, 2010
- JRC#: Applicability of QSAR analysis to the evaluation of the toxicological relevance of metabolites and degradates of pesticide active substances for dietary risk assessment. External Scientific Report. , 2010
- JRC#: The Applicability of Software Tools for Genotoxicity and Carcinogenicity Prediction: Case Studies relevant to the Assessment of Pesticides., 2010
- JRC#: Proceedings of the 1st International Forum Towards Evidence-Based Toxicology, Como, Italy 15-18 October 2007, 2009
- Kalkhof H, Herzler M, Stahlmann R, Gundert-Remy U: Threshold of toxicological concern values for non-genotoxic effects in industrial chemicals: reevaluation of the Cramer classification. Archives of Toxicology 2012; 86: 17-25.

- Keller D, Krauledat M, Scheel J: Feasibility study to support a threshold of sensitisation concern concept in risk assessment based on human data: *Arch Toxicol* 2009; 83(12): 1049-60.
- Konishi Y, Hayashi SM, Fukushima S: Regulatory Forum Opinion Piece: Supporting the Need for International Harmonization of Safety Assessments for Food Flavoring Substances.: *Toxicol Pathol* 2014; 42(6): 949-53.
- Koster S, Boobis AR, Cubberley R, Hollnagel HM, Richling E, Wildemann T, et al.: Application of the TTC concept to unknown substances found in analysis of foods.: *Food Chem Toxicol* 2011; 49(8): 1643-60.
- Koster S, Rennen M, Leeman W, Houben G, Muilwijk B, van Acker F, et al.: A novel safety assessment strategy for non-intentionally added substances (NIAS) in carton food contact materials. : *Food Additives & Contaminants: Part A* 2014; 31(3): 422-43
- Kroes R, Galli C, Munro I, Schilter B, Tran L -A, Walker R, Wurtzen G: Threshold of toxicological Concern for chemical substances present in the diet: a practical tool for assessing the need for toxicity testing. : *Food and Chemical Toxicology* 2000; 38: 255-312.
- Kroes R, Kozianowski G: Threshold of toxicological concern (TTC) in food safety assessment. *Toxicology Letters* 2002; 127: 43-6.
- Kroes R AG, Renwick M, Cheeseman J, Kleiner I, Mangelsdorf A, Piersma B et al.: Structure-based thresholds of toxicological concern (TTC): guidance for application to substances present at low levels in the diet: *Food and Chemical Toxicology* 2004; 42: 65-83
- Kroes R, Kleiner J, Renwick A: The threshold of toxicological concern concept in risk assessment. *Toxicological Sciences* 2005; 86: 226-30.
- Kroes R, Renwick AG, Feron V, Galli CL, Gibney M, Greim H: Application of the threshold of toxicological concern (TTC) to the safety evaluation of cosmetic ingredients. *Food and Chemical Toxicology* 2007; 45: 2533-62.
- Lambe J: The use of food consumption data in assessments of exposure to food chemicals including the application of probabilistic modelling. *Proceedings of the Nutrition Society* 2002; 61: 11-8.
- Laufersweiler MC, Gadagbui B, Baskerville-Abraham IM, Maier A, Willis A, Scialli AR et al.: Correlation of chemical structure with reproductive and developmental toxicity as it relates to the use of the threshold of toxicological concern. *Regulatory Toxicology and Pharmacology* 2012; 62: 160-82.
- Leeman WR, Krul L, Houben GF#: Complex mixtures: relevance of combined exposure to substances at low dose levels. *Food Chem Toxicol* 2013; 58: 141-8.
- Leeman WR, Krul L, Houben GF: Reevaluation of the Munro dataset to derive more specific TTC thresholds. *Regul Toxicol Pharmacol* 2014; 69(2): 273-8.
- Martin MT, Judson RS, Reif DM, Kavlock RJ, Dix DJ: Profiling chemicals based on chronic toxicity results from US EPA ToxRef database. *Environ. Health Perspect* 2009; 117: 392-9.
- Meek ME: International experience in addressing combined exposures: increasing the efficiency of assessment. *Toxicology* 2013; 313(2-3): 185-9.
- Melching-Kollmuß S, Dekant W, Kalberlah F; Application of the “threshold of toxicological

- concern” to derive tolerable concentrations of “non-relevant metabolites” formed from plant protection products in ground and drinking water. *Regulatory Toxicology and Pharmacology* 2010; 56: 126-34.
- Miller JA, Miller EC: Ultimate chemical carcinogens as reactive mutagenic electrophiles. In: Hiatt HH, Watson JD, Winsten JA, editors, *Origins of human cancer*. Cold Spring Harbor: Cold Spring Harbor Laboratory; 1977. 605-28.
- Miller EC, Miller JA: Searches for ultimate chemical carcinogens and their reactions with cellular macromolecules. *Cancer* 1981; 47: 2327-45.
- Mons MN, Heringa MB, van Genderen J, Puijker LM, Brand W, van Leeuwen CJ, et al.: Use of the Threshold of Toxicological Concern (TTC) approach for deriving target values for drinking water contaminants. *Water Res* 2013; 47(4): 1666-78.
- Müller L, Mauthe RJ, Riley CM, Andino MM, De Antonis D, Beels C, et al.: A rationale for determining, testing, and controlling specific impurities in pharmaceuticals that possess potential for genotoxicity: *Regulatory Toxicology and Pharmacology* 2006; 44:198-211.
- Munro IC: Safety assessment procedures for indirect food additives: an overview. Report of a workshop. : *Regulatory Toxicology and Pharmacology* 1990; 12: 2-12.
- Munro IC, Ford RA, Kennepohl E, Sprenger JG: Correlation of structural class with no-observed-effect levels: a proposal for establishing a threshold of concern: *Food and Chemical Toxicology* 1996; 34: 829-67.
- Munro IC, Kennepohl E, Kroes R: A procedure for the safety evaluation of flavouring substances: *Food and Chemical Toxicology* 1999; 37: 207-32.
- Munro IC, Renwickb AG, Danielewska-Nikiel B: The Threshold of Toxicological Concern (TTC) in risk assessment: *Toxicology Letters* 2008; 180: 151-6.
- NFL (National Food Laboratory): *Food Packaging and Food Safety Modernization Act: STEPS TO TAKE NOW*. The NFL White Paper Series 13, February 2014.
- OECD#: Prenatal Developmental Toxicity Study. OECD Guideline for The Testing of Chemicals 2001; No. 414
- OECD#: Skin Absorption: *in vitro* Method. OECD Guideline For The Testing Of Chemicals 2004; No.428
- OECD#: Report On The Regulatory Uses And Applications In OECD Member Countries of (Quantitative) Structure-Activity Relationship [(Q)SAR] Models In The Assessment of New and Existing Chemicals. OECD Environment Health and Safety Publications Series on Testing and Assessment 2006; No. 58
- OECD#: Report of the Validation of the Updated Test Guideline 407: Repeat Dose 28-day Oral Toxicity Study in Laboratory Rats. Series on Testing and Assessment 2006; No 59, ENV/JM/MONO(2006)26.  
[http://www.oecd.org/officialdocuments/displaydocumentpdf/?cote=env/jm/mono\(2006\)26&doclanguage=en](http://www.oecd.org/officialdocuments/displaydocumentpdf/?cote=env/jm/mono(2006)26&doclanguage=en)
- OECD#: Workshop report on OECD Countries Activities Regarding testing, Assessment and

- Management of Endocrine Disrupters. Series on Testing and Assessment. Number 118. ENV/JM/MONO(2010)2. OECD, Paris. 18 January 2010.  
<http://www.oecd.org/dataoecd/26/22/44431552.pdf>.
- OECD#: Environment Directorate, Joint Meeting Of The Chemicals Committee And The Working Party On Chemicals, Pesticides And Biotechnology, Guidance On Grouping Of Chemicals, Second Edition, Series on Testing & Assessment No. 194, 2014
- Oldring PKT, Castle L, Hart A and Holmes MJ: Migrants from food cans revisited – application of a stochastic model for a more realistic assessment of exposure to bisphenol A diglycidyl ether (BADGE). *Packaging Technology and Science* 2006; 19: 121-37.
- PAN Europe, Muilerman H: TTC and Science. EFSA/WHO Stakeholder Meeting 2014; <http://www.efsa.europa.eu/en/141202/docs/141202-p05.pdf>
- Parmar B, Miller PF and Burt R: Stepwise approaches for estimating intakes of chemicals in food. *Regulatory Toxicology and Pharmacology* 1997; 26: 44-51.
- Patlewicz G, Jeliaskova N, Safford RJ, Worth AP, Aleksiev B: An evaluation of the implementation of the Cramer classification scheme in the Toxtree software. *SAR QSAR Environ. Res* 2008; 19 (5–6), 495–524.
- Pepelko WE#: Feasibility of route extrapolation in risk assessment. *British Journal of Industrial Medicine* 1987; 44: 649-51.
- Pinalli R, Croera C, Theobald A, Feigenbaum A: Threshold of toxicological concern approach for the risk assessment of substances used for the manufacture of plastic food contact materials. : *Trends Food Sci Technol* 2011; 22: 523–34.
- Plastics Europe: Risk assessment of non-listed substances (nls) and not-intentionally added substances (nias) under article 19 of Commission Regulation (EU) No 10/2011 of 14 January 2011 of plastic materials and articles intended to come into contact with food. 2014.
- Price P, Han X: Maximum Cumulative Ratio (MCR) as a Tool for Assessing the Value of Performing a Cumulative Risk Assessment. *Int J Environ Res Public Health*. 2011; 8(6): 2212–25.
- Price P, Zaleski R, Hollnagel H, Ketelslegers H, Han X: Assessing the safety of co-exposure to food packaging migrants in food and water using the maximum cumulative ratio and an established decision tree. *Food Addit Contam Part A Chem Anal Control Expo Risk Assess* 2014; 31(3): 414-21.
- Rennen MA, Koster S, Krul CA, Houben GF: Application of the threshold of toxicological concern (TTC) concept to the safety assessment of chemically complex food matrices: *Food Chem Toxicol* 2011; 49(4): 933-40.
- Rodriguez C, Cook A, Van Buynder P, Devine B, Weinstein P: Screening health risk assessment of micropollutants for indirect potable reuse schemes: a three-tiered approach. *Water Science and Technology* 2007a; 56: 35-42.
- Rodriguez C, Weinstein P, Cook A, Devine B, Van Buynder P: A proposed approach for the assessment of chemicals in indirect potable reuse schemes. *Journal of Toxicology and Environmental Health Part A* 2007b; 70: 1654-63.

- Rulis AM: De Minimis and the threshold of regulation.: In Food Protection Technology, ed. C.W. Felix 1986, 29-37. Lewis Publishers Inc., Chelsea. MI.
- Rulis AM: Establishing a level of concern.: In Risk Assessment in Setting National Priorities, ed. J.J. Bonin and D.E. Stevenson, Plenum Press, New York 1989; 7: 71-278.
- Safford RJ: The Dermal Sensitisation Threshold—A TTC approach for allergic contact dermatitis.: Regulatory Toxicology and Pharmacology 2008; 51: 195-200.
- Safford RJ, Aptula AO, Gilmour N: Refinement of the Dermal Sensitisation Threshold (DST) approach using a larger dataset and incorporating mechanistic chemistry domains.: Regulatory Toxicology and Pharmacology 2011; 60: 218-24.
- SCCNFP: The EU Scientific Committee on Cosmetics and Non-Food Products. Notes of Guidance for the Testing of Cosmetic Ingredients and their Safety Evaluation. Brussels, 20, October, 2003.
- SCCP#: Opinion on review of the SCCNFP opinion on hair dye strategy in the light of additional information. 2006
- SCCP: Draft OPINION ON Use of the Threshold of Toxicological Concern (TTC) Approach for the Safety Assessment of Chemical Substances 2008
- SCCP: OPINION ON Use of the Threshold of Toxicological Concern (TTC) Approach for Human Safety Assessment of Chemical Substances with focus on Cosmetics and Consumer Products: Scientific Committee on Consumer Safety (SCCS), Scientific Committee on Health and Environmental Risks (SCHER) and Scientific Committee on Emerging and Newly identified Health Risks (SCENIHR), SCCP/ 1171/08. (Updated: 8 June 2012)
- SCF#: Opinion on the scientific basis of the concept of threshold of regulation in relation to food contact materials (expressed on 8 March 1996).1998
- SCF: Opinion on a programme for the evaluation of flavouring substances (expressed on 2 December 1999). SCF/CS/FLAV/TASKF/11 Final. 6/12/1999. Annex I to the minutes of the 119th Plenary meeting of the Scientific Committee on Food.  
[http://ec.europa.eu/food/fs/sc/scf/out45\\_en.pdf](http://ec.europa.eu/food/fs/sc/scf/out45_en.pdf).
- SCF: Guidelines of the Scientific Committee on Food for the presentation of an application for safety assessment of a substance to be used in food contact materials prior to its authorisation. (Updated on 13 December 2001). :  
[http://ec.europa.eu/food/fs/sc/scf/out82\\_en.pdf](http://ec.europa.eu/food/fs/sc/scf/out82_en.pdf)
- SCF#: Opinion of the Scientific Committee on Food on the tolerable upper intake level of preformed vitamin A (retinol and retinyl esters). 2002
- Schilter B, Benigni R, Boobis A, Chiodini A, Cockburn A, Cronin MT et al.: Establishing the level of safety concern for chemicals in food without the need for toxicity testing: Regulatory Toxicology and Pharmacology 2014; 68: 275-96.
- Schrenk D, Merz KH, Jochims K: Feasibility study of nonclinical safety assessments on homeopathic preparations using the example of protoanemonin in Pulsatilla pratensis L. Regul Toxicol Pharmacol 2013; 66(1): 104-8.

- SCP: Opinion of the Scientific Committee on Plants regarding the Draft guidance document on relevant metabolites : (Document SANCO/221/2000-Rev.2 of October 1999) (opinion adopted by the Scientific Committee on Plants on 30 November 2000).  
[http://ec.europa.eu/food/fs/sc/scp/out82\\_ppp\\_en.html](http://ec.europa.eu/food/fs/sc/scp/out82_ppp_en.html)
- Gluczkiewicz I, Batke M, Kroese D, Buist H, Aldenberg T, Pauné E, et al.: Refinement of TTC values: identification of outliers in Cramer class I-III. Poster abstract presented at EUROTOX, September 2009. / Use of RepDose for evaluation / refinement of the TTC concept: derivation of guideline- specific TTC values.: Report on CEFIC LRI project June 2009.
- Gluczkiewicz I, Buist HE, Martin MT, Mangelsdorf I, Escher SE: Improvement of the Cramer classification for oral exposure using the database TTC RepDose – a strategy description. Regul Toxicol Pharmacol 2011; 61: 340-50.
- Gluczkiewicz I, Batke M, Kroese D, Buist H, Aldenberg T, Pauné E, et al.: The OSIRIS Weight of Evidence approach: ITS for the endpoints repeated-dose toxicity (RepDose ITS).: Regul Toxicol Pharmacol 2013; 67(2): 157-69.
- US EPA: Butanol: rat oral subchronic toxicity study. Office of solid waste, Washington, DC. From: Integrated Risk Information System (IRIS) funded by the EPA. 1986; Accession number 0140.
- US EPA: US Exposure Factors Handbook. EPA/600/P-95/002Fa. 1997; Office of Research and Development, US Environmental Protection Agency. Washington DC.
- US EPA: Human Health Risk Assessment Protocol for Hazardous Waste Combustion Facilities. Appendix A-2. Office of Solid Waste, U.S. Environmental Protection Agency 2005.
- van Ravenzwaay B, Dammann M, Buesen R, Schneider S: The Threshold of toxicological concern for prenatal developmental toxicity. Regulatory Toxicology and Pharmacology 2011; 59: 81-90.
- Vera P, Canellas E, Nerín C: Migration of odorous compounds from adhesives used in market samples of food packaging materials by chromatography olfactometry and mass spectrometry (GC-O-MS). Food Chem 2014; 145: 237-44.
- Welle F#: Is PET bottle-to-bottle recycling safe? Evaluation of post-consumer recycling processes according to the EFSA guidelines. Resour Conserv Recycl 2013; 73: 41-5.
- WHO#: Principles for the assessment of risk to human health from exposure to chemicals., International Programme On Chemical Safety, Environmental Health Criteria 1999; 210
- WHO: Background Paper on Dietary Exposure Assessment. Prepared for the WHO Expert Meeting on Toxicological and Health Aspects of Melamine and Cyanuric Acid, In collaboration with FAO Supported by Health Canada 2009.
- WHO#: TTC Applications: approaches and challenges, Dr. Angelika Tritscher Department of Food, Safety and Zoonoses, 2011
- WHO: WHO Project to Review, the Threshold of Toxicological Concern Approach: WHO Project on TTC - Call for data Posted 5 August 2013
- 石動正和 : 「米国における食品用器具・容器包装材料規制」 情報機構、2011a ;  
[http://www.johokiko.co.jp/column/column\\_masakazu\\_isurugi2.php](http://www.johokiko.co.jp/column/column_masakazu_isurugi2.php)

石動正和：「欧州における食品用器具・容器包装材料規制」情報機構、2011b；  
[http://www.johokiko.co.jp/column/column\\_masakazu\\_isurugi.php](http://www.johokiko.co.jp/column/column_masakazu_isurugi.php)

塩化ビニリデン衛生協議会：ポリ塩化ビニリデンって？。塩化ビニリデン衛生協議会ホームページ 2014；  
[http://vdkyo.jp/whats\\_pvdc/index.html](http://vdkyo.jp/whats_pvdc/index.html)

塩ビ食品衛生協議会：塩ビ製品とは。塩ビ食品衛生協議会ホームページ 2014a；  
[http://www.jhpa.jp/whats\\_vinyl.html](http://www.jhpa.jp/whats_vinyl.html)

塩ビ食品衛生協議会：協議会ご案内。塩ビ食品衛生協議会ホームページ 2014b；  
<http://www.jhpa.jp/about.html>

厚生労働省：食品に残留する農薬等に関するポジティブリスト制度における暫定基準の設定（最終案）等に対する御意見の募集について。厚生労働省食品安全部基準審査課 平成17年6月3日；2005a；  
<http://www.mhlw.go.jp/topics/bukyoku/iyaku/syoku-anzen/zanryu2/050603-1.html>

厚生労働省：食品に残留する農薬等に関するポジティブリスト制度における一律基準の設定について（最終案）。厚生労働省 平成17年6月3日；2005b；  
<http://www.mhlw.go.jp/topics/bukyoku/iyaku/syoku-anzen/zanryu2/dl/050603-1a-16.pdf>

厚生労働省：食品衛生法等の一部を改正する法律による改正後の食品衛生法第11条第3項の施行に伴う関係法令の整備について。食安発第1129001号、平成17年11月29日、2005c

厚生労働省：食品に残留する農薬等に関する新しい制度（ポジティブリスト制度）について～農薬等の残留基準を規制するしくみが変わりました～。厚生労働省 2006；2006；  
<http://www.mhlw.go.jp/topics/bukyoku/iyaku/syoku-anzen/zanryu2/dl/060516-1.pdf>

厚生労働省：食品用器具及び容器包装における再生プラスチック材料の使用に関する指針（食安発0427第2号）；厚生労働省 平成24年4月27日；2012  
[www.mhlw.go.jp/topics/bukyoku/iyaku/kigu/dl/120510-1.pdf](http://www.mhlw.go.jp/topics/bukyoku/iyaku/kigu/dl/120510-1.pdf)

厚生労働省：「ICH M7「潜在的発がんリスクを低減するための医薬品中 DNA 反応性（変異原性）不純物の評価及び管理」ガイドライン（案）」に関する御意見・情報の募集について。平成25年3月6日 厚生労働省医薬食品局審査管理課 2013

厚生労働省：食品安全情報：分野別施策[残留農薬]：ポジティブリスト制度導入までの経緯。厚生労働省 2014；  
<http://www.mhlw.go.jp/topics/bukyoku/iyaku/syoku-anzen/zanryu2/positivelistkeii.html>

製品評価技術基盤機構（NITE）：化学物質管理（4）食器に関連する法規制等。独立行政法人製品評価技術基盤機構 2014；  
<http://www.nite.go.jp/chem/shiryo/product/dish/dish4.html>

中川 好明：食品に接触することを意図した紙・板紙の自主規制。JPI Journal 2015; 52(6): 77-82.

日本プラスチック工業連盟：食品用プラスチック製品の安全性。日本プラスチック工業連盟 2014；[http://www.jpif.gr.jp/2hello/conts/anzen\\_c.htm](http://www.jpif.gr.jp/2hello/conts/anzen_c.htm)

広瀬 明彦：「器具・容器包装に用いられる合成樹脂のリスク評価法に関する研究」研究成

果報告書、食品安全委員会研究課題 2005

ポリオレフィン等衛生協議会：取扱い対象樹脂。ポリオレフィン等衛生協議会ホームページ 2014a ; <http://www.jhospa.gr.jp/web/standard/resin.html>

ポリオレフィン等衛生協議会：自主基準とは。ポリオレフィン等衛生協議会ホームページ 2014b、<http://www.jhospa.gr.jp/web/standard/standard.html>



