

無機ヒ素文献一覧

参考資料 1

文献番号	著者	タイトル、雑誌名等
1	von Ehrenstein OS, Poddar S, Yuan Y, Mazumder DG, Eskenazi B, Basu A, et al.	Children's intellectual function in relation to arsenic exposure. <i>Epidemiology</i> . 2007;18(1):44-51.
2	Wang SX, Wang ZH, Cheng XT, Li J, Sang ZP, Zhang XD, et al.	Arsenic and fluoride exposure in drinking water: children's IQ and growth in Shanyin county, Shanxi province, China. <i>Environ Health Perspect</i> . 2007;115(4):643-7.
3	Wasserman GA, Liu X, Parvez F, Ahsan H, Factor-Litvak P, Kline J, et al.	Water arsenic exposure and intellectual function in 6-year-old children in Araidhazar, Bangladesh. <i>Environ Health Perspect</i> . 2007;115(2):285-9.
4	Wasserman GA, Liu X, Parvez F, Ahsan H, Factor-Litvak P, van Geen A, et al.	Water arsenic exposure and children's intellectual function in Araidhazar, Bangladesh. <i>Environ Health Perspect</i> . 2004;112(13):1329-33.
5	Ahmad SA, Sayed MH, Barua S, Khan MH, Faruquee MH, Jalil A, et al.	Arsenic in drinking water and pregnancy outcomes. <i>Environ Health Perspect</i> . 2001 Jun;109(6):629-31.
6	Cherry N, Shaikh K, McDonald C, Chowdhury Z.	Stillbirth in rural Bangladesh: arsenic exposure and other etiological factors: a report from Gonoshasthaya Kendra. <i>Bull World Health Organ</i> . 2008;86(3):172-177.
7	Hopenhayn-Rich C, Ferreccio C, Browning SR, Huang B, Peralta C, Gibb H, et al.	Arsenic exposure from drinking water and birth weight. <i>Epidemiology</i> . 2003 Sep;14(5):593-602.
8	Hopenhayn-Rich C, Browning SR, Hertz-Picciotto I, Ferreccio C, Peralta C, Gibb H.	Chronic arsenic exposure and risk of infant mortality in two areas of Chile. <i>Environ Health Perspect</i> . 2000 Jul;108(7):667-73.
9	Kwok RK, Kaufmann RB, Jakariya M.	Arsenic in drinking-water and reproductive health outcomes: a study of participants in the Bangladesh Integrated Nutrition Programme. <i>J Health Popul Nutr</i> . 2006;24(2):190-205.
10	Milton AH, Smith W, Rahman B, Hasan Z, Kulsum U, Dear K, et al.	Chronic arsenic exposure and adverse pregnancy outcomes in Bangladesh. <i>Epidemiology</i> . 2005;16(1):82-6.
11	Rahman A, Vahter M, Ekstrom EC, Rahman M, Golam Mustafa AH, Wahed MA, et al.	Association of arsenic exposure during pregnancy with fetal loss and infant death: a cohort study in Bangladesh. <i>Am J Epidemiol</i> . 2007;165(12):1389-96.
12	Rahman A, Vahter M, Smith AH, Nermell B, Yunus M, El Arifeen S, et al.	Arsenic exposure during pregnancy and size at birth: a prospective cohort study in Bangladesh. <i>Am J Epidemiol</i> . 2009;169(3):304-312.
13	Smith AH, Marshall G, Yuan Y, Ferreccio C, Liaw J, von Ehrenstein O, et al.	Increased mortality from lung cancer and bronchiectasis in young adults after exposure to arsenic in utero and in early childhood. <i>Environ Health Perspect</i> . 2006;114(8):1293-6.
14	von Ehrenstein OS, Guha Mazumder DN, Hira-Smith M, Ghosh N, Yuan Y, Windham G, et al.	Pregnancy outcomes, infant mortality, and arsenic in drinking water in West Bengal, India. <i>Am J Epidemiol</i> . 2006;163(7):662-9.
15	Yang CY, Chang CC, Tsai SS, Chuang HY, Ho CK, Wu TN.	Arsenic in drinking water and adverse pregnancy outcome in an arseniasis-endemic area in northeastern Taiwan. <i>Environ Res</i> . 2003;91(1):29-34.
16	An Y, Gao Z, Wang Z, Yang S, Liang J, Feng Y, et al.	Immunohistochemical analysis of oxidative DNA damage in arsenic-related human skin samples from arsenic-contaminated area of China. <i>Cancer Lett</i> . 2004 Oct 8;214(1):11-8.
17	Beckman G, Beckman L, Nordenson I.	Chromosome aberrations in workers exposed to arsenic. <i>Environ Health Perspect</i> . 1977 Aug;19:145-6.
18	Chanda S, Dasgupta UB, Guhamazumder D, Gupta M, Chaudhuri U, Lahiri S, et al.	DNA hypermethylation of promoter of gene p53 and p16 in arsenic-exposed people with and without malignancy. <i>Toxicol Sci</i> . 2006 Feb;89(2):431-7.
19	Marsit CJ, Karagas MR, Danaee H, Liu M, Andrew A, Schned A, et al.	Carcinogen exposure and gene promoter hypermethylation in bladder cancer. <i>Carcinogenesis</i> . 2006;27(1):112-6.
20	Matsui M, Nishigori C, Toyokuni S, Takada J, Akaboshi M, Ishikawa M, et al.	The role of oxidative DNA damage in human arsenic carcinogenesis: detection of 8-hydroxy-2'-deoxyguanosine in arsenic-related Bowen's disease. <i>J Invest Dermatol</i> . 1999 Jul;113(1):26-31.
21	Vuyyuri SB, Ishaq M, Kuppala D, Grover P, Ahuja YR.	Evaluation of micronucleus frequencies and DNA damage in glass workers exposed to arsenic. <i>Environ Mol Mutagen</i> . 2006 Aug;47(7):562-70.
22	Baastrop R, Sorensen M, Balstrom T, Frederiksen K, Larsen CL, Tjonneland A, et al.	Arsenic in drinking-water and risk for cancer in Denmark. <i>Environ Health Perspect</i> . 2008;116(2):231-7.

文献番号	著者	タイトル、雑誌名等
23	Chu HA, Crawford-Brown DJ.	Inorganic arsenic in drinking water and bladder cancer: a meta-analysis for dose-response assessment. <i>Int J Environ Res Public Health</i> 2006;3(4):316-22.
24	Huang YK, Huang YL, Hsueh YM, Yang MH, Wu MM, Chen SY, et al.	Arsenic exposure, urinary arsenic speciation, and the incidence of urothelial carcinoma: a twelve-year follow-up study. <i>Cancer Causes Control</i> 2008;19(8):829-39.
25	Rahman M, Vahter M, Sohel N, Yunus M, Wahed MA, Streatfield PK, Ekstrom EC, Persson LA	Arsenic exposure and age and sex-specific risk for skin lesions: a population-based casereferent study in Bangladesh. <i>Environmental Health Perspectives</i> 114 (12), 1847-1852. 2006a
26	Xia Y, Wade TJ, Wu K, Li Y, Ning Z, Le XC, He X, Chen B, Feng Y, Mumford JL	Well water arsenic exposure, arsenic induced skin-lesions and self-reported morbidity in Inner Mongolia. <i>International Journal of Environmental Research and Public Health</i> 6 (3), 1010-1025. 2009
27	Chiou HY, Chiou ST, Hsu YH, Chou YL, Tseng CH, Wei ML, Chen CJ,	Incidence of transitional cell carcinoma and arsenic in drinking water: A follow-up study of 8,102 residents in an arseniasis-endemic area in northeastern Taiwan. <i>American Journal of Epidemiology</i> 153 (5), 411-418.2001
28	Karagas MR, Stukel TA, Tosteson TD	Assessment of cancer risk and environmental levels of arsenic in New Hampshire. <i>International Journal of Hygiene and Environmental Health</i> 205 (1-2), 85-94.2002
29	Ahsan H, Chen Y, Parvez F, Zablotska L, Argos M, Hussain I, Momotaj H, Levy D, Cheng ZQ, Slavkovich V, van Geen A, Howe GR, Graziano JH	Arsenic exposure from drinking water and risk of premalignant skin lesions in Bangladesh: baseline results from the health effects of arsenic longitudinal study. <i>American Journal of Epidemiology</i> 163 (12), 1138-1148. 2006
30	Ferreccio C, Gonzalez C, Milosavljevic V, Marshall G, Sancha AM, Smith AH	Lung cancer and arsenic concentrations in drinking water in Chile. <i>Epidemiology</i> 11 (6), 673-679.2000
31	Karagas MR, Tosteson TD, Morris JS, Demidenko E, Mott LA, Heaney J, Schned A,	Incidence of transitional cell carcinoma of the bladder and arsenic exposure in New Hampshire. <i>Cancer Causes & Control</i> 15 (5), 465-472. 2004
32	Karagas MR, Le XC, Morris S, Blum J, Lu X, Spate V, Carey M, Stannard V, Klaue B, Tosteson TD,	Markers of low level arsenic exposure for evaluating human cancer risks in a US population. <i>International Journal of Occupational Medicine and Environmental Health</i> 14 (2), 171-175.2001
33	Karagas MR, Tosteson TD, Blum J, Klaue B, Weiss JE, Stannard V, Spate V, Morris JS	Measurement of low levels of arsenic exposure: A comparison of water and toenail concentrations. <i>American Journal of Epidemiology</i> 152 (1), 84-90. 2000
34	Beane Freeman LE, Dennis LK, Lynch CF, Thorne PS, Just CL,	Toenail arsenic content and cutaneous melanoma in Iowa. <i>American Journal of Epidemiology</i> 160 (7), 679-687. 2004
35	Baastrup R, Sorensen M, Balstrom T, Frederiksen K, Larsen CL, Tjonneland A, Overvad K, Raaschou-Nielsen O	Arsenic in drinking-water and risk for cancer in Denmark. <i>Environmental Health Perspectives</i> 116 (2), 231-237.2008
36	Bates MN, Rey OA, Biggs ML, Hopenhayn C, Moore LE, Kalman D, Steinmaus C, Smith AH,	Case-control study of bladder cancer and exposure to arsenic in Argentina. <i>American Journal of Epidemiology</i> 159 (4), 381-389.2004
37	Steinmaus C, Yuan Y, Bates MN, Smith AH,	Case-control study of bladder cancer and drinking water arsenic in the Western United States. <i>American Journal of Epidemiology</i> 158 (12), 1193-1201. 2003
38	Michaud DS, Wright ME, Cantor KP, Taylor PR, Virtamo J, Albanes D,	Arsenic concentrations in prediagnostic toenails and the risk of bladder cancer in a cohort study of male smokers. <i>American Journal of Epidemiology</i> 160 (9), 853-859.2004
39	Kurttio P, Pukkala E, Kahelin H, Auvinen A, Pekkanen J	Arsenic concentrations in well water and risk of bladder and kidney cancer in Finland. <i>Environmental Health Perspectives</i> 107 (9), 705-710. 1999
40	Chen CJ, Chuang YC, Lin TM, Wu HY	Malignant neoplasms among residents of a blackfoot disease-endemic area in Taiwan: high-arsenic artesian well water and cancers. <i>Cancer Research</i> , 45 (11 Pt 2), 5895-5899. 1985
41	Chen CJ, Chen CW, Wu MM, Kuo TL	Cancer potential in liver, lung, bladder and kidney due to ingested inorganic arsenic in drinking water. <i>British Journal of Cancer</i> , 66 (5), 888-892. 1992
42	Smith AH, Ercumen A, Yuan Y, Steinmaus CM	Increased lung cancer risks are similar whether arsenic is ingested or inhaled. <i>Journal of Exposure Science and Environmental Epidemiology</i> 19 (4), 343-348. 2009
43	Chen C-L, Hsu L-I, Chiou H-Y, Hsueh Y-M, Chen S-Y, Wu M-M, Chen C-J,	Ingested arsenic, cigarette smoking, and lung cancer risk: A follow-up study in arseniasis-endemic areas in Taiwan. <i>Journal of the American Medical Association</i> 292 (24), 2984-2990. 2004b
44	Mostafa MG, McDonald JC, Cherry NM	Lung cancer and exposure to arsenic in rural Bangladesh. <i>Occupational and Environmental Medicine</i> 65 (11), 765-768. 2008
45	Heck JE, Andrew AS, Onega T, Rigas JR, Jackson BP, Karagas MR and Duell EJ	Lung cancer in a US population with low to moderate arsenic exposure. <i>Environmental Health Perspectives</i> , in press, doi: 10.1289/ehp.0900566. 2009

文献番号	著者	タイトル、雑誌名等
46	Fatmi Z, Azam I, Ahmed F, Kazi A, Gill AB, Kadir MM, Ahmed M, Ara N, Janjua NZ	Health burden of skin lesions at low arsenic exposure through groundwater in Pakistan. Is river the source? <i>Environmental Research</i> , 109 (5), 575–581. 2009
47	Schuhmacher–Wolz U, Dieter HH, Klein D, Schneider K	Oral exposure to inorganic arsenic: evaluation of its carcinogenic and non–carcinogenic effects. <i>Critical Reviews in Toxicology</i> 39 (4), 271–298. 2009
48	Chen Y, Graziano JH, Parvez F, Hussain I, Momotaj H, van Geen A, Howe GR, Ahsan H	Modification of risk of arsenic–induced skin lesions by sunlight exposure, smoking, and occupational exposures in Bangladesh. <i>Epidemiology</i> 17(4), 459–467. 2006
49	Hopenhayn C, Ferreccio C, Browning SR, Huang B, Peralta C, Gibb H, Hertz–Picciotto I	Arsenic exposure from drinking water and birth weight. <i>Epidemiology</i> 14 (5), 593–602. 2003b
50	Rahman A, Vahter M, Smith AH, Nermell B, Yunus M, El Arifeen S, Persson LA, Ekstrom EC	Arsenic exposure during pregnancy and size at birth: a prospective cohort study in Bangladesh. <i>American Journal of Epidemiology</i> 169 (3), 304–312. 2009
51	Lindberg AL, Goessler W, Gurzau E, Koppova K, Rudnai P, Kumar R, Fletcher T, Leonardi G, Slotova K, Gheorghiu E, Vahter M	Arsenic exposure in Hungary, Romania and Slovakia. <i>Journal of Environmental Monitoring</i> 8 (1), 203–208. 2006
52	Lindberg AL, Ekstrom EC, Nermell B, Rahman M, Lonnerdal B, Persson LA, Vahter M	Gender and age differences in the metabolism of inorganic arsenic in a highly exposed population in Bangladesh. <i>Environmental Research</i> , 106 (1), 110–120. 2008a
53	Vahter ME, Li L, Nermell B, Rahman A, El Arifeen S, Rahman M, Persson LA, Ekstrom EC	Arsenic exposure in pregnancy: a population–based study in Matlab, Bangladesh. <i>Journal of Health, Population, and Nutrition</i> , 24, 236–245. 2006
54	Milton AH, Smith W, Rahman B, Hasan Z, Kulsum U, Dear K, Rakibuddin M, Ali A.	Chronic arsenic exposure and adverse pregnancy outcomes in Bangladesh. <i>Epidemiology</i> 16 (1), 82–86. 2005
55	von Ehrenstein OS, Guha Mazumder DN, Hira–Smith M, Ghosh N, Yuan Y, Windham G, Ghosh A, Haque R, Lahiri S, Kalman D, Das S, Smith AH	Pregnancy outcomes, infant mortality, and arsenic in drinking water in West Bengal, India. <i>American Journal of Epidemiology</i> 163 (7), 662–669. 2006
56	Rahman A, Vahter M, Ekstrom EC, Rahman M, Mustafa AMG, Wahed MA, Yunus M, Persson LA	Rahman A, Vahter M, Ekstrom EC, Rahman M, Mustafa AMG, Wahed MA, Yunus M, Persson LA, 2007. Association of arsenic exposure during pregnancy with foetal loss and infant death: a
57	Sen J, Chaudhuri AB	Arsenic exposure through drinking water and its effect on pregnancy outcome in Bengali women. <i>Arhiv za Higijenu Rada Toksikologiju</i> 59, 271–275. 2008
58	von Ehrenstein OS, Poddar S, Yuan Y, Mazumder DG, Eskenazi B, Basu A, Hira–Smith M, Ghosh N, Lahiri S, Haque R, Ghosh A, Kalman D, Das S, Smith AH	Children’s intellectual function in relation to arsenic exposure. <i>Epidemiology</i> 18 (1), 44–51. 2007
59	Wasserman GA, Liu XH, Parvez F, Ahsan H, Factor–Litvak P, Kline J, Van Geen A, Slavkovich V, Lolocono NJ, Levy D, Cheng ZQ, Graziano JH	Water arsenic exposure and intellectual function in 6–year–old children in Araihazar, Bangladesh. <i>Environmental Health Perspectives</i> 115 (2), 285–289. 2007
60	Tofail F, Vahter M, Hamadani JD, Nermell B, Huda SN, Yunus M, Rahman M, Grantham–McGregor SM	Effect of arsenic exposure during pregnancy on infant development at 7 months in rural Matlab, Bangladesh. <i>Environmental Health Perspectives</i> 117 (2), 288–293. 2009
61	Otto D, Xia Y, Wu K, He L, Telech J, Hundell H, Prah J, Mumford J, Wade T	Neurosensory effects of chronic human exposure to arsenic associated with body burden and environmental measures. <i>Human & Experimental Toxicology</i> 26 (3), 169–177. 2007
62	Hafeman DM, Ahsan H, Louis ED, Siddique AB, Slavkovich V, Cheng ZQ, van Geen A, Graziano JH	Association between arsenic exposure and a measure of subclinical sensory neuropathy in Bangladesh. <i>Journal of Occupational and Environmental Medicine</i> 47 (8), 778–784. 2005
63	Grandjean P, Murata K	Developmental arsenic neurotoxicity in retrospect. <i>Epidemiology</i> 18 (1), 25–26. 2007
64	Navas–Acien A, Sharrett AR, Silbergeld EK, Schwartz BS, Nachman KE, Burke TA, Guallar E	Arsenic exposure and cardiovascular disease: A systematic review of the epidemiologic evidence. <i>American Journal of Epidemiology</i> 162 (11), 1037–1049. 2005
65	Navas–Acien A, Silbergeld EK, Streeter RA, Clark JM, Burke TA, Guallar E	Arsenic exposure and type 2 diabetes: A systematic review of the experimental and epidemiologic evidence. <i>Environmental Health Perspectives</i> 114 (5), 641–648. 2006
66	Navas–Acien A, Silbergeld EK, Pastor–Barriuso R, Guallar E	Arsenic exposure and prevalence of type 2 diabetes in US adults. <i>Journal of the American Medical Association</i> 300 (7), 814–822. 2008

文献番号	著者	タイトル、雑誌名等
67	Steinmaus C, Yuan Y, Liaw J, Smith AH	Low-level population exposure to inorganic arsenic in the United States and diabetes mellitus. <i>Epidemiology</i> 20 (6), ahead of print, doi: 10.1097/EDE.0b013e3181b0fd29. 2009
68	Grantham DA, Jones JF.	Arsenic contamination of water wells in Nova Scotia. <i>Journal of American Water Works Association</i> 1977;69:653-657.
69	Yilmaz Y, Armagan E, Olmez O, Esen M, Alkis N, Dolar E,	Acute arsenic self-poisoning for suicidal purpose in a dentist: a case report. <i>Human & Experimental Toxicology</i> 28 (1), 63-65.2009
70	Kim LH, Abel SJ, 2009.	Survival after a massive overdose of arsenic trioxide. <i>Critical Care Resuscitation</i> 11 (1), 42-45
71	ATSDR	2007. Toxicological profile for arsenic. U. S. Department of Health and Human Services, Public Health Service. Atlanta, GA.
72	IARC 1987	1987. IARC Monographs on the Evaluation of the Carcinogenic Risks to Humans, Suppl. 7, Overall Evaluations of Carcinogenicity: An Updating of IARC Monographs Volumes 1 to 42,
73	IARC 2004	2004. Some drinking-water disinfectants and contaminants, including arsenic. IARC Monographs on the Evaluation of Carcinogenic Risks to Humans. 84, pp. 526.
74	Bates MN, Smith AH, Cantor KP, 1995.	1995. Case-control study of bladder-cancer and arsenic in drinking water. <i>American Journal of Epidemiology</i> 141 (6), 523-530.
75	Lewis DR, Southwick JW, Ouellet-Hellstrom R, Rench J, Calderon RL,	1999. Drinking water arsenic in Utah: A cohort mortality study. <i>Environmental Health Perspectives</i> 107 (5), 359-365.
76	Hinwood AL, Jolley DJ, Sim MR,	1999. Cancer incidence and high environmental arsenic concentrations in rural populations: results of an ecological study. <i>International Journal of Environmental Health Research</i> 9 (2),
77	Cantor KP, Lubin JH,	2007. Arsenic, internal cancers, and issues in inference from studies of lowlevel exposures in human populations. <i>Toxicology and Applied Pharmacology</i> 222 (3), 252-257.
78	Mink PJ, Alexander DD, Barraj LM, Kelsh MA, Tsuji JS,	2008. Low-level arsenic exposure in drinking water and bladder cancer: A review and meta-analysis. <i>Regulatory Toxicology and Pharmacology</i> 52 (3), 299-310.
79	Liao CM, Shen HH, Chen CL, Hsu LI, Lin TL, Chen SC, Chen CJ,	2009a. Risk assessment of arsenic-induced internal cancer at long-term low dose exposure. <i>Journal of Hazardous Materials</i> 165 (1-3), 652-663.
80	Guo HR,	2004. Arsenic level in drinking water and mortality of lung cancer (Taiwan). <i>Cancer Causes & Control</i> 15 (2), 171-177.
81	Yang CY, Chang CC, Chiu HF,	2008. Does Arsenic exposure increase the risk for prostate cancer? <i>Journal of Toxicology and Environmental Health-Part A-Current Issues</i> 71 (23), 1559-1563.
82	Straif K, Benbrahim-Tallaa L, Baan R, Grosse Y, Secretan B, El Ghissassi F, Bouvard V, Guha N, Freeman C, Galichet L, Cogliano V, the Working Group WHO/IARC,	2009. A review of human carcinogens-Part C: metals, arsenic, dusts, and fibres. <i>Lancet Oncology</i> 10 (5), 453-454.
83	Ahsan H, Perrin M, Rahman A, Parvez F, Stute M, Zheng Y, Milton AH, Brandt-Rauf P, van Geen A, Graziano J,	2000. Associations between drinking water and urinary arsenic levels and skin lesions in Bangladesh. <i>Journal of Occupational and Environmental Medicine</i> 42 (12), 1195-1201.
84	McDonald C, Hoque R, Huda N, Cherry N,	2007. Risk of arsenic-related skin lesions in Bangladeshi villages at relatively low exposure: a report from Gonoshasthaya Kendra. <i>Bulletin of the World Health Organization</i> 85 (9), 668-
85	Guha Mazumder DN, Haque R, Ghosh N, De BK, Santra A, Chakraborty D, Smith AH,	1998. Arsenic levels in drinking water and the prevalence of skin lesions in West Bengal, India. <i>International Journal of Epidemiology</i> 27, 871-877.
86	Haque R, Mazumder DN, Samanta S, Ghosh N, Kalman D, Smith MM, Mitra S, Santra A, Lahiri S, Das S, De BK, Smith AH,	2003. Arsenic in drinking water and skin lesions: dose-response data from West Bengal, India. <i>Epidemiology</i> 14, 174-182.
87	Wu D, Zhou G, Xu R, Chen G, Dai G, Zhang H, Zang F, Gao T, Yang F,	1992. The investigation of arsenism caused by high arsenic content drinking water in Huhhot. <i>Neimenggu Difangbing Fangzhiyanjiu</i> 17, 150-153 (in Chinese).
88	Li G, Gao H, Zhang Z, Guo X, Dai G, Zhai C, Yan G, Du J,	1994. Epidemiological investigation on the skin lesions of resident in arsenism area. <i>Neimenggu Difangbing Fangzhiyanjiu (Journal of Endemic Diseases Control Study in Inner Mongolia)</i> 19 (suppl), 50-51 (in Chinese).
89	Luo Z, Ma L, Zang Y, Zang G, Naren G, Fan C, Zhou Y, Li H, Dai Q, Liang X,	1994. Investigation on the chronic arsenism in Huhhot. <i>Neimenggu Difangbing Fangzhiyanjiu</i> 19(suppl), 44-47 (in Chinese).
90	Sun Y, Wang J, Wu Y,	1994. Investigation report about chronic arsenism in Bayinmaodao. <i>Neimenggu Difangbing Fangzhiyanjiu</i> 19 (suppl), 63-66 (in Chinese).
91	Yoshida T, Yamauchi H, Sun GF,	2004. Chronic health effects in people exposed to arsenic via the drinking water: dose-response relationships in review. <i>Toxicology and Applied Pharmacology</i> 198 (3), 243-252.
92	Guo XJ, Liu Z, Huang CJ, You L,	2006. Levels of arsenic in drinking-water and cutaneous lesions in Inner Mongolia. <i>Journal of Health, Population and Nutrition</i> 24 (2), 214-220.
93	Kazi TG, Arain MB, Baig JA, Jamali MK, Afridi HI, Jalbani N, Sarfraz RA, Shah AQ, Niaz A,	2009. The correlation of arsenic levels in drinking water with the biological samples of skin disorders. <i>Science of the Total Environment</i> 407 (3), 1019-1026.
94	NRC (National Research Council), 2001.	2001. Arsenic in drinking water 2001 Update. National Academy Press, Washington, D.C. Available from: http://www.nap.edu/openbook/0309076293/html/R1.html , p. 226.

文献番号	著者	タイトル、雑誌名等
95	Chen CJ, Hsu LI, Wang CH, Shih WL, Hsu YH, Tseng MP, Lin YC, Chou WL, Chen CY, Lee CY, Wang LH, Cheng YC, Chen CL, Chen SY, Wang YH, Hsueh YM, Chiou HY, Wu MM,	2005. Biomarkers of exposure, effect, and susceptibility of arsenic-induced health hazards in Taiwan. <i>Toxicology and Applied Pharmacology</i> 206 (2), 198–206.
96	Kalra T, Argos M, Rathouz P, Parvez F, Graziano J, Ahsan H,	2009. A prospective cohort study of arsenic exposure from drinking water and incident skin lesions in Bangladesh. <i>American Journal of Epidemiology</i> 169, S91–S91.
97	Fatmi Z, Azam I, Ahmed F, Kazi A, Gill AB, Kadir MM, Ahmed M, Ara N, Janjua NZ,	2009. Health burden of skin lesions at low arsenic exposure through groundwater in Pakistan. Is river the source? <i>Environmental Research</i> , 109 (5), 575–581.
98	Vahter M,	1999. Methylation of inorganic arsenic in different mammalian species and population groups. <i>Science Progress</i> 82 (1), 69–88.
99	Rahman M, Vahter M, Wahed MA, Soheli N, Yunus M, Streatfield PK, El Arifeen S, Bhuiya A, Zaman K, Chowdhury AMR, Ekstrom EC, Persson LA,	2006b. Prevalence of arsenic exposure and skin lesions. A population based survey in Matlab, Bangladesh. <i>Journal of Epidemiology and Community Health</i> 60 (3), 242–248.
100	Huyck KL, Kile ML, Mahiuddin G, Quamruzzaman Q, Rahman M, Breton CV, Dobson CB, Frelich J, Hoffman E, Yousuf J, Afroz S, Islam S, Christiani DC,	2007. Maternal arsenic exposure associated with low birth weight in Bangladesh. <i>Journal of Occupational and Environmental Medicine</i> 49 (10), 1097–1104.
101	Myers SL, Lobbelt DT, Liu Z, Xia Y, Ren H, Li Y, Kwok RK, Mumford JL, Mendola P,	2009. Maternal drinking water arsenic exposure and perinatal outcomes in Inner Mongolia, China. <i>Journal of Epidemiology and Community Health</i> , ahead of print, doi:10.1136/jech.2008.084392
102	Godfrey KM, Barker DJP,	2000. Fetal nutrition and adult disease. <i>American Journal of Clinical Nutrition</i> 71 (5), 1344S–1352S
103	Langley–Evans SC, 2	2006. Developmental programming of health and disease. <i>Proceedings of the Nutrition Society</i> 65 (1), 97–105.
104	Vahter ME,	2007. Interactions between arsenic-induced toxicity and nutrition in early life. <i>Journal of Nutrition</i> 137 (12), 2798–2804.
105	Vahter M,	2008. Health effects of early life exposure to arsenic. <i>Basic & Clinical Pharmacology & Toxicology</i> 102 (2), 204–211.
106	Soto–Pena GA, Luna AL, Acosta–Saavedra L, Conde–Moo P, Lopez–Carrillo L, Cebrian ME, Bastida M, Calderon–Aranda ES, Vega L,	2006. Assessment of lymphocyte subpopulations and cytokine secretion in children exposed to arsenic. <i>Faseb Journal</i> 20 (2), 779–781.
107	Ferrario D, Croera C, Brustio R, Collotta A, Bowe G, Vahter M, Gribaldo L,	2008. Toxicity of inorganic arsenic and its metabolites on haematopoietic progenitors “in vitro”: Comparison between species and sexes. <i>Toxicology</i> 249 (2–3), 102–108.
108	Raqib R, Ahmed S, Sultana R, Wagatsuma Y, Mondal D, Hoque AMW, Nermell B, Yunus M, Roy S, Persson LA, El Arifeen S, Moore S, Vahter M,	2009. Effects of in utero arsenic exposure on child immunity and morbidity in rural Bangladesh. <i>Toxicology Letters</i> 185 (3), 197–202.
109	Calderon J, Navarro ME, Jimenez–Capdeville ME, Santos–Diaz MA, Golden A, Rodriguez–Levy I, Borja–Aburto V, Diaz–Barriga F,	2001. Exposure to arsenic and lead and neuropsychological development in Mexican children. <i>Environmental Research</i> 85 (2), 69–76.
110	Tsai SY, Chou HY, The HW, Chen CM, Chen CJ,	2003. The effects of chronic arsenic exposure from drinking water on the neurobehavioral development in adolescence. <i>Neurotoxicology</i> 24 (4–5), 747–753.
111	WHO/IPCS	1981. <i>Environmental Health Criteria</i> 18, Arsenic.
112	Yamashita N, Doi M, Nishio M, Hojo H, Tanaka M,	1972. Recent observations of Kyoto children poisoned by arsenic tainted “Morinaga Dried Milk”. <i>Japanese Journal of Hygiene</i> 27 (4), 364–399.
113	Dakeishi M, Murata K, Grandjean P,	2006. Long-term consequences of arsenic poisoning during infancy due to contaminated milk powder. <i>Environmental Health</i> 5 (31).
114	Tseng HP, Wang YH, Wu MM, The HW, Chiou HY, Chen CJ,	2006. Association between chronic exposure to arsenic and slow nerve conduction velocity among adolescents in Taiwan. <i>Journal of Health Population and Nutrition</i> 24 (2), 182–189.
115	Rosado JL, Ronquillo D, Kordas K, Rojas O, Alatorre J, Lopez P, Garcia–Vargas G, Del Carmen CM, Cebrian ME, Stoltzfus R J,	2007. Arsenic exposure and cognitive performance in Mexican schoolchildren. <i>Environmental Health Perspectives</i> 115, 1371–1375.
116	Kawasaki S, Yazawa S, Ohnishi A, Ohi T,	2002. Chronic and predominantly sensory polyneuropathy in Toroku Valley where a mining company produced arsenic. <i>Rinsho Shinkeigaku</i> 42 (6), 504–511.

文献番号	著者	タイトル、雑誌名等
117	Kishi Y, Sasaki H, Yamasaki H, Ogawa K, Nishi M, Nanjo K,	2001. An epidemic of arsenic neuropathy from a spiked curry. <i>Neurology</i> 56 (10), 1417-1418.
118	Goebel HH, Schmidt PF, Bohl J, Tettenborn B, Kramer G, Gutmann L,	1990. Polyneuropathy due to acute arsenic intoxication – biopsy studies. <i>Journal of Neuropathology and Experimental Neurology</i> 49 (2), 137-149.
119	Greenberg SA,	1996. Acute demyelinating polyneuropathy with arsenic ingestion. <i>Muscle & Nerve</i> 19 (12), 1611-1613.
120	Kreiss K, Zack MM, Feldman RG, Niles CA, Chiricopost J, Sax DS, Landrigan PJ, Boyd MH, Cox DH,	1983. Neurologic evaluation of a population exposed to arsenic in Alaskan well water. <i>Archives of Environmental Health</i> 38 (2), 116-121.
121	NRC	1999. Arsenic in drinking water. National Academy Press, Washington, D.C. Available from: http://www.nap.edu/openbook/0309063337/html/R1.html , pp. 310
122	Tseng CH,	2008. Cardiovascular disease in arsenic-exposed subjects living in the arseniasishyperendemic areas in Taiwan. <i>Atherosclerosis</i> 199 (1), 12-18.
123	Tseng CH, Chong CK, Chen CJ, Tai TY,	1996. Dose-response relationship between peripheral vascular disease and ingested inorganic arsenic among residents in blackfoot disease endemic villages in Taiwan. <i>Atherosclerosis</i> 120 (1-2), 125-133.
124	Tsai SM, Wang TN, Ko YC,	1999. Mortality for certain diseases in areas with high levels of arsenic in drinking water. <i>Archives of Environmental Health</i> 54 (3), 186-193.
125	Wu MM, Kuo TL, Hwang YH, Chen CJ,	1989. Dose-response relation between arsenic concentration in well water and mortality from cancers and vascular diseases. <i>American Journal of Epidemiology</i> 130 (6), 1123-1132.
126	Engel RR, Smith AH,	1994. Arsenic in drinking-water and mortality from vascular-disease – an ecologic analysis in 30 counties in the United States. <i>Archives of Environmental Health</i> 49 (5), 418-427.
127	Zierold KM, Knobeloch L, Anderson H,	2004. Prevalence of chronic diseases in adults exposed to arsenic-contaminated drinking water. <i>American Journal of Public Health</i> 94, 1936-
128	Tseng CH, Tai TY, Chong CK, Tseng CP, Lai MS, Lin BJ, Chiou HY, Hsueh YM, Hsu KH, Chen CJ,	2000. Long-term arsenic exposure and incidence of non-insulin-dependent diabetes mellitus: A cohort study in arseniasis-hyperendemic villages in Taiwan. <i>Environmental Health Perspectives</i> 108 (9), 847-851.
129	Chi-Ling Chen et al	Ingested arsenic, characteristics of well water consumption and risk of different histological types of lung cancer in northeastern Taiwan. <i>Environmental Reserch</i> , 2010 ;110(5):455-62.
130	Chi-Ling Chen et al	Arsenic in Drinking Water and Risk of Urinary Tract Cancer: A Follow-up Study from Northeastern Taiwan. <i>Cancer Epidemiol Biomarkers Prev</i> ; 19 (1), 101-110. January 2010
131	Dastgiri S, Mosafari M, Fizi MA, Olfati N, Zolali S, Pouladi N, Azarfam P.	Arsenic exposure, dermatological lesions, hypertension, and chromosomal abnormalities among people in a rural community of northwest Iran. <i>J Health Popul Nutr</i> . 2010 Feb;28(1):14-22.
132	Wu B, Chen T.	Changes in hair arsenic concentration in a population exposed to heavy pollution: follow-up investigation in Chenzhou City, Hunan Province, southern China. <i>J Environ Sci (China)</i> . 2010;22(2):283-9.
133	Liao CM, Lin TL, Hsieh NH, Chen WY.	Assessing the arsenic-contaminated rice (<i>Oryza sativa</i>) associated children skin lesions. <i>J Hazard Mater</i> . 2010 Apr 15;176(1-3):239-51. Epub 2009 Nov 10.
134	Arain MB, Kazi TG, Baig JA, Jamali MK, Afridi HI, Jalbani N, Sarfraz RA, Shah AQ, Kandhro GA.	Respiratory effects in people exposed to arsenic via the drinking water and tobacco smoking in southern part of Pakistan. <i>Sci Total Environ</i> . 2009 Oct 15;407(21):5524-30. Epub 2009 Aug 7.
135	Wang CH, Chen CL, Hsiao CK, Chiang FT, Hsu LI, Chiou HY, Hsueh YM, Wu MM, Chen CJ.	Increased risk of QT prolongation associated with atherosclerotic diseases in arseniasis-endemic area in southwestern coast of Taiwan. <i>Toxicol Appl Pharmacol</i> . 2009 Sep 15;239(3):320-4. Epub 2009 Jun 30.
136	Chen Y, Parvez F, Gamble M, Islam T, Ahmed A, Argos M, Graziano JH, Ahsan H.	Arsenic exposure at low-to-moderate levels and skin lesions, arsenic metabolism, neurological functions, and biomarkers for respiratory and cardiovascular diseases: review of recent findings from the Health Effects of Arsenic Longitudinal Study (HEALS) in Bangladesh. <i>Toxicol Appl Pharmacol</i> . 2009 Sep 1;239(2):184-92. Epub 2009 Jan 27.
137	Hall MN, Liu X, Slavkovich V, Ilievski V, Mi Z, Alam S, Factor-Litvak P, Ahsan H, Graziano JH, Gamble MV.	Influence of cobalamin on arsenic metabolism in Bangladesh. <i>Environ Health Perspect</i> . 2009 Nov;117(11):1724-9. Epub 2009 Jul 31.
138	Xu Y, Li X, Zheng Q, Wang H, Wang Y, Sun G.	Lack of association of glutathione-S-transferase omega 1(A140D) and omega 2 (N142D) gene polymorphisms with urinary arsenic profile and oxidative stress status in arsenic-exposed population. <i>Mutat Res</i> . 2009 Sep-Oct;679(1-2):44-9. Epub 2009 Jul 25.
139	Valenzuela OL, Drobná Z, Hernández-Castellanos E, Sánchez-Peña LC, García-Vargas GG, Borja-Aburto VH, Stýblo M, Del Razo LM.	Association of AS3MT polymorphisms and the risk of premalignant arsenic skin lesions. <i>Toxicol Appl Pharmacol</i> . 2009 Sep 1;239(2):200-7. Epub 2009 Jun 16.
140	Fängström B, Hamadani J, Nermell B, Grandér M, Palm B, Vahter M.	Impaired arsenic metabolism in children during weaning. <i>Toxicol Appl Pharmacol</i> . 2009 Sep 1;239(2):208-14. Epub 2009 Jan 6.
141	Liao YT, Li WF, Chen CJ, Prineas RJ, Chen WJ, Zhang ZM, Sun CW, Wang SL.	Synergistic effect of polymorphisms of paraoxonase gene cluster and arsenic exposure on electrocardiogram abnormality. <i>Toxicol Appl Pharmacol</i> . 2009 Sep 1;239(2):178-83. Epub 2008 Dec 30.

文献 番号	著 者	タイトル、雑誌名等
142	Komissarova EV, Rossman TG.	Arsenite induced poly(ADP-ribose)ylation of tumor suppressor P53 in human skin keratinocytes as a possible mechanism for carcinogenesis associated with arsenic exposure. <i>Toxicol Appl Pharmacol.</i> 2010 Mar 15;243(3):399-404. Epub 2009 Dec 28.
143	Nicolis I, Curis E, Deschamps P, Bé nazeth S.	Arsenite medicinal use, metabolism, pharmacokinetics and monitoring in human hair. <i>Biochimie.</i> 2009 Oct;91(10):1260-7. Epub 2009 Jun 13.
144	Argos M, Kalra T, Rathouz PJ, Chen Y, Pierce B, Parvez F, Islam T, Ahmed A, Rakibuz-Zaman M, Hasan R, Sarwar G, Slavkovich V, van Geen A, Graziano J, Ahsan H	Arsenic exposure from drinking water, and all-cause and chronic-disease mortalities in Bangladesh (HEALS): a prospective cohort study. 2010. <i>The Lancet.</i> In press
145	Kojima C, Ramirez DC, Tokar EJ, Himeno S, Drobná Z, Stýblo M, Mason RP, Waalkes MP.	Requirement of arsenic biomethylation for oxidative DNA damage. <i>J Natl Cancer Inst.</i> 2009 Dec 16;101(24):1670-81.
146	Suzuki S, Arnold LL, Pennington KL, Chen B, Naranmandura H, Le XC, Cohen SM.	Dietary administration of sodium arsenite to rats: Relations between dose and urinary concentrations of methylated and thio-metabolites and effects on the rat urinary bladder epithelium. <i>Toxicol Appl Pharmacol.</i> 2010 Apr 15;244(2):99-105.
147	Naranmandura H, Ogra Y, Iwata K, Lee J, Suzuki KT, Weinfeld M, Le XC.	Evidence for toxicity differences between inorganic arsenite and thioarsenicals in human bladder cancer cells. <i>Toxicol Appl Pharmacol.</i> 2009 Jul 15;238(2):133-40. Epub 2009 May 12.
148	Raml R, Raber G, Rumpler A, Bauernhofer T, Goessler W, Francesconi KA.	Individual Variability in the Human Metabolism of an Arsenic-Containing Carbohydrate, 2', 3'-Dihydroxypropyl 5-deoxy-5-dimethylarsinoyl-β-d-ribose, a Naturally Occurring Arsenical in Seafood. <i>Chem Res Toxicol.</i> 2009 Sep;22(9):1534-40.
149	Meliker et al.	Lifetime exposure to arsenic in drinking water and bladder cancer: a population-based case-control study in Michigan, USA. <i>Cancer Causes Control</i> 21: 745-757, 2010