

専門委員・専門参考人から提供・紹介のあった資料（一覧）

梅垣先生

1. 梅垣専門委員提出資料
2. 平成21年度 東京都福祉保健基礎調査「都民の健康と医療に関する実態と意識」
3. 消費者委員会「消費者の「健康食品」の利用に関する実態調査（アンケート調査）」平成24年5月
4. 田中淳, 金力賢治, 楽真澄, 河相和, 徳島裕子, 久保孝次郎, 高杉益充 : 機能性食品（健康食品）についての意識調査. 日病薬誌 2004;40:37-39.
5. Chiba T, Sato Y, Nakanishi T, Yokotani K, Suzuki S, Umegaki K : Inappropriate Usage of Dietary Supplements in Patients by Miscommunication with Physicians in Japan. Nutrients 2014;6:5392-5404.
6. 東京都 第2回「健康食品」による健康被害事例専門委員会からの報告 平成26年度
7. 梅垣敬三, 山田浩, 千葉剛, 中西朋子, 佐藤陽子, 福山哲 : 健康食品に関する健康被害事例の情報源およびその有用性評価. 食衛誌 2013;54:282-289.
8. 東京都食品安全情報評価委員会報告「健康食品」の安全性に係る情報の検討 平成18年3月29日 東京都食品安全情報評価委員会
9. Karl Michaëlsson, Håkan Melhus, Eva Warensjö Lemming, Liisa Byberg : Long term calcium intake and rates of all cause and cardiovascular mortality: community based prospective longitudinal cohort study. BMJ 2013;346.
10. Xiao Q, Murphy RA, Houston DK, Harris TB, Chow WH, Park Y : Dietary and Supplemental Calcium Intake and Cardiovascular Disease Mortality : the National Institutes of Health-AARP diet and health study. JAMA Intern Med. 2013 Apr 22;173(8):639-646.
11. United States Government Accountability Office : Report to Congressional Requesters DIETARY SUPPLEMENTS FDA May Have Opportunities to Expand Its Use of Reported Health Problems to Oversee Products. GAO-13-244 2013
12. Dickinson A, Mackay D : Health habits and other characteristics of dietary supplement users: a review. Nutrition Journal 2014;13:14.
13. Hyodo I, Amano N, Eguchi K, Narabayashi M, Imanishi J, Hirai M, Nakano T, Takashima S : Nationwide Survey on Complementary and Alternative Medicine in Cancer Patients in Japan. J Clin Oncol. 2005 Apr 20;23(12):2645-2654.
14. がんの補完代替医療ガイドブック第3版 2012年2月
15. 齋藤百枝美, 加賀睦子, 渡部多真紀, 丸山桂司, 土屋雅勇, 渡邊真知子, 柳川幸

- 重, 井上圭三 : 帝京大学病院小児科外来における小児患者のサプリメント・健康食品の使用状況. *Jpn. J. Drug Inform.* 2010;11(3):156-162.
16. Nagisa Mori, Masaru Kubota, Shoko Hamada, Ayako Nagai : Prevalence and characterization of supplement use among healthy children and adolescents in an urban Japanese city. *Health* 2-11;3(3):135-140
 17. 橋本洋子, 佐藤陽子, 中西朋子, 横谷馨倫, 梅垣敬三: 幼児を持つ母親の食や栄養、サプリメントに関する知識と情報源. *栄養学雑誌* 2011;69(1):39-47.
 18. Sato Y, Yamagishi A, Hashimoto Y, Virgona N, Hoshiyama Y, Umegaki K : Use of Dietary Supplements among Preschool Children in Japan. *J Nutr Sci Vitaminal* 2009;55:317-325.
 19. 安楽誠, 富田久夫, 佐藤栄治, 田淵紀彦, 吉富博則, 岡村信行, 田口勝英, 近藤裕子, 村上信行 : 学校薬剤師を介した小・中・高校生の一般用医薬品・健康食品の使用実態調査. *Yakugaku Zasshi* 2011;131(5):835-842.
 20. Huybrechts I, Maes L, Vereecken C, De Keyzer W, De Bacquer D, De Backer G, De Henauw S. : High dietary supplement intakes among Flemish preschoolers. *Appetite.* 2010 Apr;54(2):340-345.
 21. Lim A, Cranswick N, South M. : Adverse events associated with the use of complementary and alternative medicine in children. *Arch Dis Child.* 2011;96(3):297-300.
 22. Leung SY, Lum CM : Use of nutritional health supplements and associated factors among parents with children at kindergartens in Hong Kong. *Hong Kong Med J.* 2011 Oct;17(5):365-371.
 23. Zhang Y, Fein EB, Fein SB. : Feeding of Dietary Botanical Supplements and Teas to Infants in the United States. *Pediatrics.* 2011 Jun;127(6):1060-1066.
 24. Yoon JY, Park HA, Kang JH, Kim KW, Hur YI, Park JJ, Lee R, Lee HH : Prevalence of Dietary Supplement Use in Korean Children and Adolescents: Insights from Korea National Health and Nutrition Examination Survey 2007-2009. *J Korean Med Sci.* 2012 May;27(5):512-517.
 25. Bailey RL, Fulgoni VL 3rd, Keast DR, Lentino CV, Dwyer JT. : Do Dietary Supplements Improve Micronutrient Sufficiency in Children and Adolescents?. *J Pediatr.* 2012 Nov;161(5):837-842.
 26. Chuang CH, Yang SH, Chang PJ, Chen PC, Chen YC : Dietary Supplement Intake by 6-month-old Taiwanese Infants. *J Pediatr Gastroenterol Nutr.* 2012 Jan;54(1):71-76.
 27. Evans MW Jr, Ndetan H, Perko M, Williams R, Walker C : Dietary Supplement

- Use by Children and Adolescents in the United States to Enhance Sport Performance: Results of the National Health Interview Survey. *J Prim Prev.* 2012;33(1):3-12.
28. Dwyer J, Nahin RL, Rogers GT, Barnes PM, Jacques PM, Sempos CT, Bailey R. : Prevalence and predictors of children's dietary supplement use: the 2007 National Health Interview Survey. *Am J Clin Nutr.* 2013 Jun;97(6):1331-1337.
 29. Godwin M, Crellin J, Mathews M, Chowdhury NL, Newhook LA, Pike A, McCrate F, Law R : Use of natural health products in children survey of parents in waiting rooms. *Can Fam Physician* 2013;59(8):e364-371.
 30. Wu CH, Wang CC, Kennedy J. : The prevalence of herb and dietary supplement use among children and adolescents in the United States: Results from the 2007 National Health Interview Survey. *Complement Ther Med* 2013;21(4):358-363.
 31. Perrine CG, Sullivan KM, Flores R, Caldwell KL, Grummer-Strawn LM : Intakes of Dairy Products and Dietary Supplements Are Positively Associated with Iodine Status among U.S. Children. *J Nutr.* 2013;143(7):1155-1160.
 32. Frison E, Vandenbosch L, Eggermont S. : Exposure to media predicts use of dietary supplements and anabolic-androgenic steroids among Flemish adolescent boys. *Eur J Pediatr.* 2013 Oct;172(10):1387-1392.
 33. Madden MM, DeBias D, Cook GE : Market Analysis of Vitamin Supplementation in infants and Children: Evidence From the Dietary Supplement Label Database. *JAMA Pediatr.* 2014 Mar;168(3):291-292.
 34. Why Dietary Supplements?. *PEDIATRICS* 2014;133(6):e1740-1741.
 35. Sato Y, Nakanishi T, Chiba T, Yokotani K, Ishinaga K, Takimoto H, Itoh H, Umegaki K : Prevalence of inappropriate dietary supplement use among pregnant women in Japan. *Asia Pac J Clin Nutr.* 2013;22(1):83-89.
 36. 澤田美耶, 小林ゆき子, 原田清美, 田中優里佳, 重村智栄子, 栗林喜代子, 大矢みゆき, 松本雅美, 横田昇平, 浅野弘明, 荻原暢子, 北川郁美, 東あかね : 都市近郊妊婦の妊娠前後の食生活、サプリメントの利用及び喫煙習慣の比較. *京府医大看護紀要* 2010;20:69-75.
 37. 近藤美佳, 森川重彦, 下須賀洋一, 近藤厚生 : 神経管閉鎖障害の防止 : 妊婦の葉酸認知率と葉酸サプリメント内服率、産婦人科外来からの情報発信. *周産期医学* 2011;41(4)549-552.
 38. 佐藤陽子, 中西朋子, 千葉剛, 梅垣敬三 : 妊婦における神経管閉鎖障害リスク低

減のためのfolic acid摂取行動に関する全国インターネット調査. 日本公衛誌
2014;61(7):321-332.

39. Broussard GS, Louik C, Honein MA, Mitchell AA; National Birth Defects Prevention Study : Herbal use before and during pregnancy. *Am J Obstet Gynecol.* 2010 May;202(5):443. e1-6.
40. Cuzzolin L, Francini-Pesenti F, Verlato G, Joppi M, Baldelli P, Benoni G : Use of herbal products among 392 Italian Pregnant women: focus on pregnancy outcome. *Pharmacoepidemiol Drug Saf.* 2010;19(11):1151-1158.
41. Nordeng H, Bayne K, Havnen GC, Paulsen BS : Use of herbal drugs during pregnancy among 600 Norwegian women in relation to concurrent use of conventional drugs and pregnancy outcome *Complement Ther Clin Pract.* 2011 Aug;17(3):147-151.
42. Bishop JL, Northstone K, Green JR, Thompson EA : The use of Complementary and Alternative Medicine in Pregnancy: Data from the Avon Longitudinal Study of Parents and Children (ALSPAC). *Complement Ther Med.* 2011 Dec;19(6):303-310.
43. Bojar I, Owoc A, Humeniuk E, Wierzba W, Fronczak A : Inappropriate consumption of vitamins and minerals by pregnant women in Poland. *Ann Agric Environ Med.* 2012;19(2):263-266.
44. Kennedy DA, Lupattelli A, Koren G, Nordeng H : Herbal medicine use in pregnancy: results of a multinational study. *BMC Complement Altern Med.* 2013 Dec 12;13:355.
45. Aronsson CA, Vehik K, Yang J, Uusitalo U, Hay K, Joslowski G, Riikonen A, Ballard L, Virtanen SM, Norris JM; TEDDY Study Group : Use of dietary supplements in pregnant women in relation to sociodemographic factors – a report from The Environmental Determinants of Diabetes in the Young (TEDDY) study. *Public Health Nutr.* 2013 Aug;16(8):1390-13402.
46. 小池麻由, 大津史子, 榊原仁作, 後藤伸之 : 健康食品・サプリメントによる健康被害の原状と患者背景の特徴. *Jpn. J. Drug Inform* 2013;14(4):134-143.
47. Owens C, Baergen R, Puckett D : Online Sources of Herbal Product Information. *Am J Med.* 2014 Feb;127(2):109-115.
48. Ger LP, Chiang AA, Lai RS, Chen SM, Tseng CJ : Association of Sauropus androgynus and Bronchiolitis Obliterans Syndrome:A Hospital-based Case-Control Study. *American Journal of Epidemiology* 1997;145(9):842-849.
49. 東元一晁, 大中原研一 : 健康食品“アマメシバ”摂取に関連した閉塞性細気管支炎. *医学のあゆみ* 2010 Jan 23;232(4):261-226.

50. Mazzanti G, Menniti-Ippolito F, Moro PA, Cassetti F, Raschetti R, Santuccio C, Mastrangelo S : Hepatotoxicity from green tea: a review of the literature and two unpublished cases. *Eur J Clin Pharmacol*. 2009 Apr;65(4):331-341.
51. Navarro VJ, Barnhart H, Bonkovsky HL, Davern T, Fontana RJ, Grant L, Reddy KR, Seeff LB, Serrano J, Sherker AH, Stolz A, Talwalkar J, Vega M, Vuppalanchi R : Liver Injury From Herbals and Dietary Supplements in the U. S. Drug-Induced Liver Injury Network. *Hepatology* 2014 Oct;60(4):1399-1408.
52. Roytman MM, Pörzgen P, Lee CL, Huddleston L, Kuo TT, Bryant-Greenwood P, Wong LL, Tsai N : Outbreak of Severe Hepatitis Linked to Weight-Loss Supplement OxyELITE Pro. *Am J Gastroenterol*. 2014 Aug;109(8):1296-1298.
53. Cohen PA, Benner C, McCormick D : Use of a Pharmaceutically Adulterated Dietary Supplement, Pai You Guo, Among Brazilian-Born Women in the United States. *J Gen Intern Med* 2011;27(1):51-56.
54. 守安 貴子, 蓑輪 佳子, 岸本 清子, 坂本 美穂, 門井 秀郎, 中嶋 順一, 濱野 朋子, 中江 大 : 健康食品に含有される医薬品成分の分析. *東京健安研セ年報* 2011;62:25-39.
55. 石綿司, 和田曉彦, 村田研吾, 高森幹雄, 山本佑樹, 藤田明 : 再曝露により診断した輸入瘦身用健康食品による好酸球性肺炎の1例. *日呼吸誌* 2013;2(3):259-263.
56. Newmaster SG, Grguric M, Shanmughanandhan D, Ramalingam S, Ragupathy S : DNA barcoding detects contamination and substitution in North American herbal products. *BMC Med*. 2013 Oct 11;11:222.
57. Baker DA : DNA Barcode Identification of Black Cohosh Herbal Dietary Supplements. *Journal of AOA C International*. 2012;95(4):1023-1034.
58. Gunturu KS, Nagarajan P, McPhedran P, Goodman TR, Hodsdon ME, Strout MP : Ayurvedic herbal medicine and lead poisoning. *J Hematol Oncol*. 2011 Dec 20;4:51
59. Saper RB, Phillips RS, Sehgal A, Khouri N, Davis RB, Paquin J, Thuppil V, Kales SN : Lead, Mercury and Arsenic in US-and Indian-Manufactured Ayurvedic Medicines Sold via the Internet. *JAMA*. 2008 Aug 27;300(8):915-923.
60. Genuis SJ, Schwalfenberg G, Siy AK, Rodushkin I. : Toxic Element Contamination of Natural Health Products and Pharmaceutical Preparations. *PLoS One*. 2012;7(11):e49676.

61. Harris ES, Cao S, Littlefield BA, Craycroft JA, Scholten R, Kaptchuk T, Fu Y, Wang W, Liu Y, Chen H, Zhao Z, Clardy J, Woolf AD, Eisenberg DM : Heavy Metal and Pesticide Content in Commonly Prescribed Individual Raw Chinese Herbal Medicines. *Sci Total Environ.* 2011 September 15; 409(20) : 4297-4305.
62. Bailey RL, Fulgoni VL 3rd, Keast DR, Dwyer JT : Dietary supplement use is associated with higher intakes of minerals from food sources. *Am J Clin Nutr* 2011;94:1376-1381.
63. VH Frankos, DA Street, RK O' Neill : FDA Regulation of Dietary Supplements and Requirements Regarding Adverse Event Reporting. *Clinical pharmacology & Therapeutics.* february 2010 ; 87(2) : 239-244.
64. Dickinson A, Blatman J, El-Dash N, Franco JC : Consumer Usage and Reasons for Using Dietary Supplements: Report of a Series of Surveys. *J Am Coll Nutr.* 2014;33(2) :176-182.
65. Bailey RL, Gahche JJ, Miller PE, Thomas PR, Dwyer JT : Why US Adults Use Dietary Supplements. *JAMA INTERN MED* 2013 Feb 4:E1-E7.
66. 小河淳, 木村美嘉子, 平松真祐, 坂井義之, 渡辺聰正, 吉住秀之 : 低血糖症状を契機に発見され、健康食品 (αリポ酸) が誘因である可能性を否定できなかったインスリン自己免疫症候群の一症例. *糖尿病* 2007;50(10) :759-763.
67. Mehta DH, Gardiner PM, Phillips RS, McCarthy EP. : Herbal and Dietary Supplement Disclosure to Health Care Providers by Individuals with Chronic Conditions. *J Altern Complement Med.* 2008 Dec;14(10):1263-1269.
68. Chiba T, Sato Y, Suzuki S, Umegaki K : Concomitant Use of Dietary Supplements and Medicines in Patients due to Miscommunication with Physicians in Japan. *Nutrients.* 2015 Apr; 7(4) : 2947-2960.
69. Mueller BA1, Scott MK, Sowinski KM, Prag KA : Noni juice (*Morinda citrifolia*): hidden potential for hyperkalemia?. *Am J Kidney Dis.* 2000 Feb;35(2) :310-312.
70. 山田治, 一丸佳代, 小野彩奈, 高橋光明, 松本圭司, 小菅和仁, 藤本和子, 脇昌子, 中島光好, 梅垣敬三 : 健康食品の摂取に伴う有害事象の因果関係評価のための樹枝状アルゴリズムの構築. *Jpn Clin Pharmacol Ther* 2012 Nov;43(6) :399-402.
71. 一丸佳代, 井出和希, 小野彩奈, 北川護, 成島大智, 松本圭司, 梅垣敬三, 山田浩 : 健康食品の摂取に伴う有害事象の因果関係評価のための樹枝状アルゴリズムの改変. *Jpn clin Pharmacol Ther.* 2013 Sep;44(5) :405-410.
72. See KA, Lavercombe PS, Dillon J, Ginsberg R : Accidental death from acute

- selenium poisoning. *Med J Aust.* 2006 Oct 2;185(7):388–389.
73. Sutter ME, Thomas JD, Brown J, Morgan B : Selenium toxicity: a case of selenosis caused by a nutritional supplement. *Ann Intern Med.* 2008 Jun 17;148(12):970–971.
 74. Lopez RE, Knable AL Jr, Burruss JB : Ingestion of a dietary supplement resulting in selenium toxicity. *J Am Acad Dermatol.* 2010 Jul;63(1):168–169.
 75. MacFarquhar JK, Broussard DL, Melstrom P, Hutchinson R, Wolkin A, Martin C, Burk RF, Dunn JR, Green AL, Hammond R, Schaffner W, Jones TF. : Acute selenium toxicity associated with a dietary supplement. *Arch Intern Med.* 2010 Feb 8;170(3):256–261.
 76. Aldosary BM, Sutter ME, Schwartz M, Morgan BW : Case series of selenium toxicity from a nutritional supplement. *Clin Toxicol (Phila).* 2012 Jan;50(1):57–64.
 77. Bolland MJ, Grey A, Avenell A, Gamble GD, Reid IR. : Calcium supplements with or without vitamin D and risk of cardiovascular events: reanalysis of the Women's Health Initiative limited access dataset and meta-analysis. *BMJ.* 2011 Apr 19;342:d2040.
 78. Ohtake T, Kobayashi S, Negishi K, Moriya H : Supplement nephropathy due to long-term, high-dose ingestion of ascorbic acid, calcium lactate, vitamin D and laxatives. *Clin Nephrol.* 2005 Sep;64(3):236–240.
 79. Nankivell BJ, Murali KM, Brian J : Renal Failure from Vitamin C after Transplantation. *N Engl J Med* 2008; 358:e4.
 80. Thomas LD, Elinder CG, Tiselius HG, Wolk A, Akesson A. : Ascorbic acid supplements and kidney stone incidence among men: a prospective study. *JAMA Intern Med.* 2013 Mar 11;173(5):386–388.
 81. Chen X, Shen L, Gu X, Dai X, Zhang L, Xu Y, Zhou P : High-dose supplementation with vitamin C--induced pediatric urolithiasis: the first case report in a child and literature review. *Urology.* 2014 Oct;84(4):922–924.
 82. Hirayama F, Lee AH, Binns CW, Watanabe F, Ogawa T. : Dietary supplementation by older adults in Japan. *Asia Pac J Clin Nutr* 2008;17(2):280–284.
 83. Gershwin ME, Borchers AT, Keen CL, Hendler S, Hagie F, Greenwood MR : Public safety and dietary supplementation. *Ann N Y Acad Sci.* 2010 Mar;1190:104–117.

合田先生

1. 合田幸広：健康食品の新たな機能性表示と品質に関する課題（平成27年5月 第109回日本食品衛生学会学術講演会シンポジウム）
2. Masada-Atsumi S, Onuma M, Suenaga E, Maruyama T, Hishida A, Kiuchi F, Kobayashi S, Goda Y, Hakamatsuka T : Genome-based authentication of black cohosh (*Cimicifuga racemosa*; Ranunculaceae) supplements available in the Japanese markets. *Jpn. J. Food Chem. Safety* 2013;20(3):178-189.
3. Masada-Atsumi S, Kumeta Y, Takahashi Y, Hakamatsuka T, Goda Y : Evaluation of the Botanical Origin of Black Cohosh Products by Genetic and Chemical Analyses. *Biol. Pharm. Bull* 2014;37(3):454-456.
4. Lockwood GB : The quality of commercially available nutraceutical supplements and food sources. *J Pharm Pharmacol.* 2011 Jan;63(1):3-10.
5. Fukahori M, Kobayashi S, Naraki Y, Sasaki T, Oka H, Seki M, Masada-Atsumi S, Hakamatsuka T, Goda Y : Quality Evaluation of Medicinal Products and Health Foods Containing Chaste Berry (*Vitex agnus-castus*) in Japanese, European and American Markets. *Chem Pharm Bull (Tokyo)*. 2014;62(4):379-385.
6. Sato-Masumoto N, Masada S, Takahashi S, Terasaki S, Yokota Y, Hakamatsuka T, Goda Y : Disintegration Test of Health Food Products Containing *Ginkgo Biloba L.* or *Vitex Agnus-Castus L.* in the Japanese Market. *Medicines* 2015;2:47-54.
7. 大森佐與子, 地下佳 : ウコンサプリメントの多元素放射化分析—肝障害に及ぼすミネラルの影響—. *社会情報学研究* 2008;17:137-145.

齋藤先生

1. Posadzki P, Watson L, Ernst E : Herb-drug interactions : an overview of systematic reviews. *Br J Clin Pharmacol.* 2013 Mar;75(3):603-618.
2. Navarro VJ, Barnhart H, Bonkovsky HL, Davern T, Fontana RJ, Grant L, Reddy KR, Seeff LB, Serrano J, Sherker AH, Stolz A, Talwalkar J, Vega M, Vuppalanchi R : Liver Injury From Herbals and Dietary Supplements in the U.S. Drug-Induced Liver Injury Network. *Hepatology* 2014 Oct;60(4):1399-1408. (梅垣先生5に同じ)
3. Bent S, Goldberg H, Padula A, Avins AL : Spontaneous Bleeding Associated with *Ginkgo biloba* A Case Report and Systematic Review of the Literature. *J Gen Intern Med.* 2005 Jul; 20(7): 657-661.
4. Whitten DL, Myers SP, Hawrelak JA, Wohlmuth H : The effect of St John' s

wort extracts on CYP3A : a systematic review of prospective clinical trials. Br J Clin Pharmacol. 2006 Nov;62(5):512-526.

5. 辻恵二 : 一般病院での薬物性肝障害診療の現況. 医学のあゆみ. 2014. 1. 4;248(1):53-59.
6. 厚生労働省医薬食品局審査管理課事務連絡「医薬品開発と適正な情報提供のための薬物相互作用ガイドライン(最終案)の公表について」平成26年7月8日
7. Tzuen-Ren Hsiue, YueLiang Leon Guo, Kuan-Wen Chen, Chang-Wen Chen, Cheng-Hsiue TR, Guo YL, Chen KW, Chen CW, Lee CH, Chang HY. : Dose-Response Relationship and Irreversible Obstructive Ventilatory Defect in Patients With Consumption of Sauropus androgynous. Chest. 1998 Jan;113(1):71-6.
8. 恩地森一, 滝川一, 村田洋介, 児島裕治, 橋本直明, 久持顕子, 炭田知宣, 大森茂, 村田浩之, 渡辺真彰, 谷口英明, 前田直人, 熊木天児, 姜貞憲, 伊藤正, 青野礼, 綾田穰 : 民間薬および健康食品による薬物性肝障害の調査. 肝臓 2005;46(3):142-148.
9. 鈴木慎太郎, 松浦崇行, 木村輝明, 福田充, 本間哲也, 松倉聡, 黒川真嗣, 足立満 : 症例報告 ローヤルゼリー入りクラッシュゼリー状サプリメントの摂取後に生じたアナフィラキシーの一例. 昭和医会誌 2011;71(4):416-421.
10. Leung R1, Thien FC, Baldo B, Czarny D : Royal jelly-induced asthma and anaphylaxis: clinical characteristics and immunologic correlations. J Allergy Clin Immunol. 1995 Dec;96(6 Pt 1):1004-1007.

坪野先生

1. Fortmann SP, Burda BU, Senger CA, Lin JS, Whitlock EP : Vitamin and Mineral Supplements in the Primary Prevention of Cardiovascular Disease and Cancer: An Updated Systematic Evidence Review for the U.S. Preventive Services Task Force. Ann Intern Med. 2013;159(12):824-834.
2. Moyer VA; U.S. Preventive Services Task Force : Vitamin, Mineral, and Multivitamin Supplements for the Primary Prevention of Cardiovascular Disease and Cancer: U.S. Preventive Services Task Force Recommendation Statement. Ann Intern Med. 2014 Apr 15;160(8):558-564.
3. ウエンディ・ウエイガー他著 坪野吉孝訳・解説「がんの代替療法 有効性と安全性がわかる本」法研:141-146.
4. 村木美紀子訳 坪野吉孝監訳・解説「「がん」になってからの食事と運動—米国対がん協会の最新ガイドライン 米国対がん協会著」法研
5. 坪野吉孝著「検証!がん健康食品」河出書房新社

松井先生

1. Non-Clinical Documentation for Herbal Medicinal Products in Applications for Marketing Authorization (Bibliographical and Mixed Applications) and in Applications for Simplified Registration. EMEA/HMPC/32116/05 2006
2. Ethanol content in herbal medicinal products and traditional herbal medicinal products used in children. EMA/HMPC/85114/08 2010
3. Tripkovic L, Lambert H, Hart K, Smith CP, Bucca G, Penson S, Chope G, Hyppönen E, Berry J, Vieth R, Lanham-New S : Comparison of vitamin D2 and vitamin D3 supplementation in raising serum 25-hydroxyvitamin D status: a systematic review and meta-analysis. *Am J Clin Nutr.* 2012 Jun;95(6):1357-1364.
4. Bischoff-Ferrari HA, Shao A, Dawson-Hughes B, Hathcock J, Giovannucci E, Willett WC : Benefit - Risk Assessment of Vitamin D Supplementation. *Osteoporos Int.* 2010 Jul;21(7):1121-1132.
5. Vogiatzi MG, Jacobson-Dickman E, DeBoer MD : Drugs, and Therapeutics Committee of The Pediatric Endocrine Society : Vitamin D supplementation and risk of toxicity in pediatrics: a review of current literature. *J Clin Endocrinol Metab.* 2014 Apr;99(4):1132-1141.
6. 東京化学同人 : 日本ビタミン学編 ビタミン学 [I] 脂溶性ビタミン : 167-168.
7. John N. hathcock, James C. Griffiths : Vitamin and Mineral Safety 3rd edition. Council for Responsible Nutrition The Science Behind the Supplements. 17-18, 32-33.
8. EUROPEAN COMMISSION : Opinion of the Scientific Committee on Food on the Tolerable Upper Intake Level of Preformed Vitamin A (retinol and retinyl esters) (expressed on 26 September 2002). SCF/GS/NUT/UPPLEV/24 Final 7 October 2002.
9. Carpenter TO, Pettifor JM, Russell RM, Pitha J, Mobarhan S, Ossip MS, Wainer S, Anast CS. : Severe hypervitaminosis A in siblings: evidence of variable tolerance to retinol intake. *J Pediatr.* 1987 Oct;111(4):507-512.
10. Miyai K, Tokushige T, Kondo M; Iodine Research Group : Suppression of thyroid function during ingestion of seaweed "Kombu" (*Laminaria japonica*) in normal Japanese adults. *Endocr J.* 2008 Dec;55(6):1103-1108.
11. Hata A, Doi Y, Ninomiya T, Mukai N, Hirakawa Y, Hata J, Ozawa M, Uchida K, Shirota T, Kitazono T, Kiyohara Y. Magnesium intake decreases Type 2 diabetes risk through the improvement of insulin resistance and inflammation: the Hisayama Study. *DIABETIC Medicine.* 2013:1487-1494.

12. M. Miró : Cucurbitacins and their pharmacological effects. *Phytotherapy Research* 1995 May ; 9(3) : 159-168.
13. Taskapan H, Vieth R, Oreopoulos DG. : Unusually prolonged vitamin D intoxication after discontinuation of vitamin D: possible role of primary hyperparathyroidism. *Int Urol Nephrol.* 2008;40(3):801–805.
14. Wasser WG, Feldman NS, D'Agati VD. : Chronic renal failure after ingestion of over-the-counter chromium picolinate. *Ann Intern Med.* 1997 Mar 1;126(5):410.
15. Cerulli J1, Grabe DW, Gauthier I, Malone M, McGoldrick MD : Chromium picolinate toxicity. *Ann Pharmacother.* 1998 Apr;32(4):428–431.
16. Kaufman DB, DiNicola W, McIntosh R. : Acute potassium dichromate poisoning. Treated by peritoneal dialysis. *Am J Dis Child.* 1970 Apr;119(4):374–376.

吉田先生

1. Polesel J, Talamini R, Montella M, Maso LD, Crovatto M, Parpinel M, Izzo F, Tommasi LG, Serraino D, La Vecchia C, Franceschi S : Nutrients intake and the risk of hepatocellular carcinoma in Italy. *Eur J Cancer.* 2007 Nov;43(16):2381–2387.
2. Ko C, Siddaiah N, Berger J, Gish R, Brandhagen D, Sterling RK, Cotler SJ, Fontana RJ, McCashland TM, Han SH, Gordon FD, Schilsky ML, Kowdley KV : Prevalence of hepatic iron overload and association with hepatocellular cancer in end-stage liver disease: results from the National Hemochromatosis Transplant Registry. *Liver Int.* 2007 Dec;27(10):1394–1401.
3. Mursu J, Robien K, Harnack LJ, Park K, Jacobs DR Jr. : Dietary supplements and mortality rate in older women: the Iowa Women's Health Study. *Arch Intern Med.* 2011 Oct 10;171(18):1625–1633.
4. Stranges S, Marshall JR, Natarajan R, Donahue RP, Trevisan M, Combs GF, Cappuccio FP, Ceriello A, Reid ME. : Effects of Long-Term Selenium Supplementation on the Incidence of Type 2 Diabetes. *Ann Intern Med.* 2007 Aug 21;147(4):217–223.
5. Rayman MP, Stranges S : Epidemiology of selenium and type 2 diabetes. can we make sense of it?. *Free Radic Biol Med.* 2013 Dec;65:1557–1564.
6. Balk EM, Tatsioni A, Lichtenstein AH, Lau J, Pittas AG : Effect of chromium supplementation on glucose metabolism and lipids. a systematic

review of randomized controlled trials. *Diabetes Care* 2007
Aug;30(8):2154-2163.

7. Di Bona KR, Love S, Rhodes NR, McAdory D, Sinha SH, Kern N, Kent J, Strickland J, Wilson A, Beaird J, Ramage J, Rasco JF, Vincent JB. : Chromium is not an essential trace element for mammals: effects of a "low-chromium" diet. *J Biol Inorg Chem*. 2011 Mar;16(3):381-390.
8. 吉田宗弘：クロムはヒトの栄養に摂って必須の微量元素だろうか？. *日衛誌* 2012;67:485-491.
9. 下村 吉治(著, 編集), 松尾 達博(著), 北浦 靖之(著), 岡村 浩嗣(著), 石原 健吾(著), 長澤 純一(著), 村上 太郎(著), 早川 享志(著), 中井 直也(著) : サプリメントのほんとうとウソエビデンスに基づいたサプリメントの有効性ー 第3章 ミネラル. 有限会社ナップ. 2013 : 39-64.
10. 豊國伸哉 : 発癌における鉄代謝とフリーラジカル. *細胞工学*. 2011 ; 30 : 30-35.