

専門委員・専門参考人から提供・紹介のあった資料（一覧）**梅垣先生**

1. 梅垣専門委員提出資料
2. 平成21年度 東京都福祉保健基礎調査「都民の健康と医療に関する実態と意識」
3. 消費者委員会「消費者の「健康食品」の利用に関する実態調査（アンケート調査）」
平成24年5月
4. 田中淳, 金力賢治, 楽真澄, 河相和, 徳島裕子, 久保孝次郎, 高杉益充 : 機能性食品
(健康食品)についての意識調査. 日病薬誌 2004;40:37-39.
5. Chiba T, Sato Y, Nakanishi T, Yokotani K, Suzuki S, Umegaki K : Inappropriate Usage of Dietary Supplements in Patients by Miscommunication with Physicians in Japan. Nutrients 2014;6:5392-5404.
6. 東京都 第2回「健康食品」による健康被害事例専門委員会からの報告 平成26年度
7. 梅垣敬三, 山田浩, 千葉剛, 中西朋子, 佐藤陽子, 福山哲 : 健康食品に関する健康被害事例の情報源およびその有用性評価. 食衛誌 2013;54:282-289.
8. 東京都食品安全情報評価委員会報告 「健康食品」の安全性に係る情報の検討 平成18年3月29日 東京都食品安全情報評価委員会
9. Karl Michaëlsson, Håkan Melhus, Eva Warensjö Lemming, Liisa Byberg : Long term calcium intake and rates of all cause and cardiovascular mortality: community based prospective longitudinal cohort study. BMJ 2013;346.
10. Xiao Q, Murphy RA, Houston DK, Harris TB, Chow WH, Park Y : Dietary and Supplemental Calcium Intake and Cardiovascular Disease Mortality : the National Institutes of Health-AARP diet and health study. JAMA Intern Med 2013;173(8):639-646.
11. United States Government Accountability Office : Report to Congressional Requesters DIETARY SUPPLEMENTS FDA May Have Opportunities to Expand Its Use of Reported Health Problems to Oversee Products. GAO-13-244 2013
12. Dickinson A, Mackay D : Health habits and other characteristics of dietary supplement users: a review. Nutrition Journal 2014;13:14.
13. Hyodo I, Amano N, Eguchi K, Narabayashi M, Imanishi J, Hirai M, Nakano T, Takashima S : Nationwide Survey on Complementary and Alternative Medicine in Cancer Patients in Japan. J Clin Oncol 2005;20;23(12):2645-2654.
14. がんの補完代替医療ガイドブック第3版 2012年2月

15. 斎藤百枝美, 加賀睦子, 渡部多真紀, 丸山桂司, 土屋雅勇, 渡邊真知子, 柳川幸重, 井上圭三 : 帝京大学病院小児科外来における小児患者のサプリメント・健康食品の使用状況. *Jpn.J.Drug Inform.* 2010;11(3):156-162.
16. Nagisa Mori, Masaru Kubota, Shoko Hamada, Ayako Nagai : Prevalence and characterization of supplement use among healthy children and adolescents in an urban Japanese city. *Health* 2-11;3(3):135-140
17. 橋本洋子, 佐藤陽子, 中西朋子, 横谷馨倫, 梅垣敬三: 幼児を持つ母親の食や栄養、サプリメントに関する知識と情報源. *栄養学雑誌* 2011;69(1):39-47.
18. Sato Y, Yamagishi A, Hashimoto Y, Virgona N, Hoshiyama Y, Umegaki K : Use of Dietary Supplements among Preschool Children in Japan. *J Nutr Sci Vitaminol* 2009;55:317-325.
19. 安楽誠, 富田久夫, 佐藤栄治, 田淵紀彦, 吉富博則, 岡村信行, 田口勝英, 近藤裕子, 村上信行 : 学校薬剤師を介した小・中・高校生の一般用医薬品・健康食品の使用実態調査. *Yakugaku Zasshi* 2011;131(5):835-842.
20. Huybrechts I, Maes L, Vereecken C, De Keyzer W, De Bacquer D, De Backer G, De Henauw S : High dietary supplement intakes among Flemish preschoolers. *Appetite* 2010;54(2):340-345.
21. Lim A, Cranswick N, South M : Adverse events associated with the use of complementary and alternative medicine in children. *Arch Dis Child.* 2011;96(3):297-300.
22. Leung SY, Lum CM : Use of nutritional health supplements and associated factors among parents with children at kindergartens in Hong Kong. *Hong Kong Med J.* 2011;17(5):365-371.
23. Zhang Y, Fein EB, Fein SB. : Feeding of Dietary Botanical Supplements and Teas to Infants in the United States. *Pediatrics* 2011;127(6):1060-1066.
24. Yoon JY, Park HA, Kang JH, Kim KW, Hur YI, Park JJ, Lee R, Lee HH : Prevalence of Dietary Supplement Use in Korean Children and Adolescents: Insights from Korea National Health and Nutrition Examination Survey 2007-2009. *J Korean Med Sci* 2012;27(5):512-517.
25. Bailey RL, Fulgoni VL 3rd, Keast DR, Lentino CV, Dwyer JT : Do Dietary Supplements Improve Micronutrient Sufficiency in Children and Adolescents?. *J Pediatr* 2012;161(5):837-842.
26. Chuang CH, Yang SH, Chang PJ, Chen PC, Chen YC : Dietary Supplement Intake by 6-month-old Taiwanese Infants. *J Pediatr Gastroenterol Nutr* 2012;54(1):71-76.
27. Evans MW Jr, Ndetan H, Perko M, Williams R, Walker C : Dietary Supplement

Use by Children and Adolescents in the United States to Enhance Sport Performance: Results of the National Health Interview Survey. J Prim Prev 2012;33(1):3-12.

28. Dwyer J, Nahin RL, Rogers GT, Barnes PM, Jacques PM, Sempos CT, Bailey R : Prevalence and predictors of children's dietary supplement use: the 2007 National Health Interview Survey. Am J Clin Nutr 2013;97(6):1331-1337.
29. Godwin M, Crellin J, Mathews M, Chowdhury NL, Newhook LA, Pike A, McCrate F, Law R : Use of natural health products in children survey of parents in waiting rooms. Can Fam Physician 2013;59(8):e364-371.
30. Wu CH, Wang CC, Kennedy J. : The prevalence of herb and dietary supplement use among children and adolescents in the United States: Results from the 2007 National Health Interview Survey. Complement Ther Med 2013;21(4):358-363.
31. Perrine CG, Sullivan KM, Flores R, Caldwell KL, Grummer-Strawn LM : Intakes of Dairy Products and Dietary Supplements Are Positively Associated with Iodine Status among U.S. Children. J Nutr 2013;143(7):1155-1160.
32. Frison E, Vandenbosch L, Eggermont S. : Exposure to media predicts use of dietary supplements and anabolic-androgenic steroids among Flemish adolescent boys. Eur J Pediatr 2013;172(10):1387-1392.
33. Madden MM, DeBias D, Cook GE : Market Analysis of Vitamin Supplementation in Infants and Children: Evidence From the Dietary Supplement Label Database. JAMA Pediatr 2014;168(3):291-292.
34. Why Dietary Supplements?. PEDIATRICS 2014;133(6):e1740-1741.
35. Sato Y, Nakanishi T, Chiba T, Yokotani K, Ishinaga K, Takimoto H, Itoh H, Umegaki K : Prevalence of inappropriate dietary supplement use among pregnant women in Japan. Asia Pac J Clin Nutr 2013;22(1):83-89.
36. 澤田美耶, 小林ゆき子, 原田清美, 田中優里佳, 重村智栄子, 栗林喜代子, 大矢みゆき, 松本雅美, 横田昇平, 浅野弘明, 萩原暢子, 北川郁美, 東あかね : 都市近郊妊婦の妊娠前後の食生活、サプリメントの利用及び喫煙習慣の比較. 京府医大看護紀要 2010;20:69-75.
37. 近藤美佳, 森川重彦, 下須賀洋一, 近藤厚生 : 神経管閉鎖障害の防止 : 妊婦の葉酸認知率と葉酸サプリメント内服率、産婦人科外来からの情報発信. 周産期医学 2011;41(4):549-552.
38. 佐藤陽子, 中西朋子, 千葉剛, 梅垣敬三 : 妊婦における神経管閉鎖障害リスク低減のためのfolic acid摂取行動に関する全国インターネット調査. 日本公衛誌 2014;61(7):321-332.

39. Broussard CS, Louik C, Honein MA, Mitchell AA; National Birth Defects Prevention Study : Herbal use before and during pregnancy. *Am J Obstet Gynecol* 2010;202(5):443.e1-6.
40. Cuzzolin L, Francini-Pesenti F, Verlato G, Joppi M, Baldelli P, Benoni G : Use of herbal products among 392 Italian Pregnant women: focus on pregnancy outcome. *Pharmacoepidemiol Drug Saf.* 2010;19(11):1151-1158.
41. Nordeng H, Bayne K, Havnen GC, Paulsen BS : Use of herbal drugs during pregnancy among 600 Norwegian women in relation to concurrent use of conventional drugs and pregnancy outcome *Complement Ther Clin Pract* 2011;17(3):147-151.
42. Bishop JL, Northstone K, Green JR, Thompson EA : The use of Complementary and Alternative Medicine in Pregnancy: Data from the Avon Longitudinal Study of Parents and Children (ALSPAC). *Complement Ther Med.* 2011;19(6):303-310.
43. Bojar I, Owoc A, Humeniuk E, Wierzba W, Fronczak A : Inappropriate consumption of vitamins and minerals by pregnant women in Poland. *Ann Agric Environ Med* 2012;19(2):263-266.
44. Kennedy DA, Lupattelli A, Koren G, Nordeng H : Herbal medicine use in pregnancy: results of a multinational study. *BMC Complement Altern Med* 2013;13:355.
45. Aronsson CA, Vehik K, Yang J, Uusitalo U, Hay K, Joslowski G, Riikinen A, Ballard L, Virtanen SM, Norris JM; TEDDY Study Group : Use of dietary supplements in pregnant women in relation to sociodemographic factors - a report from The Environmental Determinants of Diabetes in the Young (TEDDY) study. *Public Health Nutr* 2013;16(8):1390-13402.
46. 小池麻由, 大津史子, 楠原仁作, 後藤伸之 : 健康食品・サプリメントによる健康被害の原状と患者背景の特徴. *Jpn. J. Drug Inform* 2013;14(4):134-143.
47. Owens C, Baergen R, Puckett D : Online Sources of Herbal Product Information. *Am J Med* 2014;127(2):109-115.
48. Ger LP, Chiang AA, Lai RS, Chen SM, Tseng CJ : Association of Sauropus androgynus and Bronchiolitis Obliterans Syndrome:A Hospital-based Case-Control Study. *American Journal of Epidemiology* 1997;145(9):842-849.
49. 東元一晃, 大中原研一 : 健康食品“アマメシバ”摂取に関連した閉塞性細気管支炎. *医学のあゆみ* 2010;232(4):261-226.
50. Mazzanti G, Menniti-Ippolito F, Moro PA, Cassetti F, Raschetti R, Santuccio C, Mastrangelo S : Hepatotoxicity from green tea: a review of the literature and two

- unpublished cases. Eur J Clin Pharmacol 2009;65(4):331-341.
51. Navarro VJ, Barnhart H, Bonkovsky HL, Davern T, Fontana RJ, Grant L, Reddy KR, Seeff LB, Serrano J, Sherker AH, Stolz A, Talwalkar J, Vega M, Vuppalanchi R : Liver Injury From Herbals and Dietary Supplements in the U.S. Drug-Induced Liver Injury Network Hepatology 2014;60(4):1399-1408.
 52. Roytman MM, Pörzgen P, Lee CL, Huddleston L, Kuo TT, Bryant-Greenwood P, Wong LL, Tsai N : Outbreak of Severe Hepatitis Linked to Weight-Loss Supplement OxyELITE Pro. Am J Gastroenterol 2014;109(8):1296-1298.
 53. Cohen PA, Benner C, McCormick D : Use of a Pharmaceutically Adulterated Dietary Supplement, Pai You Guo, Among Brazilian-Born Women in the United States. J Gen Intern Med 2011;27(1):51-56.
 54. 守安 貴子, 蓑輪 佳子, 岸本 清子, 坂本 美穂, 門井 秀郎, 中嶋 順一, 濱野 朋子, 中江 大 : 健康食品に含有される医薬品成分の分析. 東京健安研セ年報 2011;62:25-39.
 55. 石綿司, 和田暁彦, 村田研吾, 高森幹雄, 山本佑樹, 藤田明 : 再曝露により診断した輸入瘦身用健康食品による好酸球性肺炎の1例. 日呼吸誌 2013;2(3):259-263.
 56. Newmaster SG, Grguric M, Shanmughanandhan D, Ramalingam S, Ragupathy S : DNA barcoding detects contamination and substitution in North American herbal products. BMC Med 2013;11:222.
 57. Baker DA : DNA Barcode Identification of Black Cohosh Herbal Dietary Supplements. Journal of AOAC International 2012;95(4):1023-1034.
 58. Gunturu KS, Nagarajan P, McPhedran P, Goodman TR, Hodsdon ME, Strout MP : Ayurvedic herbal medicine and lead poisoning. J Hematol Oncol 2011;4:51.
 59. Saper RB, Phillips RS, Sehgal A, Khouri N, Davis RB, Paquin J, Thuppil V, Kales SN : Lead, Mercury and Arsenic in US-and Indian-Manufactured Ayurvedic Medicines Sold via the Internet. JAMA 2008;300(8):915-923.
 60. Genuis SJ, Schwalfenberg G, Siy AK, Rodushkin I : Toxic Element Contamination of Natural Health Products and Pharmaceutical Preparations. PLoS One. 2012;7(11):e49676.
 61. Harris ES, Cao S, Littlefield BA, Craycroft JA, Scholten R, Kapchuk T, Fu Y, Wang W, Liu Y, Chen H, Zhao Z, Clardy J, Woolf AD, Eisenberg DM : Heavy Metal and Pesticide Content in Commonly Prescribed Individual Raw Chinese Herbal Medicines. Sci Total Environ 2011;409(20): 4297-4305.
 62. Bailey RL, Fulgoni VL 3rd, Keast DR, Dwyer JT : Dietary supplement use is associated with higher intakes of minerals from food sources. Am J Clin Nutr 2011;94:1376-1381.

63. VH Frankos, DA Street, RK O'Neill : FDA Regulation of Dietary Supplements and Requirements Regarding Adverse Event Reporting. *Clinical pharmacology & Therapeutics* 2010 ; 87(2) : 239-244.
64. Dickinson A, Blatman J, El-Dash N, Franco JC : Consumer Usage and Reasons for Using Dietary Supplements: Report of a Series of Surveys. *J Am Coll Nutr* 2014;33(2):176-182.
65. Bailey RL, Gahche JJ, Miller PE, Thomas PR, Dwyer JT : Why US Adults Use Dietary Supplements. *JAMA INTERN MED* 2013;E1-E7.
66. 小河淳, 木村美嘉子, 平松真祐, 坂井義之, 渡辺聰正, 吉住秀之 : 低血糖症状を契機に発見され、健康食品（ α リポ酸）が誘因である可能性を否定できなかったインスリン自己免疫症候群の一症例. *糖尿病* 2007;50(10):759-763.
67. Mehta DH, Gardiner PM, Phillips RS, McCarthy EP. : Herbal and Dietary Supplement Disclosure to Health Care Providers by Individuals with Chronic Conditions. *J Altern Complement Med* 2008;14(10):1263-1269.
68. Chiba T, Sato Y, Suzuki S, Umegaki K : Concomitant Use of Dietary Supplements and Medicines in Patients due to Miscommunication with Physicians in Japan. *Nutrients* 2015; 7(4): 2947–2960.
69. Mueller BA1, Scott MK, Sowinski KM, Prag KA : Noni juice (*Morinda citrifolia*): hidden potential for hyperkalemia?. *Am J Kidney Dis* 2000;35(2):310-312.
70. 山田治, 一丸佳代, 小野彩奈, 高橋光明, 松本圭司, 小菅和仁, 藤本和子, 脇昌子, 中島光好, 梅垣敬三 : 健康食品の摂取に伴う有害事象の因果関係評価のための樹枝状アルゴリズムの構築. *Jpn Clin Pharmacol Ther* 2012;43(6):399-402.
71. 一丸佳代, 井出和希, 小野彩奈, 北川護, 成島大智, 松本圭司, 梅垣敬三, 山田 浩 : 健康食品の摂取に伴う有害事象の因果関係評価のための樹枝状アルゴリズムの改変. *Jpn clin Pharmacol Ther* 2013;44(5):405-410.
72. See KA, Lavercombe PS, Dillon J, Ginsberg R : Accidental death from acute selenium poisoning. *Med J Aust* 2006;185(7):388-389.
73. Sutter ME, Thomas JD, Brown J, Morgan B : Selenium toxicity: a case of selenosis caused by a nutritional supplement. *Ann Intern Med* 2008;148(12):970-971.
74. Lopez RE, Knable AL Jr, Burruss JB : Ingestion of a dietary supplement resulting in selenium toxicity. *J Am Acad Dermatol* 2010;63(1):168-169.
75. MacFarquhar JK, Broussard DL, Melstrom P, Hutchinson R, Wolkin A, Martin C, Burk RF, Dunn JR, Green AL, Hammond R, Schaffner W, Jones TF : Acute selenium toxicity associated with a dietary supplement. *Arch Intern Med* 2010;170(3):256-261.

76. Aldosary BM, Sutter ME, Schwartz M, Morgan BW : Clin Toxicol (Phila) 2012 ;50(1):57-64.
77. Bolland MJ, Grey A, Avenell A, Gamble GD, Reid IR : Calcium supplements with or without vitamin D and risk of cardiovascular events: reanalysis of the Women's Health Initiative limited access dataset and meta-analysis. BMJ 2011;342:d2040.
78. Ohtake T, Kobayashi S, Negishi K, Moriya H : Supplement nephropathy due to long-term, high-dose ingestion of ascorbic acid, calcium lactate, vitamin D and laxatives. Clin Nephrol. 2005;64(3):236-240.
79. Nankivell BJ, Murali KM, Brian J : Renal Failure from Vitamin C after Transplantation. N Engl J Med 2008;358:e4.
80. Thomas LD, Elinder CG, Tiselius HG, Wolk A, Akesson A : Ascorbic acid supplements and kidney stone incidence among men: a prospective study. JAMA Intern Med 2013;173(5):386-388.
81. Chen X, Shen L, Gu X, Dai X, Zhang L, Xu Y, Zhou P : High-dose supplementation with vitamin C--induced pediatric urolithiasis: the first case report in a child and literature review. Urology 2014;84(4):922-924.
82. Hirayama F, Lee AH, Binns CW, Watanabe F, Ogawa T. : Dietary supplementation by older adults in Japan. Asia Pac J Clin Nutr 2008;17 (2):280-284.
83. Gershwin ME, Borchers AT, Keen CL, Hendler S, Hagie F, Greenwood MR : Public safety and dietary supplementation. Ann N Y Acad Sci 2010;1190:104-117.
84. Sanai T, Okuda S, Onoyama K, Oochi N, Oh Y, Kobayashi K, Shimamatsu K, Fujimi S, Fujishima M : Germanium dioxide-induced nephropathy: a new type of renal disease. Nephron 1990;54(1):53-60.
85. 佐内透, 板谷良一, 広松賢治, 大地信彰, 奥田誠也, 井関邦敏, 小林和夫, 島松和正, 小野山薰, 藤島正敏, 王幸則, 藤見惺 : 二酸化ゲルマニウム含有健康食品による腎障害 “Germanium dioxide induced nephropathy” の検討. 臨床と研究 1988;65(6):1850-1852.

合田先生

1. 合田幸広 : 健康食品の新たな機能性表示と品質に関する課題 (平成27年5月 第109回日本食品衛生学会学術講演会シンポジウム)
2. Masada-Atsumi S, Onuma M, Suenaga E, Maruyama T, Hishida A, Kiuchi F, Kobayashi S, Goda Y, Hakamatsuka T : Genome-based authentication of black cohosh (*Cimicifuga racemosa*; Ranunculaceae) supplements available in the

Japanese markets. *Jpn. J. Food Chem. Safety* 2013;20(3):178-189.

3. Masada-Atsumi S, Kumeta Y, Takahashi Y, Hakamatsuka T, Goda Y : Evaluation of the Botanical Origin of Black Cohosh Products by Genetic and Chemical Analyses. *Biol.Pharm.Bull* 2014;37(3):454-456.
4. Lockwood GB : The quality of commercially available nutraceutical supplements and food sources. *J Pharm Pharmacol* 2011;63(1):3-10.
5. Fukahori M, Kobayashi S, Naraki Y, Sasaki T, Oka H, Seki M, Masada-Atsumi S, Hakamatsuka T, Goda Y : Quality Evaluation of Medicinal Products and Health Foods Containing Chaste Berry (*Vitex agnus-castus*) in Japanese, European and American Markets. *Chem Pharm Bull (Tokyo)*. 2014;62(4):379-385.
6. Sato-Masumoto N, Masada S, Takahashi S, Terasaki S, Yokota Y, Hakamatsuka T, Goda Y : Disintegration Test of Health Food Products Containing Ginkgo Biloba L. or *Vitex Agnus-Castus* L. in the Japanese Market. *Medicines* 2015;2:47-54.
7. 大森佐與子, 地下佳 : ウコンサプリメントの多元素放射化分析—肝障害に及ぼすミネラルの影響—. *社会情報学研究* 2008;17:137-145.

齋藤先生

1. Posadzki P, Watson L, Ernst E : Herb-drug interactions : an overview of systematic reviews. *Br J Clin Pharmacol* 2013;75(3):603-618.
2. Navarro VJ, Barnhart H, Bonkovsky HL, Davern T, Fontana RJ, Grant L, Reddy KR, Seeff LB, Serrano J, Sherker AH, Stolz A, Talwalkar J, Vega M, Vuppalanchi R : Liver Injury From Herbals and Dietary Supplements in the U.S. Drug-Induced Liver Injury Network. *Hepatology* 2014;60(4):1399-1408. (梅垣先生5に同じ)
3. Bent S, Goldberg H, Padula A, Avins AL : Spontaneous Bleeding Associated with *Ginkgo biloba* A Case Report and Systematic Review of the Literature. *J Gen Intern Med* 2005;20(7): 657–661.
4. Whitten DL, Myers SP, Hawrelak JA, Wohlmuth H : The effect of St John's wort extracts on CYP3A : a systematic review of prospective clinical trials. *Br J Clin Pharmacol* 2006;62(5):512-526.
5. 遠恵二 : 一般病院での薬物性肝障害診療の現況. *医学のあゆみ*. 2014;248(1):53-59.
6. 厚生労働省医薬食品局審査管理課事務連絡「医薬品開発と適正な情報提供のための薬物相互作用ガイドライン（最終案）の公表について」平成26年7月8日
7. Tzuen-Ren Hsieue, YueLiang Leon Guo, Kuan-Wen Chen, Chang-Wen Chen, Cheng-Hsieue TR, Guo YL, Chen KW, Chen CW, Lee CH, Chang HY. : Dose-Response

Relationship and Irreversible Obstructive Ventilatory Defect in Patients With Consumption of Sauropus androgynous. Chest 1998;113(1):71-6.

8. 恩地森一, 滝川一, 村田洋介, 呉島裕治, 橋本直明, 久持顕子, 炭田知宣, 大森茂, 村田浩之, 渡辺真彰, 谷口英明, 前田直人, 熊木天児, 姜貞憲, 伊藤正, 青野礼, 綾田穣 : 民間薬および健康食品による薬物性肝障害の調査. 肝臓 2005;46(3):142-148.
9. 鈴木慎太郎, 松浦崇行, 木村輝明, 福田充, 本間哲也, 松倉聰, 黒川真嗣, 足立満 : 症例報告 ローヤルゼリー入りクラッシュゼリー状サプリメントの摂取後に生じたアナフィラキシーの一例. 昭和医会誌 2011;71(4) : 416-421.
10. Leung R, Thien FC, Baldo B, Czarny D : Royal jelly-induced asthma and anaphylaxis: clinical characteristics and immunologic correlations. J Allergy Clin Immunol. 1995;96(6 Pt 1):1004-1007.

坪野先生

1. Fortmann SP, Burda BU, Senger CA, Lin JS, Whitlock EP : Vitamin and Mineral Supplements in the Primary Prevention of Cardiovascular Disease and Cancer: An Updated Systematic Evidence Review for the U.S. Preventive Services Task Force. Ann Intern Med 2013;159(12):824-834.
2. Moyer VA; U.S. Preventive Services Task Force : Vitamin, Mineral, and Multivitamin Supplements for the Primary Prevention of Cardiovascular Disease and Cancer: U.S. Preventive Services Task Force Recommendation Statement. Ann Intern Med 2014;160(8):558-564.
3. ウエンディ・ウェイガー他著 坪野吉孝訳・解説「がんの代替療法 有効性と安全性がわかる本」法研:141-146.
4. 村木美紀子訳 坪野吉孝監訳・解説「「がん」になってからの食事と運動—米国対がん協会の最新ガイドライン 米国対がん協会著」法研
5. 坪野吉孝著「検証！がんと健康食品」河出書房新社

松井先生

1. Non-Clinical Documentation for Herbal Medicinal Products in Applications for Marketing Authorization(Bibliographical and Mixed Applications) and in Applications for Simplified Registration. EMEA/HMPC/32116/05 2006
2. Ethanol content in herbal medicinal products and traditional herbal medicinal products used in children EMA/HMPC/85114/08 2010
3. Tripkovic L, Lambert H, Hart K, Smith CP, Bucca G, Penson S, Chope G,

- Hyppönen E, Berry J, Vieth R, Lanham-New S : Comparison of vitamin D₂ and vitamin D₃ supplementation in raising serum 25-hydroxyvitamin D status: a systematic review and meta-analysis. *Am J Clin Nutr* 2012;95(6):1357-1364.
4. Bischoff-Ferrari HA, Shao A, Dawson-Hughes B, Hathcock J, Giovannucci E, Willett WC : Benefit - Risk Assessment of Vitamin D Supplementation. *Osteoporos Int* 2010;21(7):1121-1132.
 5. Vogiatzi MG, Jacobson-Dickman E, DeBoer MD : Drugs, and Therapeutics Committee of The Pediatric Endocrine Society : Vitamin D supplementation and risk of toxicity in pediatrics: a review of current literature. *J Clin Endocrinol Metab* 2014;99(4):1132-1141.
 6. 東京化学同人 : 日本ビタミン学編 ビタミン学[I]脂溶性ビタミン : 167-168.
 7. John N.hathcock, James C.Griffiths : Vitamin and Mineral Safety 3rd edition. Council for Responsible Nutrition The Science Behind the Supplements 17-18, 32-33.
 8. EUROPEAN COMMISSION : Opinion of the Scientific Committee on Food on the Tolerable Upper Intake Level of Preformed Vitamin A (retinol and retinyl esters). SCF/CS/NUT/UPPLEV/24 Final 2002.
 9. Carpenter TO, Pettifor JM, Russell RM, Pitha J, Mobarhan S, Ossip MS, Wainer S, Anast CS : Severe hypervitaminosis A in siblings: evidence of variable tolerance to retinol intake. *J Pediatr*. 1987;111(4):507-512.
 10. Miyai K, Tokushige T, Kondo M; Iodine Research Group : Suppression of thyroid function during ingestion of seaweed "Kombu" (*Laminaria japonica*) in normal Japanese adults. *Endocr J* 2008;55(6):1103-1108.
 11. Hata A, Doi Y, Ninomiya T, Mukai N, Hirakawa Y, Hata J, Ozawa M, Uchida K, Shirota T, Kitazono T, Kiyoohara Y. Magnesium intake decreases Type 2 diabetes risk through the improvement of insulin resistance and inflammation: the Hisayama Study. *DIABETICMedicine* 2013:1487-1494.
 12. M. Miró : Cucurbitacins and their pharmacological effects. *Phytotherapy Research* 1995 ; 9(3) : 159-168.
 13. Taskapan H, Vieth R, Oreopoulos DG. : Unusually prolonged vitamin D intoxication after discontinuation of vitamin D: possible role of primary hyperparathyroidism. *Int Urol Nephrol* 2008;40(3):801-805.
 14. Wasser WG, Feldman NS, D'Agati VD. : Chronic renal failure after ingestion of over-the-counter chromium picolinate. *Ann Intern Med* 1997;126(5):410.
 15. Cerulli J, Grabe DW, Gauthier I, Malone M, McGoldrick MD : Chromium

- picolinate toxicity. Ann Pharmacother 1998;32(4):428-431.
16. Kaufman DB, DiNicola W, McIntosh R : Acute potassium dichromate poisoning. Treated by peritoneal dialysis. Am J Dis Child 1970;119(4):374-376.
 17. Tanvetyanon T, Bepler G : Beta-carotene in multivitamins and the possible risk of lung cancer among smokers versus former smokers: a meta-analysis and evaluation of national brands. Cancer 2008;113(1):150-157.
 18. The effect of vitamin E and beta carotene on the incidence of lung cancer and other cancers in male smokers. The Alpha-Tocopherol, Beta Carotene Cancer Prevention Study Group. N Engl J Med 1994;330(15):1029-1035.
 19. Nakamura K, Tsugawa N, Saito T, Ishikawa M, Tsuchiya Y, Hyodo K, Maruyama K, Oshiki R, Kobayashi R, Nashimoto M, Yoshihara A, Ozaki R, Okano T, Yamamoto M. Vitamin D status, bone mass, and bone metabolism in home-dwelling postmenopausal Japanese women: Yokogoshi Study. Bone 2008;42(2):271-277.
 20. Rymal KS, Chambliss OL, Bond MD, Smith DA : Squash Containing Toxic Cucurbitacin Compounds Occurring in California and Alabama. Journal of Food Protection 1984;47(4):270-271.

吉田先生

1. Polesel J, Talamini R, Montella M, Maso LD, Crovatto M, Parpinel M, Izzo F, Tommasi LG, Serraino D, La Vecchia C, Franceschi S : Nutrients intake and the risk of hepatocellular carcinoma in Italy. Eur J Cancer 2007;43(16):2381-2387.
2. Ko C, Siddaiah N, Berger J, Gish R, Brandhagen D, Sterling RK, Cotler SJ, Fontana RJ, McCashland TM, Han SH, Gordon FD, Schilsky ML, Kowdley KV : Prevalence of hepatic iron overload and association with hepatocellular cancer in end-stage liver disease: results from the National Hemochromatosis Transplant Registry. Liver Int 2007;27(10):1394-1401.
3. Mursu J, Robien K, Harnack LJ, Park K, Jacobs DR Jr : Dietary supplements and mortality rate in older women: the Iowa Women's Health Study. Arch Intern Med 2011;171(18):1625-1633.
4. Stranges S, Marshall JR, Natarajan R, Donahue RP, Trevisan M, Combs GF, Cappuccio FP, Ceriello A, Reid ME : Effects of Long-Term Selenium Supplementation on the Incidence of Type 2 Diabetes. Ann Intern Med 2007;147(4):217-223.
5. Rayman MP, Stranges S : Epidemiology of selenium and type 2 diabetes. can we make sense of it?. Free Radic Biol Med 2013;65:1557-1564.

6. Balk EM, Tatsioni A, Lichtenstein AH, Lau J, Pittas AG : Effect of chromium supplementation on glucose metabolism and lipids. a systematic review of randomized controlled trials. *Diabetes Care* 2007;30(8):2154-2163.
7. Di Bona KR, Love S, Rhodes NR, McAdory D, Sinha SH, Kern N, Kent J, Strickland J, Wilson A, Beaird J, Ramage J, Rasco JF, Vincent JB. : Chromium is not an essential trace element for mammals: effects of a "low-chromium" diet. *J Biol Inorg Chem* 2011;16(3):381-390.
8. 吉田宗弘 : クロムはヒトの栄養に摂って必須の微量元素だろうか?. *日衛誌* 2012;67:485-491.
9. 下村 吉治(著, 編集), 松尾 達博(著), 北浦 靖之(著), 岡村 浩嗣(著), 石原 健吾(著), 長澤 純一(著), 村上 太郎(著), 早川 享志(著), 中井 直也(著) : サプリメントのほんととウソーエビデンスに基づいたサプリメントの有効性— 第3章 ミネラル. 有限会社ナップ. 2013 : 39-64.
10. 豊國伸哉 : 発癌における鉄代謝とフリーラジカル. *細胞工学*. 2011 ; 30 : 30-35.

脇先生

1. Baron JA, Barry EL, Mott LA, Rees JR, Sandler RS, Snover DC, Bostick RM, Ivanova A, Cole BF, Ahnen DJ, Beck GJ, Bresalier RS, Burke CA, Church TR, Cruz-Correia M, Figueiredo JC, Goodman M, Kim AS, Robertson DJ, Rothstein R, Shaukat A, Seabrook ME, Summers RW : A trial of calcium and vitamin D for the prevention of colorectal adenomas. *N Engl J Med* 2015;373(16):1519-1530.
2. Geller AI, Shehab N, Weidle NJ, Lovegrove MC, Wolpert BJ, Timbo BB, Mozersky RP, Budnitz DS : Emergency department visits for adverse events related to dietary supplements. *N Engl J Med* 2015;373(16):1531-1540.